

Milwaukee®

Nothing but **HEAVY DUTY.**™

TiD-extra
d.o.o.



2024/25

TO DEVELOP AND PRODUCE **NOTHING BUT HEAVY DUTY™ POWER TOOLS** IS ONLY ONE PART OF THE **MILWAUKEE® PROMISE.**

These tools need to last day in and day out. For this reason, serviceability is incorporated into every tool produced.

All power tools leave the factory with a complete documentation package including instructions for use, listing of customer service centres and safety instructions. MILWAUKEE® has a worldwide service network.

Should a problem arise requiring assistance or support at short notice, you can rely on our service centres/agents worldwide.

The global network ensures that our customers' needs and requirements are shared to influence future product development.

Expertise and competence gained over many years ensures a fast and efficient professional repair service.



MILWAUKEE® strive to meet and surpass all international and European standards and directives for both design and safety. Constant research and development programs aim to anticipate and fulfil future market trends in all regulatory and efficiency requirements. MILWAUKEE® is, amongst others, an active member of EPTA (European Power Tool Association) and so is proudly aligned to all industry measurement standards agreed by the organisation.

EXPERIENCE THE HEAVY DUTY DIFFERENCE

TOOLS BUILT TO DO THE JOB BETTER.

At MILWAUKEE® Heavy Duty is more than just a slogan. It is a promise to offer the best to professional users. Engineers at MILWAUKEE® don't just design tools.

They design tools to get the job done better, faster, reliably and safely.

www.milwaukeetool.eu



ALL YOU HAVE TO DO TO TAKE ADVANTAGE OF OUR EXTRA GUARANTEE OFFER IS TO REGISTER ONLINE. NOTHING BUT HEAVY DUTY™

NOTHING BUT HEAVY DUTY GUARANTEE:



*From 1st of February 2024 the extended guarantee for MILWAUKEE® power tool(s), outdoor power equipment and REDLITHIUM™ batteries will only be granted if the product is new and purchased via an Authorised MILWAUKEE® Distributor. The same applies to the guarantee for MILWAUKEE® hand tool(s) as well. Rights already established before 1st of February 2024 shall remain unaffected.



For full terms and conditions for each of the above mentioned guarantees, please see the link below; <https://www.milwaukeetool.eu/service/>



MILWAUKEE® power tool(s), outdoor power equipment & batteries come with a standard 1 year guarantee. Guarantee extensions are available by visiting www.milwaukeetool.eu.

MILWAUKEE® power tool(s) and outdoor power equipment guarantee can be extended from 1 year to a maximum of 3 years (1 + 2). With the exception of MX FUEL™ tools for which the guarantee can be extended from 1 year to a maximum of 2 years (1 + 1).

All MILWAUKEE® REDLITHIUM™ batteries including MX FUEL™ batteries come with a standard 1 year guarantee which can be extended to a maximum of 2 years (1 + 1).

All guarantee extensions are subject to registering online within 30 days of the purchase date.

Every MILWAUKEE® is tested according to a comprehensive certified process before leaving the factory and is guaranteed to

be **NOTHING BUT HEAVY DUTY™** qualified. At MILWAUKEE® we take great pride in the products and services we offer to our professional customers.

The guarantee extension is only available in those countries listed on our warranty registration website. The extended guarantee offer excludes products used in the hire industry, battery chargers and accessories supplied.

MILWAUKEE® hand tool lifetime guarantee

Certain MILWAUKEE® hand tools come with a lifetime guarantee which means they can be replaced or repaired free of charge should they break during normal usage due to material or manufacturing fault.*

MILWAUKEE® Levels - 30 year accuracy guarantee

The following MILWAUKEE® levels are sold with a 30 year accuracy guarantee: MILWAUKEE® BACKBONE™; Compact box levels; and the Block Torpedo level.*

MILWAUKEE® Levels - 10 year accuracy guarantee

The following MILWAUKEE® levels are sold with a 10 year accuracy guarantee: MILWAUKEE® Slim box level; REDCAST™ level; Minibox level; Billet Torpedo; and I-Beam level.*

*For full terms and conditions for each of the above mentioned guarantees, please see the link below; <https://www.milwaukeetool.eu/service/>

ZERO EMISSIONS.* ZERO COMPROMISE.

ENSURING OUR USERS CAN WORK SAFELY,
SUSTAINABLY, AND PRODUCTIVELY.

THE EU AIMS TO BE
CLIMATE-NEUTRAL
BY 2050**

PETROL EQUIVALENT PERFORMANCE

LOW NOISE

NO PETROL OR EMISSIONS

LESS DOWNTIME

ENHANCE JOBSITE SAFETY

INCREASED PRODUCTIVITY

MX FUEL PORTABLE PRODUCTIVITY. TRADE FOCUSED. SYSTEM WIDE.

ONE SYSTEM, OVER 25 TOOLS

*Zero emissions when product in use
** Information sourced from European commission press release, available: Making the EU climate-neutral by 2050 (europa.eu)



MXF PSC MX FUEL™ SCREED



- The MX FUEL™ Screed is the ideal solution when working on larger areas, delivering petrol like performance without petrol headaches
- Power to pull blades up to 4.9 m
- The push-button start delivers instant power, eliminating the repetitive motions of a pull start and reducing downtime, allowing you to get jobs done faster without sacrificing the power and run time you expect

	MXF PSC-0	MXF PSC-302	MXF PSCKIT-302
Standard equipment	-	-	3 m blade
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x MXF CP203 Battery packs, MXF C Charger, No kitbox or bag supplied	2 x MXF CP203 Battery packs, MXF C Charger, No kitbox or bag supplied
Article Number	4933479771	4933479772	4933479774
EAN Code	4058546375652	4058546375669	4058546375683

MXF CVBP MX FUEL™ BACKPACK CONCRETE VIBRATOR



- The MX FUEL™ Backpack Concrete Vibrator is the ideal solution when working on larger areas, delivering AC like performance without the hassle of laying cables or having the need for an AC socket on the jobsite
- It has the power to push up to Ø63 mm head at over 11,200 VPM for optimal consolidation, even in the stiffest concrete

	MXF CVBP-0	MXF CVBP-602	MXF CVBPKIT-602
Standard equipment	Remote control	Remote control	Remote control, 2 m vibrator shaft, 38 mm vibrator head
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x MXF XC406 Battery packs, MXF C Charger, No kitbox or bag supplied	2 x MXF XC406 Battery packs, MXF C Charger, No kitbox or bag supplied
Article Number	4933479595	4933479591	4933479593
EAN Code	4058546373894	4058546373856	4058546373870

SCAN TO VIEW OUR ACCESSORIES FOR CONCRETE VIBRATORS



MXF CVBC MX FUEL™ BRIEFCASE CONCRETE VIBRATOR



- Compact and slim design for increased mobility suiting stationary as well as mobile applications
- Carrying strap and handle for increased flexibility on site and easy transport
- Equipped with a ring for easy attachment of the vibrator to the scaffolding or the formwork

	MXF CVBC-0	MXF CVBC-602	MXF CVBCKIT-602
Standard equipment	Remote control	Remote control	Remote control, 4 m vibrator shaft, 38 mm vibrator head
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x MXF XC406 Battery packs, MXF C Charger, No kitbox or bag supplied	2 x MXF XC406 Battery packs, MXF C Charger, No kitbox or bag supplied
Article Number	4933479607	4933479608	4933479610
EAN Code	4058546374013	4058546374020	4058546374044

SCAN TO VIEW OUR SYSTEM ATTACHMENTS FOR MX FUEL™ DIAMOND CORE DRILL



MXF DCD150 MX FUEL™ 150 MM DIAMOND CORE DRILL



- Core with confidence by delivering AC performance with a maximum core diameter capacity of 152 mm wet & dry
- 2 speed gearing for a wide range of applications, with laser etched speed and capacity markings into the metal body
- Speed 1: up to 75 mm diameter wet & dry coring at 1600 rpm
- Speed 2: 76 to 152 mm diameter wet & dry coring 800 rpm

	MXF DCD150-0C	MXF DCD150-302C	MXF DCD150-302C KIT
Standard equipment	Trigger lock-on, side handle	Trigger lock-on, side handle	Trigger lock-on, side handle, MXF DR255TV drill stand
Kit included	No batteries supplied, No charger supplied, Kitbox	2 x MXF CP203 Battery packs, MXF C Charger, Kitbox	2 x MXF CP203 Battery packs, MXF C Charger, Kitbox
Article Number	4933478986	4933464887	4933471835
EAN Code	4058546362683	4058546228323	4058546297343

SCAN TO VIEW OUR CUT-OFF SAW DISCS



MXF DCD350 MX FUEL™ 350 MM DIAMOND CORE DRILL



- Rig-mounted diamond coring up to 350 mm diameter. Core with confidence by delivering AC performance
- 4 speed gearing for a wide range of applications, with laser etched speed and capacity markings into the metal body
- Speed 1: up to 51 mm / Speed 2: 51 - 76 mm / Speed 3: 76 - 152 mm / Speed 4: 152 - 350 mm

	MXF DCD350 KIT-0	MXF DCD350 KIT-122
Standard equipment	MXF DCD350 DR rig stand	MXF DCD350 DR rig stand
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x MXF HD812 Battery packs, MXF SC Charger, No kitbox or bag supplied
Article Number	4933493142	4933493143
EAN Code	4058546480134	4058546480141

MXF DR255TV PREMIUM DIAMOND DRILLING STAND FOR MX FUEL™ DIAMOND CORE DRILL



- Height-adjustable insulated drive handle and easy to reach depth adjustment handle to facilitate one-handed operation
- Universal hinged motor clamp with 60 mm collar diameter
- Tool-free machine and watertank attachment compatible with M18™ SWITCH TANK™ 15 l water supply

	MXF DR255TV
Article Number	4933472247
EAN Code	4058546338930

MXF COS350G2 MX FUEL™ 350 MM CUT-OFF SAW



- Battery powered, it can be used indoors due to zero fume emissions
- Anti-kickback system prevents users from being injured in case of a kickback
- RAPID STOP™/ blade brake: blade stops within < 3 sec
- Petrol equivalent performance with a maximum no load speed of 5370 rpm and a full 125 mm depth of cut

	MXF COS350G2-0	MXF COS350G2-802
Standard equipment	HUDD 350mm SPEEDCROSS™ diamond blade (4932471985) & contractor bag	HUDD 350mm SPEEDCROSS™ diamond blade (4932471985) & contractor bag
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x MXF XC608 Battery packs, MXF SC Charger, No kitbox or bag supplied
Article Number	4933480478	4933480480
EAN Code	4058546407636	4058546407650

MXF COSCG2 MX FUEL™ CUT-OFF SAW CART



- 350 mm cut-off saw cart to maintain straight cuts with full 125 mm depth of cut capacity
- Height-adjustable drive handle and easy to reach depth adjustment handle to facilitate one-handed operation
- Tool-free machine and water tank attachment compatible with the M18™ SWITCH TANK™ interchangeable sprayer and water supply system

	MXF COSCG2
Article Number	4933493264
EAN Code	4058546481353

MXF DH2528H MX FUEL™ 25 KG CLASS 28 MM HEX DEMOLITION HAMMER



- The industry's first cordless 28 mm Hex demolition hammer, delivering the power of petrol, corded and pneumatic
- Heavy Duty hammer provides 64 blow Joules of impact energy for toughest demolition applications
- Floating body anti-vibration technologies allows the user to work all day without reaching dangerous exposure levels

	MXF DH2528H-0	MXF DH2528H-602
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x MXF XC406 Battery packs, MXF C Charger, No kitbox or bag supplied
Article Number	4933478985	4933464877
EAN Code	4058546362676	4058546228224

MXF PTR2 MX FUEL™ PIPE THREADING MACHINE 2" WITH ONE-KEY™



- Threading capacity from 1/8" all the way up to 2"
- One stop shop: Cut, Ream and Thread with one tool
- Outstanding performance with 2 speed settings of 39 RPM and 59 RPM matching corded speed
- Maximum mobility thanks to foldable wheel cart with tool free setup
- Integrated auto oil system with oil pump and reservoir

	MXF PTR2-0	MXF PTR2-601
Standard equipment	1/2"-3/4" BSPT HS die set, 1"-2" BSPT HS die set	1/2"-3/4" BSPT HS die set, 1"-2" BSPT HS die set
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	1 x MXF XC406 Battery pack, MXF C Charger, No kitbox or bag supplied
Article Number	4933498324	4933492100
EAN Code	4058546521936	4058546414672

MXF LSDP MX FUEL™ LARGE SEWER DRUM MACHINE WITH POWERTREDZ™



- The MX FUEL™ large sewer drum machine with integrated POWERTREDZ™, requires one person only to move the sewer machine in and out of the service van, up and down building stairs
- World's first battery powered large drum machine that uses MILWAUKEE® 16 mm and 20 mm inner core spirals in drains from 75 mm up to 200 mm, with the power to clear roots up to 60 m down the line

	MXF LSDP-301
Standard equipment	1 x 20 mm x 15.2 m inner core cable, 1 x 20 mm x 7.6 m inner core cable, 1 x 9 pc head attachment kit
Kit included	1 x MXF CP203 Battery pack, MXF C Charger, No kitbox or bag supplied
Article Number	4933471851
EAN Code	4058546297503

MXF TL MX FUEL™ TOWER LIGHT



- TRUEVIEW™ high definition light output with up to 27,000 lumens in AC and up to 20,000 lumens in DC mode for both task and area lighting
- Has the ability to manoeuvre the light heads in multiple orientations, allowing the user to direct light to wherever it's needed

	MXF TL-601
Kit included	1 x MXF XC406 Battery pack, Integrated charger, No kitbox or bag supplied
Article Number	4933471844
EAN Code	4058546297435

MXF DHT BREAKER TROLLEY FOR MX FUEL™ DEMOLITION HAMMER



- Lightweight demolition hammer cart with large rubber wheels for easy transport across uneven terrain
- Integrated demolition hammer retention strap and full-metal fastening locations
- On-board spring-loaded storage locations for 4 chisels
- Battery & charger storage dock with charger cable hook for transport

	MXF DHT
Article Number	4933464879
EAN Code	4058546228248

SCAN TO VIEW OUR SYSTEM ATTACHMENTS FOR MX FUEL™ PIPE THREADING MACHINE 2" WITH ONE-KEY™

SCAN TO VIEW OUR SYSTEM ATTACHMENTS FOR MX FUEL™ LARGE SEWER DRUM MACHINE WITH POWERTREDZ™

MXF PS MX FUEL™ POWER SUPPLY



- Building on the strengths of the FUEL™ technology, MX FUEL™ system reaches new levels of cordless performance. Focused on petrol, corded and pneumatic performance, these tools deliver without the hazards associated with emissions, noise, vibration, tripping hazards and the frustrations of complex maintenance

	MXF PS-0	MXF PS-602
Kit included	No batteries supplied, Integrated charger, No kitbox or bag supplied	2 x MXF XC406 Battery packs, Integrated charger, No kitbox or bag supplied
Article Number	4933493922	4933479266
EAN Code	4058546510824	4058546370602

MX FUEL™ BATTERIES



	MXF HD812	MXF XC608	MXF XC406	MXF XC-2406	MXF CP203	MXF CP-2203
System	MX FUEL™	MX FUEL™	MX FUEL™	MX FUEL™	MX FUEL™	MX FUEL™
Battery pack capacity (Ah)	12.0	8.0	6.0	6.0	3.0	3.0
No. of batteries supplied	1	1	1	2	1	2
Charge time MXF C charger	160 min	110 min	90 min	90 min	45 min	45 min
Charge time MXF SC charger	65 min	45 min	45 min	45 min	45 min	45 min
Weight (kg)	5.9	4.5	4.8	4.8	2.7	2.7
Supplied in	No kitbox or bag supplied	No kitbox or bag supplied	No kitbox or bag supplied	No kitbox or bag supplied	No kitbox or bag supplied	No kitbox or bag supplied
Article Number	4932492128	4932492130	4933471837	4933479162	4933471838	4933479161
EAN Code	4058546414955	4058546414979	4058546297367	4058546369569	4058546297374	4058546369552

MX FUEL™ CHARGERS



	MXF SC	MXF C
Charging ports	1 x MX FUEL™	1 x MX FUEL™
Charge type	Single	Single
Power source	AC	AC
Carry handle	Yes	Yes
Wall mountable	No	Yes
Weight (kg)	8.9	2.7
Supplied in	No kitbox or bag supplied	No kitbox or bag supplied
Article Number	4932492848	4933471839
EAN Code	4058546477196	4058546297381

MX FUEL™ BATTERIES AND CHARGER KITS



	MXF NRG-406	MXF FORGENRG-802	MXF FORGENRG-122
Kit included	2 x MXF XC406 Battery packs, MXF C Charger, No kitbox or bag supplied	2 x MXF XC608 Battery packs, MXF SC Charger, No kitbox or bag supplied	2 x MXF HD812 Battery packs, MXF SC Charger, No kitbox or bag supplied
Article Number	4933479160	4933493548	4933493549
EAN Code	4058546369545	4058546484194	4058546484200

NEXT GENERATION

M18 FUEL
DRIVEN TO OUTPERFORM.™

LIMITS REDEFINED.

M18 FUEL™ NEXT GENERATION. MORE COMPACT. UNRIVALLED ACCURACY. REDEFINED PERFORMANCE.

M18™ Next Generation FUEL™, packs a mighty punch in a smaller package. More compact, yet more powerful, the range is perfect for those hard to reach areas, and ideal for working at height, due to the reduced size and weight, better balance and easier handling.

Put M18™ Next Generation FUEL™ to the test, and reset your expectations of 18 V tools.

- 1 **POWERSTATE™ BRUSHLESS MOTOR**
- 2 **REDLINK PLUS™ INTELLIGENCE**
- 3 **REDLITHIUM™ BATTERY PACKS**



MORE COMPACT. UNRIVALED ACCURACY. REDEFINED PERFORMANCE.



NEXT GENERATION

THE EASIEST WAY TO KEEP TRACK OF YOUR INVENTORY



ONE-KEY™
UNLOCKING THE DIGITAL JOBSITE.™

Bluetooth LOCATION


TRACK. MANAGE. CUSTOMISE.

With ONE-KEY™ you can add tools and equipment no matter the brand to your inventory and get a full overview of ALL your assets. Add unlimited users for free, assign tools to different employees and see which tools that are currently in use, ready for use or perhaps at the service centre.

Follow a digital trace of when, where and how your tools have been used to optimise efficiency and usage, or use it to track and lock your tools and equipment if it's missing.

Print professional reports and get documentation on the tool quality and usage.

All of this and much more **FOR FREE!**



GET STARTED IN 2 MINUTES

- STEP 1**
DOWNLOAD THE MILWAUKEE® ONE-KEY™ APP FOR FREE
- STEP 2**
REGISTER YOUR PROFILE FAST & EASY
- STEP 3**
DONE! YOU ARE NOW READY TO USE ONE-KEY™

GET THE RIGHT HAMMER FOR THE JOB

1 For the more demanding, heavy duty applications. Including dry coring and medium duty chipping in both concrete block and reinforced concrete

2 For heavy duty applications, ideal for plumbing or formwork

3 Excellent performance, ideal for repetitive and fast drilling

4 Balanced performance weight ratio, ideal for light chiseling applications

5 Fixing hammers, ideal for tight spaces and all day use

SDS-MAX

	Battery system	Technology	Feature	ONE-KEY™	Blow energy (EPTA)(J)	Full load hammer action (bpm)	No load speed (rpm)	Optimised drilling capacity in concrete (mm)	Vibration drilling (m/s ²)	Vibration chiseling (m/s ²)	Weight with battery pack (EPTA) (kg)	Fits MILWAUKEE® Dust Extractors
1.	M18 FHM-121C	M18 FUEL™	HIGH OUTPUT™	AUTOSTOP™	ONE-KEY™	11.0	0 - 2900	0 - 380	20 - 40	9.4	10.2 (M18 HB12)	PHDE72
1.	M18 CHM-0C	M18 FUEL™	-	-	-	6.1	0 - 3000	0 - 450	16 - 32	10.6	7.1 (M18 HB12)	PHDE72

SDS-PLUS

	Battery system	Technology	ONE-KEY™	FIXTEC™	Blow energy (EPTA)(J)	Max. percussion rate (bpm)	No load speed (rpm)	Optimised drilling capacity in concrete (mm)	Vibration drilling (m/s ²)	Vibration chiseling (m/s ²)	Weight with battery pack (EPTA) (kg)	Fits MILWAUKEE® Dust Extractors
2.	M18 ONEFHP-0X	M18 FUEL™	ONE-KEY™	-	5.0	0 - 4600	0 - 800	8 - 24	6.9	7.4	5.0 (M18 HB5.5)	M18 FPDDEXL
2.	M18 ONEFHPX-552X	M18 FUEL™	ONE-KEY™	✓	5.0	0 - 4600	0 - 800	8 - 24	6.9	7.4	5.2 (M18 HB5.5)	M18 FPDDEXL
2.	M18 FHACOD32-0C	M18 FUEL™	ONE-KEY™	-	4.9	0 - 4600	0 - 800	8 - 24	10.5	9.4	5.9 (M18 HB5.5)	M18 FDEXL32
3.	M18 FH-0X	M18 FUEL™	-	-	2.5	0 - 4800	0 - 1330	8 - 24	12.9	14.2	4.3 (M18 HB5.5)	M18 FCDDEXL/ M18 FDEXL
3.	M18 FHX-552X	M18 FUEL™	-	✓	2.5	0 - 4800	0 - 1330	6 - 20	12.9	14.2	4.4 (M18 HB5.5)	M18 FCDDEXL/ M18 FDEXL
3.	M18 ONEFH-0X	M18 FUEL™	ONE-KEY™	-	2.5	0 - 4800	0 - 1330	6 - 20	12.9	14.2	4.3 (M18 HB5.5)	M18 FCDDEXL/ M18 FDEXL
3.	M18 ONEFHPX-552X	M18 FUEL™	ONE-KEY™	✓	2.5	0 - 4800	0 - 1330	6 - 20	12.9	14.2	4.5 (M18 HB5.5)	M18 FCDDEXL/ M18 FDEXL
4.	M18 BLH-502X	M18™	Brushless	-	2.3	0 - 5100	26/ 13/ 26	6 - 18	8.9	9.5	3.3 (M18 B5)	M18 CDEX
4.	M18 BLHX-502X	M18™	Brushless	✓	2.3	0 - 4900	26/ 13/ 26	6 - 18	8.9	9.5	3.5 (M18 B5)	M18 CDEX
4.	M18 BLHACD26-402X	M18™	Brushless	-	2.6	0 - 4600	28/ 13/ 26	6 - 18	13.9	13.2	3.1 (M18 B4)	M18 CDEX
5.	M12 CH-602X	M12 FUEL™	-	-	1.1	-	0 - 900	Ø 5.5 - 12	4.4	-	1.9 (M12 B6)	M12 UDEL
5.	M18 BH-402C	M18™	-	-	1.2	7000	0 - 1300	Ø 5.5 - 13	10.3	-	2.5 (M18 B4)	M12 UDEL



SCAN HERE TO VIEW OUR PPE RANGE



SCAN HERE TO VIEW COMPATIBLE DRILL BITS

REDLITHIUM™

M18 FHM M18 FUEL™ ONE-KEY™ 8 KG SDS-MAX DRILLING AND BREAKING HAMMER



- The M18 FHM is the most productive SDS-Max tool MILWAUKEE® has produced, delivering AC power with the flexibility of the cordless M18™ platform
- The HIGH OUTPUT™ system of tools elevates the M18 FUEL™ technologies to a new level and delivers extended performance and extended run time. These tools are designed to maximise the partnership with HIGH OUTPUT™ batteries

	M18 FHM-0C	M18 FHM-121C
Kit included	No batteries supplied, No charger supplied, Kitbox	1 x M18 HB12 Battery pack, M12-18 FC Charger, Kitbox
Article Number	4933464893	4933464894
EAN Code	4058546228385	4058546228392

M18 ONEFHPX M18 FUEL™ HIGH PERFORMANCE 4-MODE 32 MM SDS-PLUS HAMMER WITH ONE-KEY™ AND FIXTEC™ CHUCK



- Hardest hitting cordless SDS-Plus hammer in its class. Powerful hammer mechanism delivers 5.0 J (EPTA) of impact energy at low 6.9 m/s² vibrations
- Drills up to 10 Ø18 x 100 mm holes on a M18™ HIGH OUTPUT™ 5.5 Ah battery charge
- AUTOSTOP™ shuts down the tool to protect the user of sharp movement in bind up situations

	M18 ONEFHPX-0X	M18 ONEFHPX-552X
Kit included	No batteries supplied, No charger supplied, HD Box	2 x M18 HB5.5 Battery packs, M12-18 FC Charger, HD Box
Article Number	4933478495	4933478496
EAN Code	4058546346881	4058546346898

M18 FDEXL32 M18 FUEL™ DEDICATED DUST EXTRACTION FOR M18 FUEL™ 32 MM SDS-PLUS D-HANDLE HAMMER WITH AUTOPULSE™



- Designed to collect dust efficiently with automatic operation from the tools on/ off trigger switch
- AUTOPULSE™ industry's first on-board automatic filter cleaning mechanism for an on-tool dust extractor, which increases the air flow efficiency as well as the filter life time
- The highly efficient HEPA filter collects 99.97% of airborne particles down to 0.3 microns

	M18 FDEXL32-0
Article Number	4933492142
EAN Code	4058546415099

M18 FPDDEXL M18 FUEL™ DEDICATED DUST EXTRACTION FOR M18 FUEL™ 32 MM SDS-PLUS HAMMERS WITH AUTOPULSE™



- Designed to collect dust efficiently with automatic operation from the tools on/ off trigger switch
- AUTOPULSE™ industry's first on-board automatic filter cleaning mechanism for an on-tool dust extractor, which increases the air flow efficiency as well as the filter life time
- The highly efficient HEPA filter collects 99.97% of airborne particles down to 0.3 microns

	M18 FPDDEXL-0
Article Number	4933478509
EAN Code	4058546347024

M18 CHM M18 FUEL™ 5 KG SDS-MAX DRILLING AND BREAKING HAMMER



- The world's first 18V 5 kg SDS-Max hammer for maximum versatility and portability with equal performance to an AC tool
- Brushless POWERSTATE™ motor provides corded drilling performance
- REDLINK PLUS™ intelligence system delivers an advanced digital overload protection for tool and battery and uniquely enhances the tool performance under load

	M18 CHM-0C
Kit included	No batteries supplied, No charger supplied, Kitbox
Article Number	4933451362
EAN Code	4002395159208

M18 FHACOD32 M18 FUEL™ 32 MM SDS-PLUS D-HANDLE HAMMER WITH ONE-KEY™



- D-handle with compact and ergonomic design for increased end user comfort
- Powerful hammer mechanism and the brushless motor design delivers 4.9 J of impact energy
- 4-mode operation: rotary hammer, hammer only, rotation only and variolock for maximum versatility
- Anti-vibration side handle for lower vibration exposure

	M18 FHACOD32-0C	M18 FHACOD32-0
Kit included	No batteries supplied, No charger supplied, Kitbox	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933492140	4933492141
EAN Code	4058546415075	4058546415082

M18 ONEFHP M18 FUEL™ HIGH PERFORMANCE 4-MODE 32 MM SDS-PLUS HAMMER WITH ONE-KEY™



- Hardest hitting cordless SDS-Plus hammer in its class. Powerful hammer mechanism delivers 5.0 J (EPTA) of impact energy at low 6.9 m/s² vibrations
- Drills up to 10 Ø18 x 100 mm holes on a M18™ HIGH OUTPUT™ 5.5 Ah battery charge
- AUTOSTOP™ shuts down the tool to protect the user of sharp movement in bind up situations

	M18 ONEFHP-0X
Kit included	No batteries supplied, No charger supplied, HD Box
Article Number	4933478884
EAN Code	4058546361662

M18 ONEFHPXDEL M18 FUEL™ HIGH PERFORMANCE SDS-PLUS HAMMER WITH DEDICATED DUST EXTRACTOR



- M18 ONEFHPX - M18 FUEL™ high performance 4-mode 32 mm SDS-Plus hammer with ONE-KEY™ and FIXTEC™ chuck
- M18 FPDDEXL - Dedicated dust extraction for M18 FUEL™ 32 mm SDS-Plus hammers with AUTOPULSE™

	M18 ONEFHPXDEL-552C
Kit included	2 x M18 HB5.5 Battery packs, M12-18 FC Charger, Kitbox
Article Number	4933478498
EAN Code	4058546346911

M18 ONEFHX M18 FUEL™ 4-MODE 26 MM SDS-PLUS HAMMER WITH FIXTEC™ CHUCK AND ONE-KEY™



- The fastest drilling rotary hammer in its class leading to increased productivity
- Powerful hammer mechanism delivers 2.5 J of impact energy at low 12.9 m/s² vibrations
- Drills up to 125 Ø10 x 50 mm holes on a M18™ HIGH OUTPUT™ 5.5 Ah battery charge
- AUTOSTOP™ shuts down the tool to protect the user of sharp movement in bind up situations

	M18 ONEFHX-0X	M18 ONEFHX-552X
Kit included	No batteries supplied, No charger supplied, HD Box	2 x M18 HB5.5 Battery packs, M12-18 FC Charger, HD Box
Article Number	4933478503	4933478504
EAN Code	4058546346966	4058546346973

M18 ONEFH M18 FUEL™ 4-MODE 26 MM SDS-PLUS HAMMER WITH ONE-KEY™



- The fastest drilling rotary hammer in its class leading to increased productivity
- Powerful hammer mechanism delivers 2.5 J of impact energy at low 12.9 m/s² vibrations
- Drills up to 125 Ø10 x 50 mm holes on a M18™ HIGH OUTPUT™ 5.5 Ah battery charge
- AUTOSTOP™ shuts down the tool to protect the user of sharp movement in bind up situations

	M18 ONEFH-0X
Kit included	No batteries supplied, No charger supplied, HD Box
Article Number	4933478886
EAN Code	4058546361686

M18 BLHX M18™ BRUSHLESS 4-MODE 26 MM SDS-PLUS HAMMER WITH FIXTEC™ CHUCK



- Powerful hammer mechanism and the brushless motor design delivers 2.3 J of impact energy
- Compact, ergonomic design for increased end user comfort
- FIXTEC™ system for keyless chuck changing between SDS-Plus and 13 mm metal chuck
- All metal gear case - optimum seating of the gears for enhanced tool life

	M18 BLHX-0X	M18 BLHX-502X
Kit included	No batteries supplied, No charger supplied, HD Box	2 x M18 B5 Battery packs, M12-18 FC Charger, HD Box
Article Number	4933478891	4933478892
EAN Code	4058546361730	4058546361747

M18 BLH M18™ BRUSHLESS 4-MODE 26 MM SDS-PLUS HAMMER



- Powerful hammer mechanism and the brushless motor design delivers 2.3 J of impact energy
- Compact, ergonomic design for increased end user comfort
- All metal gear case - optimum seating of the gears for enhanced tool life
- 4-mode operation: rotary hammer, hammer only, rotation only and selectable work position of the chisel (variolock) for maximum versatility

	M18 BLH-0	M18 BLH-502X
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M18 B5 Battery packs, M12-18 FC Charger, HD Box
Article Number	4933479426	4933478894
EAN Code	4058546372200	4058546361761

M18 FHX M18 FUEL™ 4-MODE 26 MM SDS-PLUS HAMMER WITH FIXTEC™



- The fastest drilling rotary hammer in its class leading to increased productivity
- Powerful hammer mechanism delivers 2.5 J of impact energy at low 12.9 m/s² vibrations
- Drills up to 125 Ø10 x 50 mm holes on a M18™ HIGH OUTPUT™ 5.5 Ah battery charge
- AUTOSTOP™ shuts down the tool to protect the user of sharp movement in bind up situations

	M18 FHX-0X	M18 FHX-552X
Kit included	No batteries supplied, No charger supplied, HD Box	2 x M18 HB5.5 Battery packs, M12-18 FC Charger, HD Box
Article Number	4933478888	4933478889
EAN Code	4058546361709	4058546361716

M18 FH M18 FUEL™ 4-MODE 26 MM SDS-PLUS HAMMER



- The fastest drilling rotary hammer in its class leading to increased productivity
- Powerful hammer mechanism delivers 2.5 J of impact energy at low 12.9 m/s² vibrations
- Drills up to 125 Ø10 x 50 mm holes on a M18™ HIGH OUTPUT™ 5.5 Ah battery charge
- AUTOSTOP™ shuts down the tool to protect the user of sharp movement in bind up situations

	M18 FH-0X
Kit included	No batteries supplied, No charger supplied, HD Box
Article Number	4933478500
EAN Code	4058546346935

M18 CDEX M18 FUEL™ SDS-PLUS DUST EXTRACTOR



- Designed to collect dust effectively with automatic operation from the tools on/off trigger switch
- HEPA Filter: widely regarded as the ultimate filter that traps all sizes of particles with an efficiency rating of 99.75%
- Large dust collection box
- Dust extraction aluminium tube is adjustable according to the size of the drill bit and length 16 mm max and 90 mm depth

	M18 CDEX-0
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933447450
EAN Code	4002395006243

M18 BLHACD26 M18™ BRUSHLESS 26 MM SDS-PLUS D-HANDLE HAMMER



- D-handle with lightweight and ergonomic design for increased end user comfort
- Powerful hammer mechanism and the brushless motor design delivers 2.6 J of impact energy
- 4-mode operation: rotary hammer, hammer only, rotation only and variolock for maximum versatility
- Anti-vibration system (AVS) for decreased user fatigue and lower vibration exposure

	M18 BLHACD26-0X	M18 BLHACD26-402X
Kit included	No batteries supplied, No charger supplied, HD Box	2 x M18 B4 Battery packs, M12-18 C Charger, HD Box
Article Number	4933492482	4933492480
EAN Code	4058546418496	4058546418472

M18 FDDEXL DEDICATED DUST EXTRACTION FOR M18 FUEL™ 26 MM SDS-PLUS HAMMERS WITH AUTOPULSE™



- Designed to collect dust efficiently with automatic operation from the tools on/off trigger switch
- AUTOPULSE™ industry's first on-board automatic filter cleaning mechanism for an on-tool dust extractor, which increases the air flow efficiency as well as the filter life time
- The highly efficient HEPA filter collects 99.97% of airborne particles down to 0.3 microns

	M18 FDDEXL-0
Article Number	4933478508
EAN Code	4058546347017

M18 FCDDEXL COMPACT DEDICATED DUST EXTRACTION FOR M18 FUEL™ 26 MM SDS-PLUS HAMMERS



- Designed to collect dust efficiently with automatic operation from the tools on/off trigger switch
- The highly efficient HEPA filter collects 99.97% of airborne particles down to 0.3 microns
- Manual filter cleaning mechanism increases the air flow efficiency as well as the filter life time

	M18 FCDDEXL-0
Article Number	4933478507
EAN Code	4058546347000

M18 BH M18™ COMPACT 2-MODE SDS-PLUS HAMMER



- Superior power to weight ratio in its class 2.5 kg 1.2 J (EPTA)
- High performance 4-pole motor delivers maximum power whilst maximising the power to weight ratio
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- 2-mode operation: choose rotary hammer or rotation only for maximum versatility

	M18 BH-0	M18 BH-402C
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M18 B4 Battery packs, M12-18 C Charger, Kitbox
Article Number	4933443320	4933443330
EAN Code	4002395003730	4002395003747

M18 FCOS230 M18 FUEL™ CUT-OFF SAW



- The world's first 18V 230 mm battery powered cut-off saw, delivers the power to cut reinforced concrete, whilst being 50% lighter than other petrol comparisons
- Starts up instantly, eliminates the need to mix petrol and oil, and avoids petrol engine maintenance
- Can be used indoors due to zero fume emissions

	M18 FCOS230-0	M18 FCOS230-121
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	1 x M18 HB12 Battery pack, M12-18 FC Charger, No kitbox or bag supplied
Article Number	4933471696	4933471697
EAN Code	4058546295950	4058546295967

M18 ONEFHXDEL M18 FUEL™ 4-MODE 26 MM SDS-PLUS HAMMER WITH FIXTEC™ CHUCK, ONE-KEY™ AND WITH DEDICATED DUST EXTRACTOR



- M18 ONEFHX - M18 FUEL™ 4-mode 26 mm SDS-Plus hammer with FIXTEC™ chuck and ONE-KEY™
- M18 FDDEXL - Dedicated dust extraction for M18 FUEL™ 26 mm SDS-Plus hammers with AUTOPULSE™

	M18 ONEFHXDEL-552C
Kit included	2 x M18 HB5.5 Battery packs, M12-18 FC Charger, Kitbox
Article Number	4933478506
EAN Code	4058546346997



M18 FPM M18 FUEL™ PADDLE MIXER



- POWERSTATE™ brushless motor delivers the power to mix heavy compounds, such as concrete and mortar
- Ultimate speed control: 3 different ways of controlling speed for clean and consistent mixes (8-speed setting dial, variable speed trigger and a lock on button)
- 180° adjustable handle with 16 adjustable settings for user to optimise the handle position based on preference and comfort

	M18 FPM-0X
Kit included	No batteries supplied, No charger supplied, HD Box
Article Number	4933459719
EAN Code	4058546028916

M18 FCVN M18 FUEL™ NEEDLE CONCRETE VIBRATOR



- M18 FUEL™ Needle Vibrator for consolidation of concrete with a compact design
- 1.2 m whip length execution recommended for footings or small flatwork (M18 FCVN12)
- 2.4 m whip length execution recommended for walls or columns (M18 FCVN24)
- 25 mm² head design and 12,500 VPM for an improved consolidation power
- Variable speed trigger for ideal adaption to each material and formwork size

	M18 FCVN12-0	M18 FCVN12-551	M18 FCVN24-0	M18 FCVN24-551
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	1 x M18 HB5.5 Battery pack, M12-18 FC Charger, No kitbox or bag supplied	No batteries supplied, No charger supplied, No kitbox or bag supplied	1 x M18 HB5.5 Battery pack, M12-18 FC Charger, No kitbox or bag supplied
Article Number	4933479596	4933479597	4933479599	4933479600
EAN Code	4058546373900	4058546373917	4058546373931	4058546373948

GET THE RIGHT PERCUSSION DRILL FOR THE JOB



	Battery system	Technology	ONE-KEY™	Feature	No load speed (rpm)	Max. drilling wood/ steel/ masonry (mm)	Max. percussion rate (bpm)	Max. torque (Nm)	Chuck capacity (mm)	Weight with battery pack (EPTA) (kg)
1.	M18 ONEPD3-502X	M18 FUEL™	ONE-KEY™	-	0 - 500/ 0 - 2100	89/ 16/ 16	0 - 33,000	158	13	2.2 (M18 B5)
1.	M18 FPD3-502X	M18 FUEL™	-	AUTOSTOP™	0 - 500/ 0 - 2100	89/ 16/ 16	0 - 33,000	158	13	2.2 (M18 B5)
1.	M12 FPD2-602X	M12 FUEL™	-	-	0 - 450/ 0 - 1,550	35/ 13/ 13	0 - 22,500	45	13	1.4 (M12 B6)
2.	M18 BLPD2-502X	M18™	Brushless	-	0 - 550/ 0 - 1800	76/ 13/ 16	0 - 28,800	82	13	2.1 (M18 B5)
3.	M18 BLPDRC-502C	M18™	Compact Brushless	-	0-550/ 0-1700	52/ 13/ 16	0 - 25,500	60.5	13	1.5 (M18 B5)



SCAN HERE TO VIEW OUR PPE RANGE



SCAN HERE TO VIEW COMPATIBLE DRILL BITS

REDLITHIUM™

M18 ONEPD3 M18 FUEL™ ONE-KEY™ PERCUSSION DRILL

AUTOSTOP **ONE-KEY**
UNLOCKING THE DIGITAL JOBSITE.

- Higher power efficiency under load - outstanding torque of 158 Nm
- Extremely compact design of 175 mm length for access into tight spaces
- Connect via Bluetooth® with the ONE-KEY™ app
- Save up to 3 custom settings to the tools memory for fast selection on the jobsite

	M18 ONEPD3-0X	M18 ONEPD3-502X
Kit included	No batteries supplied, No charger supplied, HD Box	2 x M18 B5 Battery packs, M12-18 FC Charger, HD Box
Article Number	4933492798	4933492801
EAN Code	4058546476694	4058546476724

M18 FPD3 M18 FUEL™ PERCUSSION DRILL

AUTOSTOP

- Higher power efficiency under load with outstanding torque of 158 Nm
- Extremely compact design of 175 mm length for access into tight spaces
- AUTOSTOP™ control mode offers enhanced safety for the operator by preventing over-rotation in a bind-up
- 13 mm metal chuck for quick bit changes and bit retention

	M18 FPD3-0X	M18 FPD3-502X
Kit included	No batteries supplied, No charger supplied, HD Box	2 x M18 B5 Battery packs, M12-18 FC Charger, HD Box
Article Number	4933479859	4933479860
EAN Code	4058546376536	4058546376543

M18 BLPD2 M18™ BRUSHLESS PERCUSSION DRILL

BRUSHLESS

- New brushless motor design delivers 40% more torque than previous model - up to 82 Nm
- Compact design (180 mm in length) provides excellent balance and control, ideal for overhead applications or work in tight spaces
- Advanced 13 mm heavy duty metal chuck for quick bit changes and superior bit retention
- Optimised speed for faster drilling & fastening (0 - 550/ 0 - 1800 rpm)

	M18 BLPD2-0X	M18 BLPD2-402X	M18 BLPD2-502X
Kit included	No batteries supplied, No charger supplied, HD Box	2 x M18 B4 Battery packs, M12-18 FC Charger, HD Box	2 x M18 B5 Battery packs, M12-18 FC Charger, HD Box
Article Number	4933464516	4933464560	4933464517
EAN Code	4058546224615	4058546225056	4058546224622

M18 BLPDRC M18™ COMPACT BRUSHLESS PERCUSSION DRILL

COMPACT BRUSHLESS

- Compact brushless percussive drill measuring 145 mm in length for access into tight spaces
- Advanced 13 mm heavy duty metal chuck for quick bit changes and superior bit retention
- 60 Nm of torque - best power to size ratio
- All metal reversible belt clip to hang your tool quickly and easily
- On board fuel gauge and LED light

	M18 BLPDRC-0X	M18 BLPDRC-202C	M18 BLPDRC-502C
Kit included	No batteries supplied, No charger supplied, HD Box	2 x M18 B2 Battery packs, M12-18 C Charger, Kitbox	2 x M18 B5 Battery packs, M12-18 C Charger, Kitbox
Article Number	4933492821	4933492822	4933492826
EAN Code	4058546476922	4058546476939	4058546476977

M18 ONEDD3 M18 FUEL™ ONE-KEY™ DRILL DRIVER

AUTOSTOP **ONE-KEY**
UNLOCKING THE DIGITAL JOBSITE.

- Higher power efficiency under load - outstanding torque of 158 Nm
- Extremely compact design of 173 mm length for access into tight spaces
- Connect via Bluetooth® with the ONE-KEY™ app
- Save up to 3 custom settings to the tools memory for fast selection on the jobsite

	M18 ONEDD3-0X	M18 ONEDD3-502X
Kit included	No batteries supplied, No charger supplied, HD Box	2 x M18 B5 Battery packs, M12-18 FC Charger, HD Box
Article Number	4933492799	4933492802
EAN Code	4058546476700	4058546476731

M18 FDD3 M18 FUEL™ DRILL DRIVER

AUTOSTOP

- Higher power efficiency under load with outstanding torque of 158 Nm
- Extremely compact design of 173 mm length for access into tight spaces
- AUTOSTOP™ control mode offers enhanced safety for the operator by preventing over-rotation in a bind-up
- Fastest drilling and driving applications under load
- Brighter LED workspace illumination

	M18 FDD3-0X	M18 FDD3-502X
Kit included	No batteries supplied, No charger supplied, HD Box	2 x M18 B5 Battery packs, M12-18 FC Charger, HD Box
Article Number	4933479862	4933479863
EAN Code	4058546376567	4058546376574

M18 BLDD2 M18™ BRUSHLESS DRILL DRIVER

BRUSHLESS

- New brushless motor design delivers 40% more torque than previous model - up to 82 Nm
- Compact design (180 mm in length) provides excellent balance and control, ideal for overhead applications or work in tight spaces
- Advanced 13 mm heavy duty metal chuck for quick bit changes and superior bit retention
- Optimised speed for faster drilling & fastening (0 - 550/ 0 - 1800 rpm)

	M18 BLDD2-0X	M18 BLDD2-402X	M18 BLDD2-502X
Kit included	No batteries supplied, No charger supplied, HD Box	2 x M18 B4 Battery packs, M12-18 C Charger, HD Box	2 x M18 B5 Battery packs, M12-18 FC Charger, HD Box
Article Number	4933464514	4933464559	4933464515
EAN Code	4058546224592	4058546225049	4058546224608

M18 BLDDRC M18™ COMPACT BRUSHLESS DRILL DRIVER

COMPACT BRUSHLESS

- Compact brushless drill driver measuring 145 mm in length for access into tight spaces
- Advanced 13 mm heavy duty metal chuck for quick bit changes and superior bit retention
- 60 Nm of torque - best power to size ratio
- All metal reversible belt clip to hang your tool quickly and easily
- On board fuel gauge and LED light

	M18 BLDDRC-0X	M18 BLDDRC-202C	M18 BLDDRC-502C
Kit included	No batteries supplied, No charger supplied, HD Box	2 x M18 B2 Battery packs, M12-18 C Charger, Kitbox	2 x M18 B5 Battery packs, M12-18 C Charger, Kitbox
Article Number	4933492832	4933492833	4933492835
EAN Code	4058546477035	4058546477042	4058546477066

GET THE RIGHT IMPACT DRIVER FOR THE JOB



	Battery system	Technology	ONE-KEY™	No load speed (rpm)	Impact rate (ipm)	Max. torque (Nm)	Tool reception	Max. bolt diameter	Weight with battery pack (EPTA) (kg)
1.	M18 ONEID3-502X	M18 FUEL™	ONE-KEY™	1750/3000/4000/0-4000	1200/3400/4300/0-4400	119/176/226/0-226	¼" Hex	M16	1.7 (M18 B5)
1.	M18 FID3-502X	M18 FUEL™	-	1750/3000/3900/0-3900	1400/3600/4400/0-4400	226	¼" Hex	M16	1.7 (M18 B5)
1.	M12 FID2-602X	M12 FUEL™	-	1700/2900/3600/3600	1300/3500/4000/0-4000	170	¼" Hex	M14	1.1 (M12 B6)
1.	M18 FQID-502X	M18 FUEL™	SURGE™	900/2100/3000/0-3000	1800/2900/4000/0-4000	50	¼" Hex	M14	1.7 (M18 B5)
1.	M12 FQID-202X	M12 FUEL™	SURGE™	1100/2200/3200/3200	950/2200/3400/3400	50	¼" Hex	M14	1.1 (M12 B2)
2.	M18 BLIDR-502X	M18™	Brushless	1250/2400/3600	2500/4700/4900	190	¼" Hex	M14	1.3 (M18 B5)
3.	M18 BLIDRC-402C	M18™	Compact Brushless	0 - 3600	0 - 4900	190	¼" Hex	M14	1.3 (M18 B4)
4.	M18 BRAID-0	M18™	-	1500/ 2250	2400/3400	41/ 81	¼" Hex	M14	1.8 (M18 B5)
4.	M12 BRAID-0	M12™	-	0 - 2425	0 - 3300	68	¼" Hex	M12	1.2 (M12 B2)



SCAN HERE TO VIEW OUR PPE RANGE



SCAN HERE TO VIEW COMPATIBLE IMPACT BITS



M18 FRAD2 M18 FUEL™ SUPER HAWG® 2-SPEED RIGHT ANGLE DRILL DRIVER GEN II



- Extremely long run time, up to 100 holes with a 65 mm auger bit into wood
- POWERSTATE™ brushless motor provides constant power under load to power through 152 mm holes
- Mechanical clutch protects the tool in the event of a stall
- Compact design allows working in confined spaces
- On board fuel gauge and LED light

Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933471207
EAN Code	4058546288358

C18 RAD M18™ COMPACT RIGHT ANGLE DRILL



- Optimised performance: 1500 rpm at 20 Nm
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Perfect speed to power ratio for fast application completion
- 10 mm single sleeve ratcheting chuck provides maximum versatility and grip
- 100 mm compact head designed to fit in the tightest work areas

Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933427189
EAN Code	4002395239085

M18 FID3 M18 FUEL™ ¼" HEX IMPACT DRIVER



- Higher power efficiency under load with outstanding torque of 226 Nm
- Faster driving speed vs. previous model, up to 3900 rpm and 4400 ipm
- Extremely compact design, total length of just 113 mm for access into tight spaces
- DRIVE CONTROL allows the user to shift into four different speed and torque settings to maximise application versatility
- Mode 1 for precision work

Kit included	No batteries supplied, No charger supplied, HD Box	2 x M18 B5 Battery packs, M12-18 FC Charger, HD Box
Article Number	4933479864	4933479865
EAN Code	4058546376581	4058546376598

M18 BLIDR M18™ BRUSHLESS ¼" HEX IMPACT DRIVER



- Brushless impact driver measures only 112 mm in length making it ideal for working within confined spaces
- Brushless motor technology delivers 190 Nm of torque, 3600 rpm and 4900 ipm
- 3-Mode DRIVE CONTROL allows the user to shift into three different speed and torque settings to maximise application versatility
- One-handed bit insert with retention lock, for faster, easier changing of bits

Kit included	No batteries supplied, No charger supplied, HD Box	2 x M18 B5 Battery packs, M12-18 FC Charger, HD Box
Article Number	4933492842	4933492843
EAN Code	4058546477134	4058546477141

M18 CRAD2 M18 FUEL™ RIGHT ANGLE DRILL



- Delivers corded power and speed (1500 rpm) in wood drilling applications
- All metal gear case and 13 mm keyed chuck
- Extremely long run time with a 5.5 Ah battery pack drills up to 200 holes with a 22 mm auger bit into 50 x 100 mm wood

Kit included	No batteries supplied, No charger supplied, HD Box
Article Number	4933471641
EAN Code	4058546295400

M18 ONEID3 M18 FUEL™ ONE-KEY™ ¼" HEX IMPACT DRIVER



- Save up to 3 custom settings to the tools memory for fast selection on the jobsite
- Connect via Bluetooth® with the ONE-KEY™ app
- Faster driving speed vs. previous model, up to 3900 rpm and 4400 ipm
- Extremely compact design of 113 mm length for access into tight spaces
- Adjustable trigger control for all applications with ONE-KEY™

Kit included	No batteries supplied, No charger supplied, HD Box	2 x M18 B5 Battery packs, M12-18 FC Charger, HD Box
Article Number	4933492800	4933492804
EAN Code	4058546476717	4058546476755

M18 FQID M18 FUEL™ SURGE™ ¼" HEX HYDRAULIC IMPACT DRIVER



- The M18 FUEL™ SURGE™ ¼" Hex hydraulic driver is MILWAUKEE®'s quietest impact driver
- FLUID-DRIVE™ hydraulic powertrain reduces metal on metal contact within the tool, delivering quieter operation, smoother performance and increased durability over a standard impact
- Delivers same performance in wood fastening as standard brushless impact drivers

Kit included	No batteries supplied, No charger supplied, HD Box	2 x M18 B5 Battery packs, M12-18 FC Charger, HD Box
Article Number	4933459187	4933451790
EAN Code	4002395289226	4002395277636

M18 BLIDRC M18™ COMPACT BRUSHLESS ¼" HEX IMPACT DRIVER



- Brushless impact driver measures only 112 mm in length making it ideal for working within confined spaces
- Brushless motor technology delivers 190 Nm of torque, 3600 rpm and 4900 ipm
- One-handed bit insert with retention lock, for faster, easier changing of bits
- Heavy duty full metal gearbox and gears for superior durability and maximum torque
- On board fuel gauge and LED light

Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M18 B4 Battery packs, M12-18 C Charger, Kitbox
Article Number	4933492839	4933492840
EAN Code	4058546477103	4058546477110

GET THE RIGHT IMPACT WRENCH FOR THE JOB

1 SPECIALIST
Specialist tools designed for different application to get the job done fast

2A HIGH PERFORMANCE

Large metric bolts

2B Working in and around semi trucks on the construction site for high torque applications

Extra large metric bolts

2C Perfect match of power, size and functionality for the machinery technician to mounting bolt on a steel junction plate

Medium to large metric bolts

4 MID SIZE
Tyre change on cars to mounting larger bolts to the chassis

Small to medium metric bolts

5 COMPACT
Engine works and getting into the hard to reach spots on the undercarrige

Small metric bolts

TID-extra d.o.o.

	Battery system	Technology	ONE-KEY™	No load speed (rpm)	Impact rate (ipm)	Tool reception	Max. torque (Nm)	Nut-busting torque (Nm)	Max. bolt diameter	Weight with battery pack (EPTA) (kg)
1.	M18 FHIWF1R-122C	M18 FUEL™	HIGH OUTPUT™	-	1000/ 1400/ 1670/ 1670	1" square	730/ 1500/ 2000	2000	M42	7.8 (M18 HB12)
1.	M18 ONEFHIWF1D-121C	M18 FUEL™	ONE-KEY™	600/ 700/ 900/ 1200	750/ 930/ 1200/ 1440	1" square	1180/ 1254/ 1966/ 2576	2711	M42	12.7 (M18 HB12)
1.	M18 ONEFHIWF1DS-121C	M18 FUEL™	ONE-KEY™	600/ 700/ 900/ 1200	750/ 930/ 1200/ 1440	1" square	1180/ 1254/ 1966/ 2576	2711	M42	11.1 (M18 HB12)
1.	M18 ONEFHIWH716-502X	M18 FUEL™	ONE-KEY™	0-900/ 0-1200/ 0-1800/ 0-2300	0-800/ 0-1300/ 0-2600/ 0-2800	7/16" Hex	1017	1017	M24	3.3 (M18 B5)
2A.	M18 ONEFHIWF34-502X	M18 FUEL™	ONE-KEY™	0-800/ 0-1300/ 0-1800/ 0-1800	0-850/ 0-1850/ 0-2400/ 0-2400	3/4" square	702/ 1138/ 1627/ 1627	2034	M33	3.5 (M18 B5)
2B.	M18 ONEFHIWF1-802X	M18 FUEL™	ONE-KEY™	0-950/ 0-1080/ 0-1370/ 0-1670	1350/ 1650/ 2100/ 0-2500	1" square	530/ 1020/ 1800/ 2033	2400	M42	5.9 (M18 HB8)
2C.	M18 ONEFHIWF12-502X	M18 FUEL™	ONE-KEY™	0-550/ 0-1400/ 0-1750/ 0-1750	0-950/ 0-1750/ 0-2100/ 0-2100	1/2" square	130/ 400/ 1356/ 1356	1898	M33	3.3 (M18 B5)
2C.	M18 ONEFHIWF12E-0X	M18 FUEL™	ONE-KEY™	0-1200/ 0-1800/ 0-1800/ 0-1800	0-1600/ 0-2400/ 0-2400/ 0-2400	1/2" square	102/ 203/ 610/ 1017	1500	M33	3.3 (M18 B5)
2C.	M18 ONEFHIWP12-502X	M18 FUEL™	ONE-KEY™	0-950/ 0-1500/ 0-1800/ 0-1800	0-1150/ 0-2100/ 0-2400/ 0-2400	1/2" square	190/ 400/ 1017/ 1017	1491	M24	3.2 (M18 B5)
3.	M18 FHIW2F12-502X	M18 FUEL™	-	0-700/ 0-1300/ 0-2000/ 0-2000	0-1300/ 0-2200/ 0-2400/ 0-2400	1/2" square	881 / 1220 / 1491 / 68	2034	M36	3.4 (M18 B5)
3.	M18 FHIW2P12-502X	M18 FUEL™	-	0-700/ 0-1300/ 0-2000/ 0-2000	0-1400/ 0-2500/ 0-2700/ 0-2700	1/2" square	475 / 1017 / 1220 / 68	1491	M36	3.4 (M18 B5)
3.	M18 BLHIWF12-0X	M18™	Brushless	-	0 - 1750	1/2" square	1085	1627	M36	3.4 (M18 B5)
4.	M18 ONEIWF12-502X	M18 FUEL™	ONE-KEY™	900/ 1400/ 1900/ 2500	1300/ 2100/ 2550/ 3200	1/2" square	40/ 120/ 220/ 300	300	M16	1.8 (M18 B5)
4.	M18 ONEIWP12-502X	M18 FUEL™	ONE-KEY™	900/ 1400/ 1900/ 2500	1300/ 2100/ 2550/ 3200	1/2" square	40/ 120/ 220/ 300	300	M16	1.8 (M18 B5)
4.	M18 FIW2F12-502X	M18 FUEL™	-	0-900/ 0-1650/ 0-2400/ 0-1200	0-1000/ 0-2400/ 0-3500	1/2" square	102/ 203/ 339/ 34	339	M16	1.8 (M18 B5)
4.	M18 FIW2P12-502X	M18 FUEL™	-	0-900/ 0-1650/ 0-2400/ 0-1200	0-1000/ 0-2400/ 0-3500	1/2" square	102/ 203/ 339/ 34	339	M16	1.8 (M18 B5)
4.	M18 FIW2F38-0X	M18 FUEL™	-	0-800/ 0-1650/ 0-2400/ 0-1000	0-1000/ 0-2400/ 0-3500	3/8" square	102/ 203/ 339/ 34	339	M16	1.8 (M18 B5)
4.	M18 FMTIW2F12-502X	M18 FUEL™	-	0-1200/ 0-1950/ 0-2575/ 0-1325	0-900/ 0-2100/ 0-3100	1/2" square	475/ 610/ 745/ 47	881	M22	2.3 (M18 B5)
4.	M18 FMTIW2P12-502X	M18 FUEL™	-	0-1250/ 0-1950/ 0-2575/ 0-1325	0-900/ 0-2100/ 0-3100	1/2" square	475/ 610/ 745/ 47	881	M22	2.3 (M18 B5)
4.	M18 FMTIW2F38-502X	M18 FUEL™	-	0-1200/ 0-1950/ 0-2575/ 0-1325	0-900/ 0-2100/ 0-3100	3/8" square	475/ 610/ 745/ 47	813	M22	2.3 (M18 B5)
4.	M12 FIWF12-422X	M12 FUEL™	-	1200/ 1800/ 2700/ 2700	1100/ 2100/ 3200	1/2" square	339	339	M16	1.1 (M12 B4)
4.	M12 FIW14-0	M12 FUEL™	-	1300/ 1900/ 3200/ 3200	1300/ 2000/ 4300	1/4" square	136	136	M12	0.90 (M12 B4)
4.	M12 FIW38-0	M12 FUEL™	-	1200/ 1800/ 2700/ 2700	1100/ 2100/ 3200	3/8" square	339	339	M16	1.1 (M12 B4)
4.	M18 BIW12-402C	M18™	-	0 - 2450	0 - 3350	1/2" square	240	240	M14	1.9 (M18 B4)
4.	M18 BIW38-0	M18™	-	0 - 2450	0 - 3350	3/8" square	210	210	M14	1.9 (M18 B4)
4.	M12 BIW12-202C	M12™	-	0 - 2550	0 - 3400	1/2" square	138	138	M12	1.0 (M12 B2)
4.	M12 BIW38-0	M12™	-	0 - 2500	0 - 3300	3/8" square	135	135	M12	1.0 (M12 B2)



SCAN HERE TO VIEW OUR PPE RANGE



SCAN HERE TO VIEW COMPATIBLE IMPACT SOCKETS



M18 BRAID
M18™ RIGHT ANGLE IMPACT DRIVER

M18



- Compact right angle impact driver measures 307 mm in length making it ideal for working within confined spaces
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Full metal gearbox and gears for superior durability and maximum torque
- Compact 53 mm head design

M18 BRAID-0	
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933447891
EAN Code	4002395006663

M18 FSGC
M18 FUEL™ SCREW GUN WITH A COLLATED ATTACHMENT

M18 FUEL



- Fine adjustment nose cone for setting desired countersink levels in single screw applications
- Removable collated attachment allows the user to use the gun as a stand alone screwdriver or a collaged screw gun
- Reinforced collated attachment to protect against dropping of tool

M18 FSGC-202X	
Kit included	2 x M18 B2 Battery packs, M12-18 FC Charger, HD Box
Article Number	4933459199
EAN Code	4002395289943

M18 ONEFHIWF12
M18 FUEL™ ONE-KEY™ 1/2" HIGH TORQUE IMPACT WRENCH WITH FRICTION RING

M18 FUEL



- The M18 FUEL™ high torque impact wrench with ONE-KEY™ technology delivers 1356 Nm of fastening torque in a compact size of 213 mm, which gives more access in tight spaces
- The 4 -Mode DRIVE CONTROL allows the user to shift into four different speed and torque settings to maximise application versatility

M18 ONEFHIWF12-0X		M18 ONEFHIWF12-502X	
Kit included	No batteries supplied, No charger supplied, HD Box	2 x M18 B5 Battery packs, M12-18 FC Charger, HD Box	
Article Number	4933459726	4933459727	
EAN Code	4058546028985	4058546028992	

M18 ONEFHIWF12E
M18 FUEL™ ONE-KEY™ 1/2" HIGH TORQUE IMPACT WRENCH WITH FRICTION RING AND EXTENDED ANVIL

M18 FUEL



- The M18 FUEL™ extended anvil high torque impact wrench with ONE - KEY™ technology delivering 1017 Nm of fastening torque with a 75 mm extended 1/2" anvil friction ring reception
- The 4 -Mode DRIVE CONTROL allows the user to shift into four different speed and torque settings to maximise application versatility

M18 ONEFHIWF12E-0X	
Kit included	No batteries supplied, No charger supplied, HD Box
Article Number	4933478405
EAN Code	4058546345969

M18 FSG
M18 FUEL™ SCREW GUN

M18 FUEL



- Fine adjustment nose cone for setting desired countersink levels in single screw applications
- Quick release 1/2" Hex chuck allows for easy bit change
- AUTO-START™ technology: When activated the power only engages when the screw gun is pushed into the material during application, delivering outstanding run time
- On board fuel gauge and LED light

M18 FSG-0X	
Kit included	No batteries supplied, No charger supplied, HD Box
Article Number	4933459201
EAN Code	4002395289967

M18 FHIWF1R
M18 FUEL™ 1' RAILWAY IMPACT WRENCH WITH FRICTION RING

M18 FUEL



- The M18 FUEL™ 1" railway impact wrench with 2000 Nm of maximum torque has the power to replace petrol solutions
- With a weight of only 6.1 kg it allows fatigue-free working even over long periods of time
- Three different speed settings ensure that work can always be done at the optimum speed
- The auto shut-off function integrated in mode 4 prevents over-tightening of bolts

M18 FHIWF1R-0C		M18 FHIWF1R-122C	
Kit included	No batteries supplied, No charger supplied, Kitbox	2 x M18 HB12 Battery packs, M12-18 FC Charger, Kitbox	
Article Number	4933493140	4933493141	
EAN Code	4058546480110	4058546480127	

M18 ONEFHIWP12
M18 FUEL™ ONE-KEY™ 1/2" HIGH TORQUE IMPACT WRENCH WITH PIN DETENT

M18 FUEL



- The M18 FUEL™ high torque impact wrench with ONE-KEY™ technology delivers 1017 Nm of fastening torque in a compact size of 206 mm, which gives more access in tight spaces
- The 4 -Mode DRIVE CONTROL allows the user to shift into four different speed and torque settings to maximise application versatility

M18 ONEFHIWP12-0X		M18 ONEFHIWP12-502X	
Kit included	No batteries supplied, No charger supplied, HD Box	2 x M18 B5 Battery packs, M12-18 FC Charger, HD Box	
Article Number	4933459724	4933459725	
EAN Code	4058546028961	4058546028978	

M18 ONEFHIWH716
M18 FUEL™ 7/16" HEX UTILITY HIGH TORQUE IMPACT WRENCH WITH ONE-KEY™

M18 FUEL



- Our MILWAUKEE® M18 FUEL™ 7/16" hex utility high torque impact wrench with ONE-KEY™ is the perfect match for our 7/16" accessories range giving you the power when needed in larger wood application
- With up to 1017 Nm max torque, this battery powered impact wrench gives you more power to effortlessly complete your applications or the removal of rusted and corroded hardware

M18 ONEFHIWH716-0X	
Kit included	No batteries supplied, No charger supplied, HD Box
Article Number	4933479152
EAN Code	4058546369460

M18 ONEFHIWF1D
M18 FUEL™ ONE-KEY™ 1" HIGH TORQUE D-HANDLE IMPACT WRENCH WITH FRICTION RING AND EXTENDED ANVIL

M18 FUEL



- The M18 FUEL™ D-handle high torque impact wrench with a 150 mm extended anvil delivers 2576 Nm of fastening torque replacing AC, petrol or pneumatic solutions
- Delivers up to 2711 Nm of nut-busting torque that enables bolts up to M42 to be unfastened
- The 4 -Mode DRIVE CONTROL allows the user to shift into four different speed and torque settings to maximise application versatility

M18 ONEFHIWF1D-0C		M18 ONEFHIWF1D-121C	
Kit included	No batteries supplied, No charger supplied, Kitbox	1 x M18 HB12 Battery pack, M12-18 FC Charger, Kitbox	
Article Number	4933471755	4933471756	
EAN Code	4058546296544	4058546296551	

M18 ONEFHIWF1DS
M18 FUEL™ ONE-KEY™ 1" HIGH TORQUE D-HANDLE IMPACT WRENCH WITH FRICTION RING AND SHORT ANVIL

M18 FUEL



- The M18 FUEL™ D-handle high torque impact wrench delivers 2576 Nm of fastening torque replacing AC, petrol or pneumatic solutions
- Delivers up to 2711 Nm of nut-busting torque that enables bolts up to M42 to be unfastened
- The 4 -Mode DRIVE CONTROL allows the user to shift into four different speed and torque settings to maximise application versatility

M18 ONEFHIWF1DS-0C		M18 ONEFHIWF1DS-121C	
Kit included	No batteries supplied, No charger supplied, Kitbox	1 x M18 HB12 Battery pack, M12-18 FC Charger, Kitbox	
Article Number	4933472071	4933472072	
EAN Code	4058546324674	4058546324681	

M18 FHIW2F12
M18 FUEL™ 1/2" HIGH TORQUE IMPACT WRENCH WITH FRICTION RING

M18 FUEL



- Great power density: the M18 FUEL™ high torque impact wrench delivers 1491 Nm fastening torque and 2034 Nm of nut-busting torque in a compact size of 193 mm, which gives more access in tight spaces
- 2000 RPMs of no-load speed to perform your task 35% faster than with the previous gen
- Next gen battery isolator to prevent vibration damage to battery fitment
- Robust gearcase for more durability

M18 FHIW2F12-0X		M18 FHIW2F12-502X	
Kit included	No batteries supplied, No charger supplied, HD Box	2 x M18 B5 Battery packs, M12-18 FC Charger, HD Box	
Article Number	4933492782	4933492783	
EAN Code	4058546476533	4058546476540	

M18 FHIW2P12
M18 FUEL™ 1/2" HIGH TORQUE IMPACT WRENCH WITH PIN DETENT

M18 FUEL



- Great power density: the M18 FUEL™ high torque impact wrench delivers 1220 Nm fastening torque and 1491 Nm of nut-busting torque in a compact size of 193 mm, which gives more access in tight spaces
- 2000 RPMs of no-load speed to perform your task 35% faster than with the previous gen
- Next gen battery isolator to prevent vibration damage to battery fitment
- Robust gearcase for more durability

M18 FHIW2P12-0X		M18 FHIW2P12-502X	
Kit included	No batteries supplied, No charger supplied, HD Box	2 x M18 B5 Battery packs, M12-18 FC Charger, HD Box	
Article Number	4933492785	4933492786	
EAN Code	4058546476564	4058546476571	

M18 ONEFHIWF1
M18 FUEL™ ONE-KEY™ 1" HIGH TORQUE IMPACT WRENCH WITH FRICTION RING

M18 FUEL



- The M18 FUEL™ 1" T-handle high torque impact wrench has the power to replace AC, petrol or pneumatic solutions
- Delivering up to 2033 Nm of fastening torque at half the size and weight of AC, petrol or pneumatic solutions
- Packed with 2400 Nm of nut busting torque meaning those rusted stubborn old bolts wont stand a chance

M18 ONEFHIWF1-0X		M18 ONEFHIWF1-802X	
Kit included	No batteries supplied, No charger supplied, HD Box	2 x M18 HB8 Battery packs, M12-18 FC Charger, HD Box	
Article Number	4933459732	4933459733	
EAN Code	4058546029043	4058546029050	

M18 ONEFHIWF34
M18 FUEL™ ONE-KEY™ 3/4" HIGH TORQUE IMPACT WRENCH WITH FRICTION RING

M18 FUEL



- The M18 FUEL™ high torque impact wrench with ONE-KEY™ technology delivers 1627 Nm of fastening torque in a compact size of 213 mm, which gives more access in tight spaces
- The 4 -Mode DRIVE CONTROL allows the user to shift into four different speed and torque settings to maximise application versatility

M18 ONEFHIWF34-0X		M18 ONEFHIWF34-502X	
Kit included	No batteries supplied, No charger supplied, HD Box	2 x M18 B5 Battery packs, M12-18 FC Charger, HD Box	
Article Number	4933459729	4933459730	
EAN Code	4058546029012	4058546029029	

M18 FMTIW2F12
M18 FUEL™ 1/2" MID-TORQUE IMPACT WRENCH WITH FRICTION RING

M18 FUEL



- Most versatile cordless impact wrench in the MILWAUKEE® impressive arsenal with an industry-leading performance at 881 Nm of nut-busting torque and 745 Nm of fastening torque
- Incredibly compact design for this performance level, with only 152 mm overall length ideal for applications in tight spaces

M18 FMTIW2F12-0X		M18 FMTIW2F12-502X	
Kit included	No batteries supplied, No charger supplied, HD Box	2 x M18 B5 Battery packs, M12-18 FC Charger, HD Box	
Article Number	4933478449	4933478450	
EAN Code	4058546346409	4058546346416	

M18 FMTIW2P12
M18 FUEL™ 1/2" MID-TORQUE IMPACT WRENCH WITH PIN DETENT

M18 FUEL



- Most versatile cordless impact wrench in the MILWAUKEE® impressive arsenal with an industry-leading performance at 881 Nm of nut-busting torque and 745 Nm of fastening torque
- Incredibly compact design for this performance level, with only 152 mm overall length ideal for applications in tight spaces

M18 FMTIW2P12-0X		M18 FMTIW2P12-502X	
Kit included	No batteries supplied, No charger supplied, HD Box	2 x M18 B5 Battery packs, M12-18 FC Charger, HD Box	
Article Number	4933478452	4933478453	
EAN Code	4058546346430	4058546346447	

M18 FMTIW2F38 **M18 FUEL**
M18 FUEL™ 3/8" MID TORQUE IMPACT WRENCH WITH FRICTION RING



- Most versatile cordless impact wrench in the MILWAUKEE® impressive arsenal with an industry-leading performance at 813 Nm of nut-busting torque and 745 Nm of fastening torque
- Incredibly compact design for this performance level, with only 152 mm overall length ideal for applications in tight spaces

M18 FMTIW2F38-0X	
Kit included	No batteries supplied, No charger supplied, HD Box
Article Number	4933479153
EAN Code	4058546369477

M18 ONEIWF12 **M18 FUEL**
M18 FUEL™ ONE-KEY™ 1/2" IMPACT WRENCH WITH FRICTION RING



- M18 FIWF12 but with ONE-KEY™ technology
- Connect via Bluetooth® with the ONE-KEY™ app
- Complete tool customisation via ONE-KEY™ app to tune the tool to your needs
- Control speed, torque, start - end speeds and LED light
- Configure to any application choosing optimum tool settings for repeatable precision
- Program / save profiles for unmatched control

M18 ONEIWF12-0X		M18 ONEIWF12-502X	
Kit included	No batteries supplied, No charger supplied, HD Box	2 x M18 B5 Battery packs, M12-18 FC Charger, HD Box	
Article Number	4933459198	4933451374	
EAN Code	4002395289936	4002395160525	

M18 BIW38 **M18**
M18™ 3/8" IMPACT WRENCH



- Compact 3/8" impact wrench measures 152 mm in length making it ideal for working within confined spaces
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Heavy duty full metal gearbox and gears for superior durability and maximum torque
- 3/8" square drive for use with universal sockets

M18 BIW38-0	
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933443600
EAN Code	4002395003273

M18 BRAIW **M18**
M18™ 3/8" RIGHT ANGLE IMPACT WRENCH



- Compact right angle impact wrench measures 307 mm in length making it ideal for working within confined spaces
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Full metal gearbox and gears for superior durability and maximum torque
- Compact 53 mm head design

M18 BRAIW-0	
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933447899
EAN Code	4002395006670

M18 ONEIWP12 **M18 FUEL**
M18 FUEL™ ONE-KEY™ 1/2" IMPACT WRENCH WITH PIN DETENT



- M18 FIWP12 but with ONE-KEY™ technology
- Connect via Bluetooth® with the ONE-KEY™ app
- Complete tool customisation via ONE-KEY™ app to tune the tool to your needs
- Control speed, torque, start and end speeds and LED
- Configure to any application choosing optimum tool settings for repeatable precision
- Program/save profiles for unmatched control

M18 ONEIWP12-0	
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933451152
EAN Code	4002395138210

M18 FIW2F12 **M18 FUEL**
M18 FUEL™ 1/2" COMPACT IMPACT WRENCH WITH FRICTION RING



- Power efficiency under load - outstanding torque of 339 Nm
- Extremely compact design - total length of just 124 mm for access into tight spaces
- 4-Mode DRIVE CONTROL allows the user to shift into four different speed and torque settings to maximise application versatility
- Bolt removal control delivers full torque output, then decreases RPMs once the bolt is loosened to prevent fastener drops

M18 FIW2F12-0X		M18 FIW2F12-502X	
Kit included	No batteries supplied, No charger supplied, HD Box	2 x M18 B5 Battery packs, M12-18 FC Charger, HD Box	
Article Number	4933478443	4933478444	
EAN Code	4058546346348	4058546346355	

M18 ONEFLT **M18 FUEL**
M18 FUEL™ LOCKBOLT TOOL WITH ONE-KEY™



- The M18 FUEL™ lockbolt tool with ONE-KEY™ is an optimised cordless solution that delivers fast, easy installations while maintaining performance, durability, and size
- 20,000 N of pulling force with a stroke length of 30 mm gives you the power to complete the larger applications effortlessly
- Installs up to 1,200 aluminium 6.4 mm lockbolts with one fully charged M18™ 5.0 Ah battery pack

M18 ONEFLT-0X		M18 ONEFLT-502X	
Kit included	No batteries supplied, No charger supplied, HD Box	2 x M18 B5 Battery packs, M12-18 FC Charger, HD Box	
Article Number	4933478637	4933478638	
EAN Code	4058546348304	4058546348311	

M18 ONEFPRT **M18 FUEL**
M18 FUEL™ RIVET TOOL WITH ONE-KEY™



- The M18 FUEL™ rivet tool with ONE-KEY™ is an optimised cordless solution that delivers fast, easy riveting while maintaining performance, durability, and size
- Pulls up to 900 rivets with a rivet size of 4.8 mm in aluminium or 500 rivets with a size of 6.4 mm in aluminium on a fully charged M18™ 2.0 Ah battery pack

M18 ONEFPRT-0X		M18 ONEFPRT-202X	
Kit included	No batteries supplied, No charger supplied, HD Box	2 x M18 B2 Battery packs, M12-18 FC Charger, HD Box	
Article Number	4933478601	4933478602	
EAN Code	4058546347949	4058546347956	

M18 FIW2P12 **M18 FUEL**
M18 FUEL™ 1/2" COMPACT IMPACT WRENCH WITH PIN DETENT



- Power efficiency under load - outstanding torque of 339 Nm
- Extremely compact design - total length of just 124 mm for access into tight spaces
- 4-Mode DRIVE CONTROL allows the user to shift into four different speed and torque settings to maximise application versatility
- Bolt removal control delivers full torque output, then decreases RPMs once the bolt is loosened to prevent fastener drops

M18 FIW2P12-0X		M18 FIW2P12-502X	
Kit included	No batteries supplied, No charger supplied, HD Box	2 x M18 B5 Battery packs, M12-18 FC Charger, HD Box	
Article Number	4933478446	4933478447	
EAN Code	4058546346379	4058546346386	

M18 FIW2F38 **M18 FUEL**
M18 FUEL™ 3/8" COMPACT IMPACT WRENCH WITH FRICTION RING



- The most compact cordless impact wrench in its class, delivering the most access in tight spaces, with performance at 339 Nm of fastening torque
- Incredibly compact design for this performance level, with only 124 mm overall length ideal for applications in tight spaces
- 4-Mode DRIVE CONTROL allows the user to shift into four different speed and torque settings to maximise application versatility

M18 FIW2F38-0X	
Kit included	No batteries supplied, No charger supplied, HD Box
Article Number	4933478650
EAN Code	4058546348434

C18 PCG/600 **M18**
M18™ CAULK GUN WITH 600 ML TUBE



- Up to 4500 N of force. Min 40% higher than previous MILWAUKEE® caulk gun
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Optimised performance with all adhesives and cool temperatures
- Anti-drip feature prevents unwanted dripping when trigger is released

C18 PCG/600A-201B		C18 PCG/600T-201B	
Kit included	1 x M18 B2 Battery pack, M12-18 C Charger, Tool bag	1 x M18 B2 Battery pack, M12-18 C Charger, Tool bag	
Article Number	4933441305	4933441808	
EAN Code	4002395001422	4002395002375	

C18 PCG/400 **M18**
M18™ CAULK GUN WITH 400 ML TUBE



- Up to 4500N of force. Min 40% higher than previous MILWAUKEE® caulk gun
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Optimised performance with all adhesives and cool temperatures
- Anti-drip feature prevents unwanted dripping when trigger is released

C18 PCG/400T-201B	
Kit included	1 x M18 B2 Battery pack, M12-18 C Charger, Tool bag
Article Number	4933441812
EAN Code	4002395002368

M18 BLHIWF12 **M18**
M18™ BRUSHLESS 1/2" HIGH TORQUE IMPACT WRENCH WITH FRICTION RING

BRUSHLESS



- Delivers 1085 Nm of fastening torque and 1627 Nm of nut-busting torque to easily work with most occasional applications
- 222 mm body allows for more access in tight spaces
- Integrated LED light to illuminate the working area
- A speed of 1750 RPM to do your task quickly and efficiently

M18 BLHIWF12-0X	
Kit included	No batteries supplied, No charger supplied, HD Box
Article Number	4933492787
EAN Code	4058546476588

M18 BIW12 **M18**
M18™ 1/2" IMPACT WRENCH



- Compact 1/2" impact wrench measures 155 mm in length making it ideal for working within confined spaces
- High performance 4-pole motor delivers maximum power whilst maximising the power to weight ratio
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability

M18 BIW12-0		M18 BIW12-402C	
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M18 B4 Battery packs, M12-18 C Charger, Kitbox	
Article Number	4933443590	4933443607	
EAN Code	4002395003266	4002395003280	

C18 PCG/310 **M18**
M18™ CAULK GUN WITH 310 ML CANISTER



- Up to 4500 N of force. Min 40% higher than previous MILWAUKEE® caulk gun
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Optimised performance with all adhesives and cool temperatures
- Anti-drip feature prevents unwanted dripping when trigger is released

C18 PCG/310C-0B		C18 PCG/310C-201B	
Kit included	No batteries supplied, No charger supplied, Tool bag	1 x M18 B2 Battery pack, M12-18 C Charger, Tool bag	
Article Number	4933459637	4933441310	
EAN Code	4058546028091	4002395001439	

M18 GG **M18**
M18™ GREASE GUN



- Powerful 18V motor delivers over 690 bar max. operating pressure
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Extreme long run time - dispenses up to 7 cartridges per charge
- Strong handle balance and ergonomics - only 355 mm long and 3.9 kg

M18 GG-0		M18 GG-201C	
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	1 x M18 B2 Battery pack, M12-18 C Charger, Kitbox	
Article Number	4933440493	4933440490	
EAN Code	4002395000357	4002395000340	

GET THE RIGHT ANGLE GRINDER FOR THE JOB

1 HIGH OUTPUT™ designed for the heavy applications, from beveling to cleaning up welds



3 Variable speed. Maximum control, ideal for working with stainless steel and aluminium, and for rust and paint removal



2 Flat gear head design allows working within acute angles down to 42°



4 Angle grinders that provide best handling and perfect for surface preparation



	Battery system	Technology	Feature	ONE-KEY™	No load speed (rpm)	Disc diameter (mm)	Weight with battery pack (EPTA) (kg)	Switch type	Brake	Anti-kickback protection	FIXTEC™	Line lock out function	
1.	M18 ONEFLAG230XPDB-122C	M18 FUEL™	HIGH OUTPUT™	RAPIDSTOP™	ONE-KEY™	6600	230	5.4 (M18 HB12)	Paddle (Deadman) switch	Yes	Yes	Yes	Yes
1.	M18 FLAG230XPDB-121C	M18 FUEL™	HIGH OUTPUT™	-	-	6600	230	5.3 (M18 HB12)	Paddle (Deadman) switch	Yes	Yes	Yes	Yes
1.	M18 FHSAG150XPDB-0X	M18 FUEL™	HIGH OUTPUT™	RAPIDSTOP™	-	9000	150	3.5 (M18 HB5.5)	Paddle (Deadman) switch	Yes	Yes	Yes	Yes
1.	M18 FHSAG150XB-0X	M18 FUEL™	HIGH OUTPUT™	RAPIDSTOP™	-	9000	150	3.5 (M18 HB5.5)	Slide lock-on switch	Yes	Yes	Yes	Yes
1.	M18 FHSAG125XPDB-552X	M18 FUEL™	HIGH OUTPUT™	RAPIDSTOP™	-	9000	125	3.4 (M18 HB5.5)	Paddle (Deadman) switch	Yes	Yes	Yes	Yes
1.	M18 FHSAG125XB-552X	M18 FUEL™	HIGH OUTPUT™	RAPIDSTOP™	-	9000	125	3.4 (M18 HB5.5)	Slide lock-on switch	Yes	Yes	Yes	Yes
2.	M18 FSAGF125XPDB-0X	M18 FUEL™	-	RAPIDSTOP™	-	8500	125	2.6 (M18 B5)	Paddle (Deadman) switch	Yes	Yes	Yes	Yes
2.	M18 FSAGF125XB-0X	M18 FUEL™	-	RAPIDSTOP™	-	8500	125	2.6 (M18 B5)	Slide lock-on switch	Yes	Yes	Yes	Yes
3.	M18 FSAGSV0125X-502X	M18 FUEL™	-	RAPIDSTOP™	ONE-KEY™	3500 - 8500	125	3.0 (M18 B5)	Deadman switch	Yes	Yes	Yes	Yes
3.	M18 FSAGV125XPDB-0X	M18 FUEL™	-	RAPIDSTOP™	-	3500 - 8500	125	2.7 (M18 B5)	Paddle (Deadman) switch	Yes	Yes	Yes	Yes
3.	M18 FSAGV125XB-0X	M18 FUEL™	-	RAPIDSTOP™	-	3500 - 8500	125	2.7 (M18 B5)	Slide lock-on switch	Yes	Yes	Yes	Yes
4.	M18 ONEFSAG125XPDB-802X	M18 FUEL™	-	RAPIDSTOP™	ONE-KEY™	8500	125	3.1 (M18 HB8)	Paddle (Deadman) switch	Yes	Yes	Yes	Yes
4.	M18 ONEFSAG125XB-0X	M18 FUEL™	-	RAPIDSTOP™	ONE-KEY™	8500	125	2.7 (M18 B5)	Slide lock-on switch	Yes	Yes	Yes	Yes
4.	M18 FSAG125XB-502X	M18 FUEL™	-	RAPIDSTOP™	-	8500	125	2.7 (M18 B5)	Slide lock-on switch	Yes	Yes	Yes	Yes
4.	M18 FSAG125X-0X	M18 FUEL™	-	-	-	8500	125	2.7 (M18 B5)	Slide lock-on switch	No	Yes	Yes	Yes
4.	M18 BLSAG125X-402X	M18™	Brushless	-	-	11,000	125	2.4 (M18 B4)	Slide lock-on switch	No	Yes	Yes	Yes
4.	M18 BLSAG125XPDB-402X	M18™	Brushless	-	-	11,000	125	2.4 (M18 B4)	Paddle (Deadman) switch	No	Yes	Yes	Yes
4.	M18 BLSAG115XPDB-402X	M18™	Brushless	-	-	11,000	115	2.4 (M18B4)	Paddle (Deadman) switch	No	Yes	Yes	Yes

M18 ONEFLAG230XPDB M18 FUEL™ ONE-KEY™ 230 MM BRAKING ANGLE GRINDER WITH PADDLE SWITCH



	M18 ONEFLAG230XPDB-0C	M18 ONEFLAG230XPDB-122C
Kit included	No batteries supplied, No charger supplied, Kitbox	2 x M18 HB12 Battery packs, M12-18 FC Charger, Kitbox
Article Number	4933478782	4933478783
EAN Code	4058546360641	4058546360658

M18 FHSAG150XPDB M18 FUEL™ HIGH PERFORMANCE 150 MM BRAKING GRINDER WITH PADDLE SWITCH



	M18 FHSAG150XPDB-0X
Kit included	No batteries supplied, No charger supplied, HD Box
Article Number	4933471085
EAN Code	4058546287139

M18 FHSAG125XPDB M18 FUEL™ HIGH PERFORMANCE 125 MM BRAKING GRINDER WITH PADDLE SWITCH




	M18 FHSAG125XPDB-0	M18 FHSAG125XPDB-0X	M18 FHSAG125XPDB-552X
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	No batteries supplied, No charger supplied, HD Box	2 x M18 HB5.5 Battery packs, M12-18 FC Charger, HD Box
Article Number	4933471076	4933471078	4933471080
EAN Code	4058546287047	4058546287061	4058546287085

M18 FSAGSV0125X M18 FUEL™ SAFETY 125 MM GRINDER WITH VARIABLE SPEED AND ONE-KEY™



	M18 FSAGSV0125X-0X	M18 FSAGSV0125X-502X
Kit included	No batteries supplied, No charger supplied, HD Box	2 x M18 B5 Battery packs, M12-18 FC Charger, HD Box
Article Number	4933493552	4933493553
EAN Code	4058546484231	4058546484248

M18 FLAG230XPDB M18 FUEL™ 230 MM LARGE BRAKING GRINDER WITH PADDLE SWITCH



	M18 FLAG230XPDB-0C	M18 FLAG230XPDB-121C
Kit included	No batteries supplied, No charger supplied, Kitbox	1 x M18 HB12 Battery pack, M12-18 FC Charger, Kitbox
Article Number	4933464114	4933464115
EAN Code	4058546220594	4058546220600

M18 FHSAG150XB M18 FUEL™ HIGH PERFORMANCE 150 MM BRAKING GRINDER WITH SLIDE SWITCH



	M18 FHSAG150XB-0X
Kit included	No batteries supplied, No charger supplied, HD Box
Article Number	4933471084
EAN Code	4058546287122

M18 FHSAG125XB M18 FUEL™ HIGH PERFORMANCE 125 MM BRAKING GRINDER WITH SLIDE SWITCH



	M18 FHSAG125XB-0	M18 FHSAG125XB-0X	M18 FHSAG125XB-552X
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	No batteries supplied, No charger supplied, HD Box	2 x M18 HB5.5 Battery packs, M12-18 FC Charger, HD Box
Article Number	4933471075	4933471077	4933471079
EAN Code	4058546287030	4058546287054	4058546287078

M18 ONEFSAG125XPDB M18 FUEL™ ONE-KEY™ 125 MM BRAKING ANGLE GRINDER WITH PADDLE SWITCH



	M18 ONEFSAG125XPDB-0X	M18 ONEFSAG125XPDB-502X
Kit included	No batteries supplied, No charger supplied, HD Box	2 x M18 B5 Battery packs, M12-18 FC Charger, HD Box
Article Number	4933478434	4933478435
EAN Code	4058546346256	4058546346263

TiD-extra



SCAN HERE TO VIEW OUR PPE RANGE



SCAN HERE TO VIEW COMPATIBLE CUTTING DISCS



M18 ONEFSAG125XB **M18 FUEL**
M18 FUEL™ ONE-KEY™ 125 MM BRAKING ANGLE GRINDER WITH SLIDE SWITCH



- Delivering corded performance similar to a 1200 W grinder
- ONE-KEY™ tool tracking & security offers a free of charge cloud-based tracking network and inventory management platform for your tools. ONE-KEY™ also features a remote locking functionality
- RAPIDSTOP™ for fastest disc brake in less than 2 seconds and best user protection

M18 ONEFSAG125XB-0X	
Kit included	No batteries supplied, No charger supplied, HD Box
Article Number	4933478433
EAN Code	4058546346249

M18 FSAG125XB **M18 FUEL**
M18 FUEL™ 125 MM BRAKING ANGLE GRINDER WITH SLIDE SWITCH



- Delivering corded performance similar to a 1200 W grinder
- RAPIDSTOP™ for fastest disc brake in less than 2 seconds and best user protection
- Reduced gearhead size and lower angle of battery slot - for better balance & ergonomics compared to previous model
- Anti-vibration side handle for lower vibration
- Integrated FIXTEC™ system for tool-free wheel change

M18 FSAG125XB-0X		M18 FSAG125XB-502X	
Kit included	No batteries supplied, No charger supplied, HD Box	2 x M18 B5 Battery packs, M12-18 FC Charger, HD Box	
Article Number	4933478429	4933492640	
EAN Code	4058546346201	4058546346218	

M18 BLSAG125XPD **M18**
M18 BRUSHLESS 125 MM ANGLE GRINDER WITH PADDLE SWITCH



- 11,000 RPM optimised for cutting applications
- Powerful brushless motor delivering corded performance similar to a 800 W grinder
- Most compact and lightest cordless angle grinder in the the range
- Safety clutch protects user the from kickback injuries
- Integrated FIXTEC™ system for tool-free wheel change

M18 BLSAG125XPD-0		M18 BLSAG125XPD-402X	
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M18 B4 Battery packs, M12-18 C Charger, HD Box	
Article Number	4933492645	4933492646	
EAN Code	4058546413958	4058546413965	

M18 BLSAG115XPD **M18**
M18 BRUSHLESS 115 MM ANGLE GRINDER WITH PADDLE SWITCH



- 11,000 RPM optimised for cutting applications
- Powerful brushless motor delivering corded performance similar to a 800 W grinder
- Most compact and lightest cordless angle grinder in the the range
- Safety clutch protects user the from kickback injuries
- Integrated FIXTEC™ system for tool-free wheel change

M18 BLSAG115XPD-0	
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933492647
EAN Code	4058546413972

M18 FSAG125X **M18 FUEL**
M18 FUEL™ 125 MM ANGLE GRINDER WITH SLIDE SWITCH



- Delivering corded performance similar to a 1200 W grinder
- Reduced gearhead size and lower angle of battery slot - for better balance & ergonomics compared to previous model
- Anti-vibration side handle for lower vibration
- Integrated FIXTEC™ system for tool-free wheel change
- Slim handle design

M18 FSAG125X-0X	
Kit included	No batteries supplied, No charger supplied, HD Box
Article Number	4933478428
EAN Code	4058546346195

M18 FSAGV125XPDB **M18 FUEL**
M18 FUEL™ 125 MM VARIABLE SPEED & BRAKING ANGLE GRINDER WITH PADDLE SWITCH



- Maximum control for every application - 5-step speed dial ideal for working with stainless steel and aluminium & for rust and paint removal
- Delivering corded performance similar to a 1200 W grinder
- RAPIDSTOP™ for fastest disc brake in less than 2 seconds and best user protection
- Non-lockable safety paddle switch with line-lock-out function to prevent automatic start up
- Anti-vibration side handle for lower vibration

M18 FSAGV125XPDB-0X	
Kit included	No batteries supplied, No charger supplied, HD Box
Article Number	4933478437
EAN Code	4058546346287

M18 FROP21 **M18 FUEL**
M18 FUEL™ RANDOM ORBITAL POLISHER WITH 21 MM STROKE



- Delivering equal performance as corded random orbital polishers to complete polishing and heavy-correction applications
- 8 position speed dial selection for maximum control and best finishing results
- 21 mm orbital function for fast and efficient polishing with a free hologram finish
- Large ergonomic front grip area with overmold for easy and comfortable handling, especially when working with the tool vertically

M18 FROP21-0X		M18 FROP21-502X	
Standard equipment	150 mm backing pad, dust screen	150 mm backing pad, dust screen	
Kit included	No batteries supplied, No charger supplied, HD Box	2 x M18 B5 Battery packs, M12-18 FC Charger, HD Box	
Article Number	4933478836	4933478837	
EAN Code	4058546361181	4058546361198	

M18 FROP15 **M18 FUEL**
M18 FUEL™ RANDOM ORBITAL POLISHER WITH 15 MM STROKE



- Delivering equal performance as corded random orbital polishers to complete polishing and heavy-correction applications
- 8 position speed dial selection for maximum control and best finishing results
- 15 mm orbital function for fast and efficient polishing with a free hologram finish
- Large ergonomic front grip area with overmold for easy and comfortable handling, especially when working with the tool vertically

M18 FROP15-0X		M18 FROP15-502X		M18 FROP15-502X KIT	
Standard equipment	125 mm backing pad, dust screen	125 mm backing pad, dust screen	125 mm backing pad, dust screen, 140 mm red sponge (hard), 140 mm yellow sponge (medium), red cloth, heavy compound, medium compound		
Kit included	No batteries supplied, No charger supplied, HD Box	2 x M18 B5 Battery packs, M12-18 FC Charger, HD Box			
Article Number	4933478834	4933478835	4933492352		

M18 FSAGV125XB **M18 FUEL**
M18 FUEL™ 125 MM VARIABLE SPEED & BRAKING ANGLE GRINDER WITH SLIDE SWITCH



- Maximum control for every application - 5-step speed dial ideal for working with stainless steel and aluminium & for rust and paint removal
- Delivering corded performance similar to a 1200 W grinder
- RAPIDSTOP™ for fastest disc brake in less than 2 seconds and best user protection
- Anti-vibration side handle for lower vibration
- Integrated FIXTEC™ system for tool-free wheel change

M18 FSAGV125XB-0X	
Kit included	No batteries supplied, No charger supplied, HD Box
Article Number	4933478436
EAN Code	4058546346270

M18 FSAGF125XPDB **M18 FUEL**
M18 FUEL™ 125 MM FLATHEAD BRAKING ANGLE GRINDER WITH PADDLE SWITCH



- Flat gear head design - allows user working within acute angles down to 42°
- Delivering corded performance similar to a 1200 W grinder
- RAPIDSTOP™ for fastest disc brake in less than 2 seconds and best user protection
- Non-lockable safety paddle switch with line-lock-out function to prevent automatic start up
- Anti-vibration side handle for lower vibration
- FIXTEC™ nut for tool-free wheel change

M18 FSAGF125XPDB-0X	
Kit included	No batteries supplied, No charger supplied, HD Box
Article Number	4933478439
EAN Code	4058546346300

M18 FAP **M18 FUEL**
M18 FUEL™ POLISHER



- Cordless polisher with 8 position variable speed selection ranging from 360 - 2200 rpm
- Outstanding run time to polish one full size car per battery charge (on moderate to good paint, light scratches)
- Maximum polishing accessory diameter of 180 mm
- Constant speed electronics with soft start for smooth start up

M18 FAP180-0		M18 FAP180-502X	
Standard equipment	Polishing backing pad, dust screen, bale handle, AVS side handle	Polishing backing pad, polishing sponge white, polishing sponge orange, lambswool, dust screen, bale handle, AVS side handle	
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M18 B5 Battery packs, M12-18 FC Charger, HD Box	
Article Number	4933451549	4933451550	
EAN Code	4002395144518	4002395144525	

M18 FMCS66 **M18 FUEL**
M18 FUEL™ 66 MM METAL CIRCULAR SAW



- First 18V cordless metal circular saw with 66 mm cutting depth and 1800 W corded performance
- Faster cutting speed compared to corded unit
- Shoe designed to connect directly on MILWAUKEE® guide rail (sold separately). This allows the user to make straight and accurate cuts with minimum setup time
- Performance light indicates when the device is pushed to hard

M18 FMCS66-0C		M18 FMCS66-121C	
Kit included	No batteries supplied, No charger supplied, Kitbox	1 x M18 HB12 Battery pack, M12-18 FC Charger, Kitbox	
Article Number	4933472110	4933472111	
EAN Code	4058546325060	4058546325077	

M18 FSAGF125XB **M18 FUEL**
M18 FUEL™ 125 MM FLATHEAD BRAKING ANGLE GRINDER WITH SLIDE SWITCH



- Flat gear head design - allows user working within acute angles down to 42°
- Delivering corded performance similar to a 1200 W grinder
- RAPIDSTOP™ for fastest disc brake in less than 2 seconds and best user protection
- Anti-vibration side handle for lower vibration
- FIXTEC™ nut for tool-free wheel change
- Slim handle design

M18 FSAGF125XB-0X	
Kit included	No batteries supplied, No charger supplied, HD Box
Article Number	4933478438
EAN Code	4058546346294

M18 BLSAG125X **M18**
M18 BRUSHLESS 125 MM ANGLE GRINDER WITH SLIDE SWITCH



- 11,000 RPM optimised for cutting applications
- Powerful brushless motor delivering corded performance similar to a 800 W grinder
- Most compact and lightest cordless angle grinder in the the range
- Safety clutch protects user the from kickback injuries
- Integrated FIXTEC™ system for tool-free wheel change

M18 BLSAG125X-0		M18 BLSAG125X-402X	
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M18 B4 Battery packs, M12-18 C Charger, HD Box	
Article Number	4933492643	4933492644	
EAN Code	4058546413934	4058546413941	

M18 FMCS **M18 FUEL**
M18 FUEL™ 57 MM METAL CIRCULAR SAW



- Dry-cutting technology provides cold, fast and burr-free metal cutting
- Tool-free depth adjustment, quickly and easily adjusts cutting depth from 0 to 57 mm
- Compact and light weight design for most comfortable use
- Dual-action trigger prevents any accidental start up
- Tool-free cutting depth adjustment and plunge lever for fast and effective plunge cuts

M18 FMCS-0X		M18 FMCS-502X	
Kit included	No batteries supplied, No charger supplied, HD Box	2 x M18 B5 Battery packs, M12-18 FC Charger, HD Box	
Article Number	4933459192	4933459193	
EAN Code	4002395289271	4002395289288	

M18 CBS125 **M18 FUEL**
M18 FUEL™ DEEP CUT BAND SAW



- Large cutting capacity up to 125 x 125 mm material diameter
- 5 step variable speed selection from 0 - 116 m/min
- Tool-free blade locking mechanism for quick and easy saw blade changes
- Solid metal rafter hook for quick and easy jobsite storage
- Slim full metal motor housing design and LED work surface illumination for best cut visibility

M18 CBS125-0		M18 CBS125-502C	
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M18 B5 Battery packs, M12-18 FC Charger, Kitbox	
Article Number	4933447150	4933448195	
EAN Code	4002395006038	4002395262779	

M18 FBS85 M18 FUEL™ COMPACT BAND SAW

M18 FUEL



- 20% faster cutting compared to previous model
- Large cutting capacity up to a diameter of 85 mm
- Variable speed trigger for quick & easy speed adjustments
- Band saw cover protects user from injuries by preventing any access to the blade - tool-free installation and removal within seconds

	M18 FBS85-0C	M18 FBS85-202C
Kit included	No batteries supplied, No charger supplied, Kitbox	2 x M18 B2 Battery packs, M12-18 FC Charger, Kitbox
Article Number	4933471496	4933471497
EAN Code	4058546293956	4058546293963

M18 FDGROVB M18 FUEL™ BRAKING DIE GRINDER WITH ONE-KEY™, VARIABLE SPEED AND SLIDE SWITCH

M18 FUEL



- Maximum control for every application, 5-step speed dial ideal for working with stainless steel, carbide burrs & accessories up to 75 mm
- Delivering corded performance similar to a 1200 W grinder
- ONE-KEY™ tool tracking & security offers a free of charge cloud-based tracking network and inventory management platform for your tools. ONE-KEY™ also features a remote locking functionality

	M18 FDGROVB-0X	M18 FDGROVB-502X
Kit included	No batteries supplied, No charger supplied, HD Box	2 x M18 B5 Battery packs, M12-18 FC Charger, HD Box
Article Number	4933480955	4933480956
EAN Code	4058546412401	4058546412418

M18 FMDP M18 FUEL™ MAGNETIC DRILLING PRESS WITH PERMANENT MAGNET

M18 FUEL



- FUEL™ technology provides corded drilling performance with strongest magnet holding force on 1/4" steel and 40 x 18 mm holes per battery charge
- AUTOSTOP™ lift-off detection: Detects excess rotation and automatically cuts power to the drill for best user protection

	M18 FMDP-0C	M18 FMDP-502C
Kit included	No batteries supplied, No charger supplied, Kitbox	2 x M18 B5 Battery packs, M12-18 FC Charger, Kitbox
Article Number	4933451636	4933451012
EAN Code	4002395142330	4002395136650

M18 BMS20 M18™ METAL SHEAR

M18



- Accurate cuts with maximum cutting depth of 2.0 mm in steel
- Unique 360° tool-free rotating head with 12 locking positions to access tight spaces and increasing user comfort
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Individual battery cell monitoring optimises tool run time and ensures long term pack durability

	M18 BMS20-0
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933447935
EAN Code	4002395006748

M18 FDGROVPDB M18 FUEL™ BRAKING DIE GRINDER WITH ONE-KEY™, VARIABLE SPEED AND PADDLE SWITCH

M18 FUEL



- Maximum control for every application, 5-step speed dial ideal for working with stainless steel, carbide burrs & accessories up to 75 mm
- Delivering corded performance similar to a 1200 W grinder
- ONE-KEY™ tool tracking & security offers a free of charge cloud-based tracking network and inventory management platform for your tools. ONE-KEY™ also features a remote locking functionality

	M18 FDGROVPDB-0X
Kit included	No batteries supplied, No charger supplied, HD Box
Article Number	4933480957
EAN Code	4058546412425

M18 FDGRB M18 FUEL™ BRAKING DIE GRINDER WITH SLIDE SWITCH

M18 FUEL



- Delivering corded performance similar to a 1200 W grinder
- Spindle lock - increased productivity by reducing the need of 2 wrenches
- RAPIDSTOP™ stops all accessories in under the 2 seconds
- Lower angle of battery slot for better balance & ergonomics compared to previous model
- Universal reception to fit both, 6 and 8 mm accessories

	M18 FDGRB-0	M18 FDGRB-0X	M18 FDGRB-502X
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	No batteries supplied, No charger supplied, HD Box	2 x M18 B5 Battery packs, M12-18 FC Charger, HD Box
Article Number	4933480952	4933480953	4933480954
EAN Code	4058546412371	4058546412388	4058546412395

M18 BMS12 M18™ METAL SHEAR

M18



- Accurate cuts with maximum cutting depth of 1.2 mm in steel
- Unique 360° tool-free rotating head with 12 locking positions to access tight spaces and increasing user comfort
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Individual battery cell monitoring optimises tool run time and ensures long term pack durability

	M18 BMS12-0
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933447925
EAN Code	4002395006731

M18 BHG M18™ HEAT GUN

M18



- High performance heat coil allows the tool to reach 470 °C
- Reaches operational temperature in six seconds allowing the user to quickly complete his application
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Individual battery cell monitoring optimises tool run time and ensures long term pack durability

	M18 BHG-0	M18 BHG-502C
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M18 B5 Battery packs, M12-18 C Charger, Kitbox
Article Number	4933459771	4933459772
EAN Code	4058546029432	4058546029449

GET THE RIGHT MITRE SAW FOR THE JOB



	Battery system	Technology	ONE-KEY™	No load speed (rpm)	Blade diameter (mm)	Bevel capacity left (°)	Bevel capacity right (°)	Mitre capacity left (°)	Mitre capacity right (°)	Bore size (mm)	Max. cutting capacity at fence 90° mitre / 90° bevel (mm)	Weight with battery pack (EPTA) (kg)	
1.	M18 FMS305-121	M18 FUEL™	HIGH OUTPUT™	ONE-KEY™	3600	305	48	48	55	60	30	96.5 x 340	22.5 (M18 HB12)
1.	M18 FMS254-0	M18 FUEL™	-	-	4000	254	48	48	50	60	30	91 x 289	20.0 (M18 B5)
2.	M18 SMS216-0	M18™	-	-	2700	216	48	-2	50	50	30	-	14.8 (M18 B5)
2.	M18 FMS190-0	M18 FUEL™	-	-	5000	190	48	48	48	48	30	-	12.7 (M18 B5)

MITRE SAW EXTENDABLE LEGSTANDS

	Height (mm)	Base size (mm)	Extendable up to (mm)	Collapsed size (mm)	Bearing force (kg)	Weight (kg)
MSL 1000	850	1065	2125	1065	180	17.0
MSL 2000	860	1093	2542	1093	227	14.0
MSL 3000	810	1100	3000	1200	250	23.0
MSUV 280	850	1160	2800	1320	136	27.0



M18 FMS305 M18 FUEL™ ONE-KEY™ 305 MM MITRE SAW



- Delivers the power to cut at the same rate of an equivalent AC 305 mm saw, with the ability to cut up to 500 pieces of 78 mm pine base board on one 12.0 Ah battery charge
- The HIGH OUTPUT™ system of tools elevates the M18 FUEL™ technologies to a new level and delivers extended performance and extended run time. These tools are designed to maximise the partnership with HIGH OUTPUT™ batteries

	M18 FMS305-0	M18 FMS305-121
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	1 x M18 HB12 Battery pack, M12-18 FC Charger, No kitbox or bag supplied
Article Number	4933471205	4933471122
EAN Code	4058546288334	4058546287504

M18 FMS190 M18 FUEL™ 190 MM MITRE SAW



- With a 190 mm blade it delivers accurate cut capacities
- Up to 299 cuts in 38 mm 89 mm soft wood with a 5.0 Ah battery gives the ability to work a full day without recharging the battery
- Quick release bevel setting allows the simple setting of bevel angles to the left and right
- Large sliding fences gives maximum support to the material being cut providing stability and accuracy

	M18 FMS190-0
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933459619
EAN Code	4058546027919

MSL 2000 MITRE SAW STAND EXTENDABLE UP TO 2.5 M



- Light weight aluminium, easy to transport onto the job site
- 1.09 m total length, will fit into most small vans and cars
- Extendable each side - 2.54 m extended
- Will hold up to 227 kg
- One point leg adjustment for leveling on uneven ground
- Quick release brackets
- Height adjustable length stops

	MSL 2000
Article Number	4933459617
EAN Code	4058546027896

MSUV 280 MITRE SAW STAND EXTENDABLE UP TO 2.8 M



- Upright folding design for easy storage and transportation
- Easy one action foot pedal lock and single lift point allows the stand to be quickly setup with a mitre saw attached
- Universal quick release saw brackets compatible with all MILWAUKEE® mitre saws
- Extra wide work piece support rollers allows larger materials to be more easily handled
- 2.8 m extension width

	MSUV 280
Article Number	4933478992
EAN Code	4058546362744

M18 FMS254 M18 FUEL™ 254 MM MITRE SAW



- With a 254 mm blade it delivers large and accurate cut capacities
- Up to 430 cuts in 26 mm x 142 mm decking with a 12.0 Ah battery gives the ability to work a full day without recharging the battery
- Quick release bevel setting with detents allows the simple setting of bevel angles to the left and right

	M18 FMS254-0
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933451729
EAN Code	4002395279418

MSL 1000 MITRE SAW STAND EXTENDABLE UP TO 2 M



- Light weight aluminium, easy to transport onto the job site
- 1.08 m total length, will fit into most small vans and cars
- Extendable each side - 2.08 m extended
- Will hold up to 180 kg
- One point leg adjustment for leveling on uneven ground
- Quick release brackets
- Height adjustable length stops

	MSL 1000
Article Number	4933428970
EAN Code	4002395241729

MSL 3000 MITRE SAW STAND EXTENDABLE UP TO 3 M



- Lightweight construction and wheel set - provides portability on the jobsite
- Folds down to 1200 mm - thanks to the collapsible legs and compact design
- Extendable up to 3 m - makes it easy to cut large workpieces to length
- Heavy Duty - carries up to 250 kg
- One point leg adjustment for leveling on uneven ground
- Comfortable working height at 81 cm

	MSL 3000
Article Number	4933411565
EAN Code	4002395236213

M18 FTS210 M18 FUEL™ ONE-KEY™ TABLE SAW



- The ONE-KEY™ M18 FUEL™ table saw delivers the power to rip cut at the same feed rate of an equivalent AC saw, with the ability to cut 190 m of 19 mm OSB board on one 12.0 Ah battery charge

	M18 FTS210-0	M18 FTS210-121B
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	1 x M18 HB12 Battery pack, M12-18 FC Charger, No kitbox or bag supplied
Article Number	4933464722	4933464225
EAN Code	4058546226671	4058546221706

GET THE RIGHT SAW FOR THE JOB



1 TABLE, PLUNGE AND CIRCULAR SAWS

	Battery system	Technology	ONE-KEY™	No load speed (rpm)	Blade diameter (mm)	Bevel capacity (°)	Max. cutting depth 45° (mm)	Max. cutting depth 50° (mm)	Max. cutting depth 90° (mm)	Weight with battery pack (EPTA) (kg)
M18 FTS210-121B	M18 FUEL™	HIGH OUTPUT™	ONE-KEY™	6300	210	47	-	-	63.5	22.3 (M18 HB12)
M18 FPS55-552P	M18 FUEL™	-	-	2500 - 5600	165	-1 - 48	44	-	59	4.9 (M18 HB5.5)
M18 CCS55-502X	M18 FUEL™	-	-	5000	165	0 - 50	41	-	55	3.2 (M18 B5)
HD18 CS-402B	M18™	-	-	3500	165	0 - 50	39	-	55	3.8 (M18 B4)
M18 FCS66-0	M18 FUEL™	HIGH OUTPUT™	-	5800	190	0 - 56	48	-	66	5.4 (M18 HB12)
M18 FCSG66-121C	M18 FUEL™	HIGH OUTPUT™	-	5800	190	0 - 50	48	-	66	5.6 (M18 HB12)
M18 FCSRH66-0	M18 FUEL™	HIGH OUTPUT™	-	5800	190	0 - 53	48	45	66	5.2 (M18 HB12)
M18 BLCS66-502X	M18™	-	-	5000	190	0 - 50	48	-	66	4.0 (M18 B5)
M12 FCS442-502X	M12 FUEL™	-	-	3600	140	0 - 50	33	-	44	2.7 (M12 HB5)

2 SAWZALL™, HACKZALL™, JIGSAWS

	Battery system	Technology	ONE-KEY™	No load stroke rate (spm)	Stroke length (mm)	Weight with battery pack (EPTA) (kg)
M18 FSX-121C	M18 FUEL™	HIGH OUTPUT™	-	0 - 3000	32	5.5 (M18 HB12)
M18 ONEFSZ-502X	M18 FUEL™	-	ONE-KEY™	0-3000	32	3.8 (M18 B5)
M18 FSZ-502X	M18 FUEL™	-	-	0-3000	32	3.8 (M18 B5)
M18 BSX-402C	M18™	-	-	3000	28.6	4.0 (M18 B4)
M18 FHZ-502X	M18 FUEL™	-	-	0 - 3000	22	2.6 (M18 B5)
C18 HZ-402B	M18™	-	-	0 - 3000	20	2.5 (M18 B4)
M18 FBJS-502X	M18 FUEL™	-	-	800 - 3500	25	2.8 (M18 B5)
M18 FJS-502X	M18 FUEL™	-	-	0 - 3500	25	2.9 (M18 B5)
M18 BJS-402C	M18™	-	-	0 - 2800	25	2.5 (M18 B4)
M12 CHZ-602X	M12 FUEL™	-	-	0 - 3000	15.9	1.6 (M12 B6)
C12 HZ-202C	M12™	-	-	0 - 3000	13	1.2 (M12 B2)
M12 FJS-422X	M12 FUEL™	-	-	800 - 3000	22	1.7 (M12 B2)

3 MULTI-TOOLS

	Battery system	Oscillation angle left/ right (°)	No load speed (rpm)	Weight with battery pack (EPTA) (kg)
M18 FMT-502X	M18 FUEL™	2.1	10,000 - 20,000	1.9 (M18 B5)
M18 BMT-421C	M18™	1.7	12,000 - 18,000	1.7 (M18 B2)
M12 FMT-422X	M12 FUEL™	1.8	10,000 - 20,000	1.6 (M12 B2)
C12 MT-402B	M12™	1.5	5000 - 20,000	1.2 (M18 B4)



SCAN HERE TO VIEW OUR PPE RANGE



SCAN HERE TO VIEW OUR SAWING AND CUTTING BLADES



TSS 1000 TABLE SAW STAND



- Light weight of only 6.6 kg - easy to transport onto the job site
- Will hold up to 82 kg
- Quick release bracket to hold the saw firmly in place
- One point leg adjustment for leveling on uneven ground
- Comfortable work height at 559 mm
- To be used with M18 FUEL™ ONE-KEY™ table saw (M18 FTS210)

TSS 1000	
Article Number	4933464227
EAN Code	4058546221720

M18 CCS55 M18 FUEL™ 55 MM CIRCULAR SAW FOR WOOD AND PLASTICS



- Brushless POWERSTATE™ motor for up to 3x longer motor life and up to 2x more cuts per charge
- Magnesium upper and lower guards provide best in class durability for impact resistance
- Integrated dust blower keeps cut line clear
- 50° bevel capacity
- Magnesium shoe reduces weight and maximises durability
- Hang hook allows safe storage of the tool

	M18 CCS55-0X	M18 CCS55-502X
Kit included	No batteries supplied, No charger supplied, HD Box	2 x M18 B5 Battery packs, M12-18 FC Charger, HD Box
Article Number	4933451429	4933451376
EAN Code	4002395162680	4002395160549

M18 ONEFSZ M18 FUEL™ ONE-KEY™ SAWZALL™



- M18 FSZ but with ONE-KEY™ technology
- Connect via Bluetooth® with the ONE-KEY™ app
- ONE-KEY™ tool customisation allows the user to optimise their tool for specific applications
- ONE-KEY™ tool tracking & security offers a free of charge cloud-based tracking network and inventory management platform for your tools. ONE-KEY™ also features a remote locking functionality

	M18 ONEFSZ-0X	M18 ONEFSZ-502X
Kit included	No batteries supplied, No charger supplied, HD Box	2 x M18 B5 Battery packs, M12-18 FC Charger, HD Box
Article Number	4933478296	4933478294
EAN Code	4058546344733	4058546344719

M18 FSZ M18 FUEL™ SAWZALL™



- Brushless POWERSTATE™ motor for up to 5x longer motor life and up to 30% faster cutting
- Patented gear protecting clutch - extends gear and motor life by absorbing high impact forces caused by sudden blade lock-ups
- Wear resistant lever actuated FIXTEC™ blade clamp provides fast and easy blade changes
- Metal reinforced battery connection provides improved durability and battery retention over life

	M18 FSZ-0X	M18 FSZ-502X
Kit included	No batteries supplied, No charger supplied, HD Box	2 x M18 B5 Battery packs, M12-18 FC Charger, HD Box
Article Number	4933478293	4933478291
EAN Code	4058546344702	4058546344689

HD18 CS M18™ 55 MM CIRCULAR SAW FOR WOOD AND PLASTIC



- Powerful 3500 rpm motor easily cuts most timber construction materials
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Large 50° bevel facility
- Magnesium upper guard provide best in class durability for impact resistance
- Excellent visibility of cutting line

	HD18 CS-0	HD18 CS-402B
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M18 B4 Battery packs, M12-18 C Charger, Tool bag
Article Number	4933419134	4933441400
EAN Code	4002395238248	4002395001613

M18 FCSRH66 M18 FUEL™ REAR HANDLE CIRCULAR SAW FOR WOOD



- Delivers the power to rip cut at the same feed rate of an equivalent AC circular saw, with the ability to cross cut up to 570 pieces of 90 mm x 45 mm pine stud on one 12.0 Ah battery charge

	M18 FCSRH66-0
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933471444
EAN Code	4058546290726

M18 FSX M18 FUEL™ SUPER SAWZALL™



- The M18 FUEL™ Super SAWZALL™ delivers the power to cut at the same speed as an equivalent AC reciprocating saw - with the ability to cut 150 pieces of 290 mm x 45 mm pine on one 12.0 Ah battery charge

	M18 FSX-0C	M18 FSX-121C
Kit included	No batteries supplied, No charger supplied, Kitbox	1 x M18 HB12 Battery pack, M12-18 FC Charger, Kitbox
Article Number	4933464724	4933464484
EAN Code	4058546226695	4058546224295

M18 BSX M18™ SAWZALL™



- High performance 4-pole motor delivers maximum power whilst maximising the power to weight ratio
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Patented FIXTEC™ clamp for fast and easy keyless blade change
- Counter balance mechanism to reduce vibrations 15.2 m/s² in wooden beams

	M18 BSX-0	M18 BSX-402C
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M18 B4 Battery packs, M12-18 C Charger, Kitbox
Article Number	4933447275	4933447285
EAN Code	4002395006113	4002395006120

M18 FCS66 M18 FUEL™ 66 MM CIRCULAR SAW FOR WOOD AND PLASTICS



- The M18 FUEL™ circular saw delivers the power to rip cut at the same feed rate of an equivalent AC circular saw - with the ability to cut 750 pieces of 90 mm x 45 mm pine stud on one 12.0 Ah battery charge

	M18 FCS66-0
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933464725
EAN Code	4058546226701

M18 FCSG66 M18 FUEL™ 66 MM CIRCULAR SAW FOR WOOD AND PLASTICS, GUIDE RAIL COMPATIBLE



- The M18 FUEL™ circular saw delivers the power to rip cut at the same feed rate of an equivalent AC circular saw - with the ability to cut 750 pieces of 90 mm x 45 mm pine stud on one 12.0 Ah battery charge
- 190 mm blade which gives a 66 mm depth of cut, enabling the saw to cut 3 stacked OSB boards

	M18 FCSG66-0	M18 FCSG66-121C
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	1 x M18 HB12 Battery pack, M12-18 FC Charger, Kitbox
Article Number	4933472163	4933471195
EAN Code	4058546325596	4058546288235

M18 FHZ M18 FUEL™ HACKZALL™



- With a 22 mm stroke length for controlled cutting wand a no load stroke rate of 3000 spm
- Patented FIXTEC™ clamp for quick and efficient blade change
- Pivoting shoe allows the user to optimise his cutting position
- Built in LED light improves visibility in low light cutting applications

	M18 FHZ-0X	M18 FHZ-502X
Kit included	No batteries supplied, No charger supplied, HD Box	2 x M18 B5 Battery packs, M12-18 FC Charger, HD Box
Article Number	4933459887	4933459885
EAN Code	4058546030599	4058546030575

C18 HZ M18™ HACKZALL™



- High performance compact one handed use HACKZALL™, measuring only 375mm in length, makes it ideal for working within confined spaces
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Dual gear counter balance reduces vibration and increases tool life

	C18 HZ-0	C18 HZ-402B
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M18 B4 Battery packs, M12-18 C Charger, Tool bag
Article Number	4933416785	4933441340
EAN Code	4002395237982	4002395001491

M18 BLCS66 M18™ BRUSHLESS 66 MM CIRCULAR SAW FOR WOOD AND PLASTICS



- M18™ brushless circular saw with a 190 mm blade giving a 66 mm depth of cut which enables the saw to cut three stacked 19 mm OSB boards
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability

	M18 BLCS66-0X	M18 BLCS66-502X
Kit included	No batteries supplied, No charger supplied, HD Box	2 x M18 B5 Battery packs, M12-18 FC Charger, HD Box
Article Number	4933464589	4933464590
EAN Code	4058546225346	4058546225353

M18 FPS55 M18 FUEL™ 55 MM PLUNGE SAW



- The M18 FUEL™ plunge saw delivers the power to rip cut at the same feed rate of an equivalent AC circular saw - with the ability to cut 45 metres of 18 mm plywood on one 5.5 Ah battery charge
- The depth adjustment has two scales, one for on the rail and one for off the rail, this can easily be adjusted by the press of a button

	M18 FPS55-0P	M18 FPS55-552P
Kit included	No batteries supplied, No charger supplied, PACKOUT™ XL tool box	2 x M18 B5 Battery packs, M12-18 FC Charger, PACKOUT™ XL tool box
Article number	4933478777	4933478778
EAN code	4058546360597	4058546360603

M18 FBJS M18 FUEL™ BODY GRIP JIGSAW



- Patented FIXTEC™ blade clamp for fast and easy blade change
- 3500 SPM delivers smooth cuts, minimised chipping and vibration
- 5 stage pendulum action for increased cutting performance
- Brushless POWERSTATE™ motor for fast cutting, long tool life and up to 32 m in 19 mm OSB (on a 5.0 Ah pack)

	M18 FBJS-0X	M18 FBJS-502X
Kit included	No batteries supplied, No charger supplied, HD Box	2 x M18 B5 Battery packs, M12-18 FC Charger, HD Box
Article Number	4933464799	4933464800
EAN Code	4058546227449	4058546227456

M18 FJS M18 FUEL™ TOP HANDLE JIGSAW



- Dust blower keeps the cut line free of wood dust
- Keyless bevel facility on the base plate allows for adjustment between 0 - 45°
- Patented FIXTEC™ blade clamp for fast and easy blade change
- 5 stage pendulum action for increased cutting performance

	M18 FJS-0X	M18 FJS-502X
Kit included	No batteries supplied, No charger supplied, HD Box	2 x M18 B5 Battery packs, M12-18 FC Charger, HD Box
Article Number	4933464726	4933464727
EAN Code	4058546226718	4058546226725

TiD-extra 3.0

M18 BJS
M18™ TOP HANDLE JIGSAW

M18



- High performance motor delivers 2800 spm for fast cutting
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Patented FIXTEC™ blade clamp for fast and easy blade change
- Keyless bevel facility on the base plate allows for adjustment between 0 - 45°

	M18 BJS-0	M18 BJS-402C
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M18 B4 Battery packs, M12-18 C Charger, Kitbox
Article Number	4933451391	4933451389
EAN Code	4002395157990	4002395157976



M18 FMT
M18 FUEL™ MULTI-TOOL

M18 FUEL



- POWERSTATE™ brushless motor pairs with an aggressive oscillation angle of 2.1° (left/ right) and 10,000 - 20,000 OPM to deliver one of the fastest cut speeds in the industry
- Suitable for many demanding applications with ease, such as rip cuts through hardwoods and nail embedded wood
- 10-setting dial with an auto-load feature allows users to adjust the speed to the application

	M18 FMT-0X	M18 FMT-502X
Kit included	No batteries supplied, No charger supplied, HD Box	2 x M18 B5 Battery packs, M12-18 FC Charger, HD Box
Article Number	4933478491	4933478492
EAN Code	4058546346843	4058546346850

M18 BMT
M18™ MULTI-TOOL

M18



- Unique cutting depth stop adaptor to prevent over-cutting in material
- Productivity enhancing FIXTEC™ tool free blade change with universal blade change adaptor included to accept all competitor blades
- 12 variable speed settings from 12,000 - 18,000 orbits per minute and 3.4° oscillation movement allows quick completion of professional applications into materials such as metal, wood and plastic

	M18 BMT-0	M18 BMT-421C
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	1 x M18 B4, 1 x M18 B2 Battery packs, M12-18 C Charger, Kitbox
Article Number	4933446203	4933446210
EAN Code	4002395004928	4002395004911

M18 BP
M18™ PLANER

M18



- Adjustable depth of cut from 0 to 2 mm with twenty locking positions allows the user to accurately set the amount of material to be removed in one pass
- Up to 10.7 mm of rebate depth
- High performance 4-pole motor delivers 14,000 rpm to achieve optimum surface finish
- Faster material removal with two double edged carbide blades over a planning width of 82 mm

	M18 BP-0	M18 BP-402C
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M18 B4 Battery packs, M12-18 C Charger, Kitbox
Article Number	4933451113	4933451114
EAN Code	4002395137374	4002395137381

M18 FR12
M18 FUEL™ 12 MM ROUTER

M18 FUEL



- POWERSTATE™ brushless motor in combination with the HIGH OUTPUT™ 5.5 Ah battery pack supplies constant power for faster cuts and reduced heat in high demand applications with the equivalent amount of power as a corded unit
- Variable speed from 12,000 RPM to 25,000 RPM for clean and accurate cutting in a wide range of material

	M18 FR12-0X	M18 FR12KIT-0P
Standard equipment	1/4", 8 mm, 12 mm, 1/2" collets, side fence, sub base, wrench, dust extraction pipe	1/4", 8 mm, 12 mm, 1/2" collets, side fence, sub base, wrench, dust extraction pipe and plunge base
Kit included	No batteries supplied, No charger supplied, HD Box	No batteries supplied, No charger supplied, PACKOUT™ box
Article Number	4933493304	4933493305
EAN Code	4058546481759	4058546481766

M18 FTR8
M18 FUEL™ TRIM ROUTER WITH 8 MM/ 6 MM COLLETS AND BASES

M18 FUEL



- POWERSTATE™ brushless motor delivers the power of AC trim routers, max. 31,000 rpm for powerful, smooth cutting
- Variable speed dial allows users to adjust the speed between 10,000 and 31,000 rpm to choose the best control for the application at hand
- All day run time on a single charge of an M18™ 5.0 Ah battery (up to 115 m)

	M18 FTR8-0X
Kit included	No batteries supplied, No charger supplied, HD Box
Article Number	4933479073
EAN Code	4058546368678

M18 BQSS
M18™ QUARTER SHEET SANDER

M18



- High performance motor delivers 11,000 to 13,000 sanding strokes per minute for faster material removal
- Variable speed wheel with 6 speed settings allows the correct speed to be set for different types of material
- Universal hook and loop sanding pad allows easy changing of sanding sheets
- Paper retention clips for use with standard sheet sand paper

	M18 BQSS-0	M18 BQSS-502B
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M18 B5 Battery packs, M12-18 C Charger, Tool bag
Article Number	4933479966	4933479967
EAN Code	4058546377601	4058546377618

M18 FBTS75
M18 FUEL™ 75 MM BELT SANDER

M18 FUEL



- Compact design, with a flat front and side edge allows flush sanding capability
- Captures 90% of dust either through the universal dust port or with the multi layered dust bag
- Variable speed adjustable with a belt speed range from 230 to 410 m/s
- Tool-free adjustableommel allows for adjustment of the front handle letting the user find the optimum sanding position

	M18 FBTS75-0	M18 FBTS75-552X
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M18 HB5.5 Battery packs, M12-18 FC Charger, HD Box
Article Number	4933479614	4933479615
EAN Code	4058546374082	4058546374099

M18 FAC
M18 FUEL™ AIR COMPRESSOR

M18 FUEL



- POWERSTATE™ brushless motor delivers a maximum air pressure of 9.31 bar and 48 l/m at 2.8 bar which delivers enough performance to run common finish nailers and staplers
- At only 68 dB(A) this is one of the quietest cordless compressors on the market allowing for a more comfortable working environment on the jobsite

	M18 FAC-0
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933472166
EAN Code	4058546325626

M18 FFN
M18 FUEL™ 34° FRAMING NAILER 2-MODE

M18 FUEL



- Excellent power to consistently seat nails sub-flush to the surface in hardwoods
- Ready to Fire Nail Technology eliminates ramp-up time between each nail discharge
- No gas cartridges and no cleaning required, designed to deliver durability and reliability to the most demanding users with very little maintenance
- Two mode selection allows for sequential fire for precision or bump fire for speed

	M18 FFN-0C	M18 FFN-502C
Kit included	No batteries supplied, No charger supplied, Kitbox	2 x M18 B5 Battery packs, M12-18 FC Charger, Kitbox
Article Number	4933471406	4933471404
EAN Code	4058546290344	4058546290320

M18 FN16GA
M18 FUEL™ 16 GA ANGLED NAIL FINISH NAILER 2-MODE

M18 FUEL



- Fire 16 Gauge nails with a 20° pitch
- Tool-free, quick and easy depth adjustment to assure nails are driven sub-flush
- No gas cartridges and no cleaning required, designed to deliver durability and reliability to the most demanding users with very little maintenance
- Excellent power to consistently seat nails sub-flush to the surface in hardwoods

	M18 FN16GA-0X	M18 FN16GA-202X
Kit included	No batteries supplied, No charger supplied, HD Box	2 x M18 B2 Battery packs, M12-18 FC Charger, HD Box
Article Number	4933478094	4933478092
EAN Code	4058546340278	4058546340254

M18 BOS125
M18™ 125 MM RANDOM ORBITAL SANDER

M18



- High performance motor delivers 14,000 to 24,000 sanding strokes per minute for faster material removal
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Variable speed wheel with 6 speed settings allows the correct speed to be set for different types of material

	M18 BOS125-0	M18 BOS125-502B
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M18 B5 Battery packs, M12-18 C Charger, Tool bag
Article Number	4933464228	4933464229
EAN Code	4058546221737	4058546221744

M18 FFN21
M18 FUEL™ 21° FRAMING NAILER 2-MODE

M18 FUEL



- Fires standard framing nails which fits an angled magazine at 20° to 22°
- Ready to Fire Nail Technology eliminates ramp-up time between each nail discharge
- No gas cartridges and no cleaning required, designed to deliver durability and reliability to the most demanding users with very little maintenance
- Two mode selection allows for sequential fire for precision or bump fire for speed

	M18 FFN21-0C
Kit included	No batteries supplied, No charger supplied, Kitbox
Article Number	4933478993
EAN Code	4058546362751

M18 FFNS
M18 FUEL™ 34° FRAMING NAILER WITH SINGLE SHOT ONLY

M18 FUEL



- Single shot mode only allows for precision placement of each nail fired
- Fires standard framing nails which fits an angled magazine at 30° or 34°
- No gas cartridges and no cleaning required, designed to deliver durability and reliability to the most demanding users with very little maintenance
- Excellent power to consistently seat nails sub-flush to the surface in hardwoods

	M18 FFNS-502C
Kit included	2 x M18 B5 Battery packs, M12-18 FC Charger, Kitbox
Article Number	4933478302
EAN Code	4058546344795

M18 FN15GA
M18 FUEL™ 15 GA ANGLED NAIL FINISH NAILER 2-MODE

M18 FUEL



- Fires 15 gauge nails with a 34° pitch
- Fires up to 1200 nails per charge on a REDLITHIUM™ 2.0 Ah battery pack for maximum productivity
- No gas cartridges and no cleaning required, designed to deliver durability and reliability to the most demanding users with very little maintenance
- Ready to Fire Nail Technology eliminates ramp-up time between each nail discharge

	M18 FN15GA-0X
Kit included	No batteries supplied, No charger supplied, HD Box
Article Number	4933478091
EAN Code	4058546340247

TiD-extra
3.0
D.O.O.

GET THE RIGHT NAILER/STAPLER FOR THE JOB

1 FRAMING NAILERS

Cut roofs, floor joists, stud walls, decking



3 FENCING UTILITY STAPLER



	Battery system	Collation angle (°)	Nail diameter (mm)	Nail type (mm)	Staple strip length (mm)	Staple strip width (mm)	Magazine capacity	Weight with battery pack (EPTA) (kg)
1.	M18 FFN21-0C	M18 FUEL™	20 - 22	2.8 - 3.7	50 - 90	-	51	5.0 (M18 B5)
1.	M18 FFN-502C	M18 FUEL™	30 - 34	2.8 - 3.3	50 - 90	-	51	5.1 (M18 B5)
1.	M18 FFNS-502C	M18 FUEL™	30 - 34	2.8 - 3.3	50 - 90	-	51	5.1 (M18 B5)
2.	M18 FN18GS-202X	M18 FUEL™	0	1.2	16 / 54	-	110	3.1 (M18 B2)
2.	M18 FN16GA-202X	M18 FUEL™	20	1.6	32 - 64	-	110	3.3 (M18 B2)
2.	M18 FN16GS-0X	M18 FUEL™	0	1.6	25 - 64	-	110	3.2 (M18 B2)
2.	M18 FN15GA-0X	M18 FUEL™	34	1.8	32 - 64	-	110	3.3 (M18 B2)
2.	M12 FCN18GS-202X	M12 FUEL™	0	1.2	15 - 38	-	110	2.1 (M12 B2)
3.	M18 FFUS-302C	M18 FUEL™	0	4	-	38 - 51	10.3	5.0 (M18 HB3)
4.	M18 FNCS18GS-202X	M18 FUEL™	0	-	9.5 - 38	5.7 - 6.35	108	2.8 (M18 B2)
4.	M12 BCST-0	M12™	0	-	25.4	19	45	2.3 (M12 B2)
4.	M12 BST-202X	M12™	0	-	6 - 14	10.6	89	1.6 (M12 B2)



SCAN HERE TO VIEW OUR PPE RANGE



SCAN HERE TO VIEW AVAILABLE NAILS AND STAPLES



M18 FN18GS M18 FUEL™ 18 GS FINISH NAILER

M18 FUEL



- Fires 18 gauge straight nails with a 0° pitch
- Different shaped noses stored on board allows the user to get the best finish no matter what the application
- No gas cartridges and no cleaning required, designed to deliver durability and reliability to the most demanding users with very little maintenance
- Smaller nail hole, the exact size of the nail head leaving a neater finish

	M18 FN18GS-0X	M18 FN18GS-202X
Kit included	No batteries supplied, No charger supplied, HD Box	2 x M18 B2 Battery packs, M12-18 FC Charger, HD Box
Article Number	4933471409	4933471407
EAN Code	4058546290375	4058546290351

M18 FFUS M18 FUEL™ FENCING UTILITY STAPLER

M18 FUEL



- Power to fire MILWAUKEE® 9 gauge barbed collated staples from 40 mm to 50 mm
- Fires up to 600 staples per charge on a REDLITHIUM™ 3.0 Ah battery pack for maximum productivity
- No gas cartridges and no cleaning required, designed to deliver durability and reliability to the most demanding users with very little maintenance

	M18 FFUS-0C	M18 FFUS-302C
Kit included	No batteries supplied, No charger supplied, Kitbox	2 x M18 HB3 Battery packs, M12-18 FC Charger, Kitbox
Article Number	4933479834	4933479832
EAN Code	4058546376284	4058546376260

M18 F2VC23L M18 FUEL™ 23L L-CLASS VACUUM

M18 FUEL



- The M18 FUEL™ 23 litre L class Wet/Dry Vacuum brings outstanding performance, durability, and versatility to jobsite cleanup
- With a maximum air flow of 3086 l/min and 192 mbar this provides excellent performance for both wet and dry clean up applications

	M18 F2VC23L-0
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933478964
EAN Code	4058546362461

M18 FPOVCL M18 FUEL™ PACKOUT™ WET/ DRY VACUUM

M18 FUEL

PACKOUT™



- The M18 FUEL™ PACKOUT™ wet/ dry vacuum is fully compatible with the MILWAUKEE® PACKOUT™ Modular Storage System
- Delivers up to 30 minutes of run time on a HIGH OUTPUT™ 8.0 Ah battery pack in high mode and over 50 minutes in low mode
- Extendable hose up to 1.6 m for extended reach and versatility

	M18 FPOVCL-0
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933478187
EAN Code	4058546341206

M18 FN16GS M18™ FUEL™ 16 GA STRAIGHT FINISH NAILER

M18 FUEL



- Fire 16 gauge straight nails with a 0° pitch from 25 mm - 64 mm long
- Quick and easy tool free adjustable nail driving depth
- Smaller nail hole, the exact size of the nail head leaving a neater finish
- Small work contact bracket allows the user to fire and sink nails at a more acute angle
- Dry-Fire lockout stops the tool being fired when there are no nails left in the magazine

	M18 FN16GS-0X
Kit included	No batteries supplied, No charger supplied, HD Box
Article Number	4933493353
EAN Code	4058546482244

M18 FNCS18GS M18 FUEL™ NARROW CROWN STAPLER 2-MODE

M18 FUEL



- Accepts narrow crown staplers from 9.5 mm to 38 mm
- Ready to fire nail technology eliminates ramp-up time between each staple discharge
- No gas cartridges and no cleaning required, designed to deliver durability and reliability to the most demanding users with very little maintenance

	M18 FNCS18GS-0X	M18 FNCS18GS-202X
Kit included	No batteries supplied, No charger supplied, HD Box	2 x M18 B2 Battery packs, M12-18 FC Charger, HD Box
Article Number	4933471942	4933471940
EAN Code	4058546298418	4058546298395

M18 FBPV M18 FUEL™ BACKPACK VACUUM

M18 FUEL



- HEPA filter will collect 99.97% of airborne particles down to 0.3 microns
- Dust class L. Standard MAK-factor > 1 mg/m³
- Low noise of only 76 db (operating sound level)
- DEK 26 compatible allows the vacuum to be easily connected to a powertool
- Cyclonic technology for longer filter life, extended peak performance and bag-less debris collection

	M18 FBPV-0
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933464483
EAN Code	4058546224288

M18 VC2 M18™ WET/ DRY VACUUM

M18



- Powerful 18 V motor with a maximum air flow of 1300 l/min/ 80 bar provides excellent suction power for both wet and dry clean up applications
- HEPA filter will collect 99.97% of airborne particles down to 0.03 microns for fine dust collection
- Up to 30 minutes run time with M18™ HIGH OUTPUT™ 5.5 Ah battery pack

	M18 VC2-0
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933464029
EAN Code	4058546219741

M18 CV
M18™ HAND VAC

M18



- Excellent suction power for wood, metal and common debris
- HEPA filter will collect 99.97% of airborne particles down to 0.3 microns
- Lock on switch reduces fatigue during sustained use
- Versatile accessories for small or large clean up areas
- Secure canister lock guards against unwanted spillage

M18 CV-0

Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933459204
EAN Code	400239528998

M18 BBL
M18™ BATTERY BLOWER

M18



- Compact body - clears dirt and debris in tight spaces
- Power control - 3 speed settings with variable speed trigger
- Versatile attachments - nozzle extension (228.6 mm), universal inflator/deflator attachment
- Removable nozzle for easy, convenient storage
- Lock-on switch
- Flexible battery system: works with all MILWAUKEE® M18™ batteries

M18 BBL-0

Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933446216
EAN Code	4002395004942

M12-18 JSSP
M12™ - M18™ BLUETOOTH® SPEAKER

M12 M18



- Advanced technology Bluetooth® jobsite speaker
- Bluetooth® wireless range of up to 30 m
- Flexible battery system: works with all MILWAUKEE® M12™ & M18™ batteries
- IP54 rated, water and debris resistant to withstand tough conditions on and off the jobsite
- Loud, clear sounds at all volumes

M12-18 JSSP-0

Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933459275
EAN Code	4058546002411



M18 ARFHP
M18™ HIGH VELOCITY AIR FAN

M18



- Three speed settings for optimised air flow up to 21.6 metres per hour
- Adjustable head allows the user to utilise the fan in various heights and positions over a range of 360°
- Efficient air circulation circulates the air up to 5.775 m³/m
- Compact design with integrated carry handle to maximise portability

M18 ARFHP-0

Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933492110
EAN Code	4058546414771

M18 AF
M18™ AIR FAN

M18



- AC/DC, allows the user to run on M18™ REDLITHIUM™ or AC power when available
- Three speed settings for optimised air flow up to 1290 meters per hour
- Efficient air circulation circulates the air within a 3.6 m x 4 m room
- Adjustable head allows the user to utilise the fan in various heights and positions over a range of 120°

M18 AF-0

Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933451022
EAN Code	4002395136971

M18 ONEPP2A3
M18 FUEL™ ONE-KEY™ POWERPACK

M18 FUEL



- M18 ONEPD3 - M18 FUEL™ ONE-KEY™ percussion drill
- M18 ONEID3 - M18 FUEL™ ONE-KEY™ 1/4" Hex impact driver

M18 ONEPP2A3-502X

Kit included	2 x M18 B5 Battery packs, M12-18 FC Charger, HD Box
Article Number	4933493244
EAN Code	4058546481155

M18 FPP2A3
M18 FUEL™ POWER PACK

M18 FUEL



- M18 FPD3 - M18 FUEL™ percussion drill
- M18 FID3 - M18 FUEL™ 1/4" Hex impact driver

M18 FPP2A3-502X

Kit included	2 x M18 B5 Battery packs, M12-18 FC Charger, HD Box
Article Number	4933480873
EAN Code	4058546411589

M18 BI
M18™ INFLATOR

M18



- Compact lightweight design for fast inflation of car, light truck and compact equipment tyres. Top off 235/65R16 sprinter tyres in under 1 minute
- Anti-vibration stand with all rubber feet for no movement while inflating
- Top off up to 30 tyres on an M18™ 5.0 battery pack
- 10.3 max bar capacity

M18 BI-0

Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933478706
EAN Code	4058546348991

M18 PRCDAB+
M18™ PACKOUT™ RADIO CHARGER

M18



- Premium 360° surround sound speakers with a 40 W amplifier producing rich and full sound for large and outdoor spaces
- DAB+ and AM/FM tuner with the digital processor delivers highest reception accuracy, signal clarity and additional information like: song, artist and accurate time
- Digital Bluetooth® receiver: Plays music up to 30 m away from your smartphone, computer or tablet

M18 PRCDAB+-0

Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933472112
EAN Code	4058546325084

M18 FPP6E3
M18 FUEL™ POWER PACK

M18 FUEL



- M18 FPD3 - M18 FUEL™ percussion drill
- M18 FID3 - M18 FUEL™ 1/4" Hex impact driver
- M18 CCS55 - M18 FUEL™ 55 mm circular saw for wood and plastics
- M18 FSZ - M18 FUEL™ SAWZALL™
- M18 FSAG125X - M18 FUEL™ 125 mm angle grinder with slide switch
- M18 TLED - M18™ LED torch

M18 FPP6E3-502B

Kit included	2 x M18 B5 Battery packs, M12-18 FC Charger, Tool bag
Article Number	4933480874
EAN Code	4058546411596

M18 FPP6F3
M18 FUEL™ POWER PACK

M18 FUEL



- M18 FPD3 - M18 FUEL™ percussion drill
- M18 FIW2F12 - M18 FUEL™ 1/2" compact impact wrench with friction ring
- M18 CCS55 - M18 FUEL™ 55 mm circular saw for wood and plastics
- M18 FSZ - M18 FUEL™ SAWZALL™
- M18 FSAG125X - M18 FUEL™ 125 mm angle grinder with slide switch
- M18 TLED - M18™ LED torch

M18 FPP6F3-502B

Kit included	2 x M18 B5 Battery packs, M12-18 FC Charger, Tool bag
Article Number	4933480875
EAN Code	4058546411602

M18 RADDAB+G2
M18™ JOBSITE RADIO DAB+

M18



- High performance audio system - DAB+/FM tuner with digital processor delivers high reception accuracy and signal clarity
- Digital Bluetooth® receiver, plays music up to 36 m away from your smartphone, computer or tablet
- Integrated handles and on board storage allow for easy transport and storage for phones
- Dual 8.89 cm woofers provide balanced & clear sound

M18 RADDAB+G2-0

Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933492344
EAN Code	4058546417116

M18 RC
M18™ JOBSITE RADIO CHARGER WITH BLUETOOTH®

M18



- Built in charger function allows for quick, convenient charging of any M18™ battery or electronic devices via USB port
- Digital Bluetooth® receiver: play music up to 30 m away from your smartphone, computer, or tablet
- AC/DC versatility: powered by MILWAUKEE® M18™ batteries, or 230 V mains supply

M18 RC-0

Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933446639
EAN Code	4002395005420

M18 BLCPP2A
M18™ COMPACT BRUSHLESS POWERPACK

M18



- M18 BLPDRC - M18™ compact brushless percussion drill
- M18 BLIDRC - M18™ compact brushless 1/4" Hex impact driver

M18 BLCPP2A-402C

Kit included	2 x M18 B4 Battery packs, M12-18 C Charger, Kitbox
Article Number	4933492827
EAN Code	4058546476984

M18 BLCPP2B
M18™ COMPACT BRUSHLESS POWERPACK

M18



- M18 BLDDRC - M18™ compact brushless drill driver
- M18 BLIDRC - M18™ compact brushless 1/4" Hex impact driver

M18 BLCPP2B-402C

M18 BLCPP2B-502C

Kit included	2 x M18 B4 Battery packs, M12-18 C Charger, Kitbox	2 x M18 B5 Battery packs, M12-18 C Charger, Kitbox
Article Number	4933492836	4933492837
EAN Code	4058546477073	4058546477080

TiD-extra
3+ Power
D.O.O.

M12 FUEL™

DRIVEN TO OUTPERFORM.™

M12 FUEL™ is engineered for the most demanding tradesmen in the world. M12 FUEL™ delivers extreme performance in a compact structure and features three MILWAUKEE® exclusive innovations - the POWERSTATE™ brushless motor, REDLITHIUM™ battery pack and REDLINK PLUS™ intelligence hardware and software - that deliver incredible power, run time and durability.

Simply put, M12 FUEL™ offers the best, full circle technology that drives, protects and powers your cordless tools.



1

POWERSTATE™ BRUSHLESS MOTOR

- MILWAUKEE® designed and built brushless motor
- Provides increased efficiency
- Lasts longer and delivers maximum power*

2

REDLINK PLUS™ INTELLIGENCE

- Individual cell monitoring to optimise tool run time and ensure long term pack durability
- Advanced system electronics with unique digital performance enhancement
- Total system communication with overload protection increases tool life

3

REDLITHIUM™ BATTERY PACKS

- Total system communication with overload protection increases tool life
- Fade-free performance to deliver more run time and more work over pack life
- Fuel gauge displays remaining charge
- Operates down to -20°C



MORE CAPABLE.

LIGHTWEIGHT.

MORE COMPACT.

M12 CH M12 FUEL™ SUB COMPACT SDS-PLUS HAMMER



- Industry's first brushless compact 12V rotary hammer with 1.1 Joules (EPTA), 0 - 6575 bpm & 0 - 900 rpm
- Exceptionally low vibration value 4.4 m/s² can be used for 8 hours in a day
- Will drill over 60 50 mm x 6 mm holes per battery charge
- Superior power to weight ratio in its class with brushless POWERSTATE™ motor for up to 3x longer motor life and up to 2x more run time

	M12 CH-0	M12 CH-202C	M12 CH-602X
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M12 B2 Battery packs, C12 C Charger, Kitbox	2 x M12 B6 Battery packs, C12 C Charger, HD Box
Article Number	4933441947	4933441997	4933451510
EAN Code	4002395002719	4002395002665	4002395161584

M12 UDEL M12™ UNIVERSAL DUST EXTRACTOR



- Fits all MILWAUKEE® SDS-plus and the majority of competitor's hammers between 41-61 mm neck size with just one adjustable side handle which can be mounted right or left of the hammer
- Delivering more than 40 min run time on a single M12 B2 2.0 Ah battery
- Due to telescopic nozzle capable of operating with up to 210 mm long SDS-plus drill bits

	M12 UDEL-0B	M12 UDEL-201B
Kit included	No batteries supplied, No charger supplied, Tool bag	1 x M12 B2 Battery pack, C12 C Charger, Tool bag
Article Number	4933471460	4933471461
EAN Code	4058546290887	4058546290894

M12 FDD2 M12 FUEL™ SUB COMPACT DRILL DRIVER



- Extremely compact design of 151 mm length for access into tight spaces
- 45 Nm of torque - superior power to size ratio
- 13 mm heavy duty metal chuck for quick bit changes and bit retention
- Mechanical clutch with 13 torque settings,
- On board fuel gauge, metal belt clip and LED light

	M12 FDD2-0	M12 FDD2-202X	M12 FDD2-602X
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M12 B2 Battery packs, C12 C Charger, HD Box	2 x M12 B6 Battery packs, C12 C Charger, HD Box
Article Number	4933479872	4933479873	4933479875
EAN Code	4058546376666	4058546376673	4058546376697

M12 FPDX M12 FUEL™ SUB COMPACT PERCUSSION DRILL WITH REMOVABLE CHUCK



- High performance compact 6-in-1 percussion drill system for extreme versatility
- Removable chuck system with 3 different heads for multiples of applications
- Brushless POWERSTATE™ motor delivers up to 44 Nm of torque
- REDLINK PLUS™ intelligence system delivers an advanced digital overload protection for tool and battery and uniquely enhances the tool performance under load

	M12 FPDX-0	M12 FPDX-202X	M12 FPDXKIT-202X
Standard equipment	Removable chuck	Removable chuck	Removable chuck, offset attachment, right angle attachment
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M12 B2 Battery packs, C12 C Charger, HD Box	2 x M12 B2 Battery packs, C12 C Charger, HD Box
Article Number	4933464135	4933464136	4933464138
EAN Code	4058546220808	4058546220815	4058546220839



M12 FPD2 M12 FUEL™ SUB COMPACT PERCUSSION DRILL



- Extremely compact design of 152 mm length for access into tight spaces
- 45 Nm of torque - superior power to size ratio
- 13 mm heavy duty metal chuck for quick bit changes and bit retention
- Mechanical clutch with 13 torque settings, plus 1 for locked clutch drilling and 1 for locked clutch hammer
- On board fuel gauge, metal belt clip and LED light

	M12 FPD2-0	M12 FPD2-202X	M12 FPD2-602X
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M12 B2 Battery packs, C12 C Charger, HD Box	2 x M12 B6 Battery packs, C12 C Charger, HD Box
Article Number	4933479867	4933479868	4933479870
EAN Code	4058546376611	4058546376628	4058546376642

M12 FDDX M12 FUEL™ INSTALLATION DRILL/DRIVER WITH INTERCHANGEABLE HEADS



- High performance compact 4-in-1 installation drill for extreme versatility
- Removable chuck system with 4 different heads for multiples of applications
- 1/4" hex drive behind chuck fitting, reduces drill length to 130 mm when required
- In-line grip for unrivaled access and control
- Brushless POWERSTATE™ motor delivers up to 34 Nm of torque
- Magnetic holder for easy bit access

	M12 FDDX-0	M12 FDDXKIT-0X	M12 FDDXKIT-202X
Standard equipment	10 mm metal chuck	10 mm metal chuck, right angle attachment, offset attachment and 6mm hex attachment	10 mm metal chuck, right angle attachment, offset attachment and 6mm hex attachment
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	No batteries supplied, No charger supplied, HD Box	2 x M12 B2 Battery packs, C12 C Charger, HD Box
Article Number	4933464978	4933471332	4933464979
EAN Code	4058546229238	4058546229607	4058546229245

M12 BDDX M12™ SUB COMPACT DRILL DRIVER WITH REMOVABLE CHUCK



- High performance sub compact 5-in-1 drill driver system for extreme versatility
- Removable chuck system with 3 different heads for multiples of applications
- Standard 10 mm keyless chuck, full metal right angle 1/4" hex drive head and full metal offset 1/4" hex drive head
- 1/4" hex drive behind chuck fitting, reduces drill length to 153 mm when required

	M12 BDDXKIT-202C
Standard equipment	Removable FIXTEC™ chuck, offset attachment, right angle drill attachment, belt clip, 25 mm P22 bit
Kit included	2 x M12 B2 Battery packs, C12 C Charger, Kitbox
Article Number	4933447836
EAN Code	4002395006601

C12 RAD
M12™ SUB COMPACT RIGHT ANGLE DRILL

M12



- Heavy Duty full metal gearbox and gears for superior durability and maximum torque
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Variable speed paddle switch trigger for comfortable working in any situation
- 10 mm chuck for quick bit changes and bit retention

	C12 RAD-0	C12 RAD-202B
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M12 B2 Battery packs, C12 C Charger, Tool bag
Article Number	4933416900	4933441215
EAN Code	4002395237678	4002395001248

M12 CD
M12 FUEL™ SUB COMPACT DRIVER

M12 FUEL



- 1/4" Hex chuck for quick easy one handed bit change
- On board fuel gauge and LED light
- Individual battery cell monitoring optimises tool run time and ensures long term pack durability

	M12 CD-0
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933440450
EAN Code	4002395000968

M12 FIWF12
M12 FUEL™ SUB COMPACT 1/2" IMPACT WRENCH

M12 FUEL



- More power, more compact, more control
- Up to 339 Nm of maximum torque
- 1/2" anvil with friction ring for quick and easy socket changes
- Better access in tight spaces with an overall length of only 124.5 mm
- 4-Mode DRIVE CONTROL with auto-shut off mode, offers the user precise control
- Bright LED workspace illumination

	M12 FIWF12-0	M12 FIWF12-422X
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	1 x M12 B4, 1 x M12 B2 Battery packs, C12 C Charger, HD Box
Article Number	4933464615	4933464616
EAN Code	4058546225605	4058546225612

M12 FIW14
M12 FUEL™ SUB COMPACT 1/4" IMPACT WRENCH

M12 FUEL



- More power, more compact, more control
- Up to 115 Nm of maximum fastening torque
- Up to 136 Nm of maximum nut busting torque
- 1/4" anvil with friction ring for quick and easy socket changes
- Brushless POWERSTATE™ motor delivers more power in a more compact size

	M12 FIW14-0
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933464611
EAN Code	4058546225688

M12 BD
M12™ SUB COMPACT DRIVER

M12



- High performance sub compact screw driver measures 175 mm in length making it ideal for working within confined spaces
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- 1/4" Hex chuck for quick easy one handed bit change
- Optimised handle for better control and improved grip

	M12 BD-0	M12 BD-202C
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M12 B2 Battery packs, C12 C Charger, Kitbox
Article Number	4933441910	4933441900
EAN Code	4002395002566	4002395002559

M12 BSD
M12™ SUB COMPACT SINGLE SPEED DRIVER

M12



- High performance compact screw driver measures 169 mm in length making it ideal for working within confined spaces
- Metal planetary gears for superior durability and maximum torque up to 20 Nm
- 1/4" Hex chuck for quick easy one handed bit change
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability

	M12 BSD-0
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933447135
EAN Code	4002395006021

M12 BIW12
M12™ SUB COMPACT 1/2" IMPACT WRENCH

M12



- High performance sub compact impact wrench measures 171 mm in length making it ideal for working within confined spaces
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Heavy duty full metal gearbox and gears for superior durability and maximum torque
- 1/2" square drive with pin detent for use with universal sockets

	M12 BIW12-0	M12 BIW12-202C
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M12 B2 Battery packs, C12 C Charger, Kitbox
Article Number	4933447134	4933447133
EAN Code	4002395006014	4002395006007

M12 BIW38
M12™ SUB COMPACT 3/8" IMPACT WRENCH

M12



- High performance sub compact impact wrench measures 165 mm in length making it ideal for working within confined spaces
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Heavy duty full metal gearbox and gears for superior durability and maximum torque
- 3/8" square drive with friction ring for use with universal sockets

	M12 BIW38-0
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933441985
EAN Code	4002395002603

M12 FID2
M12 FUEL™ SUB COMPACT 1/4" IMPACT DRIVER

M12 FUEL



- The compact design with a length of only 127 mm is ideal for working in confined spaces
- Outstanding power to size ratio with 170 Nm of torque
- Fast driving speed with up to 3,600 rpm and 4,000 ipm
- Tri-LEDs deliver high definition lighting to increase workspace visibility

	M12 FID2-0	M12 FID2-202X
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M12 B2 Battery packs, C12 C Charger, HD Box
Article Number	4933479876	4933479877
EAN Code	4058546376703	4058546376710

M12 FQID
M12 FUEL™ SURGE™ 1/4" HEX HYDRAULIC IMPACT DRIVER

M12 FUEL

SURGE
HYDRAULIC DRIVER



- The M12 FUEL™ SURGE™ 1/4" Hex hydraulic impact driver is MILWAUKEE®'s quietest 12V impact driver, delivers best in class sound at only 76 dB(A) in wood fastening applications
- FLUID-DRIVE™ hydraulic powertrain reduces metal on metal contact within the tool, delivering quieter operation, smoother performance and increased durability over a standard impact

	M12 FQID-0	M12 FQID-202X
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M12 B2 Battery packs, C12 C Charger, HD Box
Article Number	4933464972	4933464973
EAN Code	4058546229177	4058546229184

M12 BPRT
M12™ SUB COMPACT RIVET TOOL

M12



- Up to 325 x 4.8 mm stainless steel rivets on a single charge with a 2.0 Ah battery pack
- Suitable for all aluminium, steel, stainless steel and copper rivets up to 4.8 mm
- Rivets in one stroke with a 20.32 mm stroke length
- Retention nose pieces hold rivets in any orientation

	M12 BPRT-0	M12 BPRT-201X
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	1 x M12 B2 Battery pack, C12 C Charger, HD Box
Article Number	4933464404	4933464405
EAN Code	4058546223496	4058546223502

M12 FRAIWF12
M12 FUEL™ 1/2" RIGHT ANGLE IMPACT WRENCH WITH FRICTION RING

M12 FUEL



- Delivers up to 270 Nm fastening torque and 300 Nm nut-busting torque
- 4-Mode DRIVE CONTROL includes Auto Shut-Off Mode and Bolt Removal Mode which prevents over-tightening and provides more control after bolt breakaway
- The long body profile allows for more access in hard to reach spaces
- Only 71 mm head with anvil profile design allows for more access in tight spaces

	M12 FRAIWF12-0
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933471699
EAN Code	4058546295981

M12 BRAID
M12™ SUB COMPACT RIGHT ANGLE IMPACT DRIVER

M12



- Compact right angle impact driver measures 287 mm in length making it ideal for working within confined spaces
- REDLINK™ overload protection electronics delivers best in class system durability
- Full metal gearbox and gears for superior durability and maximum torque of 68 Nm
- Compact head design with diameter of 35.6 mm

	M12 BRAID-0
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933451247
EAN Code	4002395167715

M12 FIW38
M12 FUEL™ SUB COMPACT 3/8" IMPACT WRENCH

M12 FUEL



- More power, more compact, more control
- Up to 339 Nm of maximum torque
- 3/8" anvil with friction ring for quick and easy socket changes
- Brushless POWERSTATE™ motor delivers more power in a more compact size
- REDLINK PLUS™ intelligence system delivers an advanced digital overload protection for tool and battery and uniquely enhances the tool performance under load

	M12 FIW38-0	M12 FIW38-422X
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	1 x M12 B4, 1 x M12 B2 Battery packs, C12 C Charger, HD Box
Article Number	4933464612	4933464613
EAN Code	4058546225575	4058546225582

M12 FRAIWF38
M12 FUEL™ 3/8" RIGHT ANGLE IMPACT WRENCH WITH FRICTION RING

M12 FUEL



- Delivers up to 270 Nm fastening torque and 300 Nm nut-busting torque
- 4-Mode DRIVE CONTROL includes Auto Shut-Off Mode and Bolt Removal Mode which prevents over-tightening and provides more control after bolt breakaway
- The long body profile allows for more access in hard to reach spaces
- Only 71 mm head profile design allows for more access in tight spaces

	M12 FRAIWF38-0
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933471700
EAN Code	4058546295998

M12 ONEFTR12
M12 FUEL™ ONE-KEY™ 1/2" DIGITAL TORQUE WRENCH

M12 FUEL

ONE-KEY
UNLOCKING THE DIGITAL JOBSITE



- MILWAUKEE®'s first digital torque wrench, delivers up to 50% faster installation by replacing the hand tool
- Provides 16.9 - 203.4 Nm of torque range and accuracy within ±2% for torque critical fasteners
- Faster, more productive torque reporting with ONE-KEY™ providing torque data and customisable reports for inspectors or owners

	M12 ONEFTR12-0C	M12 ONEFTR12-201C
Kit included	No batteries supplied, No charger supplied, Kitbox	1 x M12 B2 Battery pack, C12 C Charger, Kitbox
Article Number	4933464969	4933464970
EAN Code	4058546229146	4058546229153

GET THE RIGHT RATCHET FOR THE JOB

1 PRECISION TOOLS

Delivering increased productivity, precise torque accuracy, and user demanded reporting functionality



3 HIGH SPEED

Faster speed while installing and removing fasteners



	Battery system	ONE-KEY™	Tool reception	Max. torque (Nm)	Torque range (Nm)	Accuracy	No load speed (rpm)	Length (mm)	Weight with battery pack (EPTA) (kg)
1.	M12 ONEFTR12-201C M12 FUEL™	ONE-KEY™	1/2" square	203.4	16.9 - 203.4	CW ±2 %, CCW ±3%	0 - 100	596,9	2.6 (M12 B2)
1.	M12 ONEFTR38-201C M12 FUEL™	ONE-KEY™	3/8" square	135.6	13.6 - 135.6	CW ±2 %, CCW ±3%	0 - 100	591,8	2.5 (M12 B2)
2.	M12 FPTR-202X M12 FUEL™	-	14.4 mm Hex	81	-	-	0 - 350	386	1.2 (M12 B2)
2.	M12 FHIR14LR-0 M12 FUEL™	-	1/4" square	47	-	-	0 - 450	348	1.1 (M12 B2)
2.	M12 FHIR38LR-0 M12 FUEL™	-	3/8" square	47	-	-	0 - 450	363	1.1 (M12 B2)
2.	M12 FIR38LR-0 M12 FUEL™	-	3/8" square	75	-	-	0 - 200	363	1.4 (M12 B2)
3.	M12 FHIR14-0 M12 FUEL™	-	1/4" square	47	-	-	0 - 450	272	1.0 (M12 B2)
3.	M12 FHIR38-0 M12 FUEL™	-	3/8" square	47	-	-	0 - 450	272	1.0 (M12 B2)
4.	M12 FIR12-0 M12 FUEL™	-	1/2" square	81	-	-	0 - 175	290	1.5 (M12 B2)
4.	M12 FIR38-0 M12 FUEL™	-	3/8" square	75	-	-	0 - 200	281	1.4 (M12 B2)
4.	M12 IR-201B 3/8 M12™	-	3/8" square	47	-	-	0 - 250	274	0.9 (M12 B2)
4.	M12 IR-201B 1/4 M12™	-	1/4" square	40	-	-	0 - 250	274	0.90 (M12 B2)
4.	M12 FRAWF12-0 M12 FUEL™	-	1/2" square	270	-	-	0-1150/ 0-2300/ 0-3000/ 0-3000	-	1.7 (M12 B4)
4.	M12 FRAWF38-0 M12 FUEL™	-	3/8" square	270	-	-	0-1550/ 0-2300/ 0-3000/ 0-3000	-	1.7 (M12 B4)



SCAN HERE TO VIEW OUR PPE RANGE



SCAN HERE TO VIEW COMPATIBLE IMPACT SOCKETS



M12 FPTR M12 FUEL™ INSIDER™ PASS-THROUGH RATCHET



- With up to 81 Nm of max torque and 350 rpm's, this tool offers the perfect combination of power and speed
- Features the lowest-profile head for best-in-class access in confined spaces
- The extended neck allows users better access in hard-to-reach places
- Pass-through sockets up to a size of 15 mm allow users to comfortably fasten and unfasten nuts on bolts of any length

	M12 FPTR-0	M12 FPTR-202X
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M12 B2 Battery packs, C12 C Charger, HD Box
Article Number	4933480756	4933480754
EAN Code	4058546410414	4058546410391

M12 ONEFTR38 M12 FUEL™ ONE-KEY™ 3/8" DIGITAL TORQUE WRENCH



- MILWAUKEE®'s first digital torque wrench, delivers up to 50% faster installation by replacing the hand tool
- Provides 13.6 - 135.6 Nm of torque range and accuracy within ±2% for torque critical fasteners
- Faster, more productive torque reporting with ONE-KEY™ providing torque data and customisable reports for inspectors or owners

	M12 ONEFTR38-0C	M12 ONEFTR38-201C
Kit included	No batteries supplied, No charger supplied, Kitbox	1 x M12 B2 Battery pack, C12 C Charger, Kitbox
Article Number	4933464966	4933464967
EAN Code	4058546229115	4058546229122

M12 FHIR38LR M12 FUEL™ 3/8" EXTENDED REACH HIGH SPEED RATCHET



- With up to 47 Nm of max torque and 450 rpm's, this tool delivers faster application speed and increased productivity for the professional user
- 19 mm low profile head design and extended neck allow users better access in tight spaces
- The industry leading FUEL™ technology combined with a reinforced mechanism and investment cast steel yoke housing provides greater durability for the professional user

	M12 FHIR38LR-0
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933480791
EAN Code	4058546410766

M12 FHIR14 M12 FUEL™ 1/4" HIGH SPEED RATCHET



- With up to 47 Nm of max torque and 450 rpm's, this tool delivers faster application speed and increased productivity for the professional user
- 19 mm low profile head design allows users better access in tight spaces
- Variable speed metal trigger provides ultimate control of the tool

	M12 FHIR14-0
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933478171
EAN Code	4058546341046

SCAN TO VIEW OUR SYSTEM ATTACHMENTS FOR THE M12 FUEL™ INSIDER™ PASS-THROUGH RATCHET



M12 FHIR14LR M12 FUEL™ 1/4" EXTENDED REACH HIGH SPEED RATCHET



- With up to 47 Nm of max torque and 450 rpm's, this tool delivers faster application speed and increased productivity for the professional user
- 19 mm low profile head design and extended neck allow users better access in tight spaces
- The industry leading FUEL™ technology combined with a reinforced mechanism and investment cast steel yoke housing provides greater durability for the professional user

	M12 FHIR14LR-0
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933480790
EAN Code	4058546410759

M12 FIR38LR M12 FUEL™ 3/8" EXTENDED REACH RATCHET



- With up to 75 Nm of max torque and 200 rpm's, this tool is the ideal fastening solution for automotive mechanics, maintenance and repair professionals
- The industry leading FUEL™ technology combined with a reinforced mechanism and investment cast steel yoke housing provides greater durability for the professional user
- Extended reach ratchet adding additional 82 mm of length for access into tight spaces

	M12 FIR38LR-0
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933471500
EAN Code	4058546293994

M12 FHIR38 M12 FUEL™ 3/8" HIGH SPEED RATCHET



- With up to 47 Nm of max torque and 450 rpm's, this tool delivers faster application speed and increased productivity for the professional user
- 19 mm low profile head design allows users better access in tight spaces
- Variable speed metal trigger provides ultimate control of the tool

	M12 FHIR38-0
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933478172
EAN Code	4058546341053

M12 FIR12 **M12 FUEL**
M12 FUEL™ SUB COMPACT 1/2" RATCHET



- With up to 81 Nm of max torque and 175 rpm's, this tool is the ideal fastening solution for automotive mechanics, maintenance and repair professionals
- Low profile head design allows users better access in tight spaces
- The industry leading FUEL™ technology combined with a reinforced mechanism and investment cast steel yoke housing provides greater durability for the professional user

	M12 FIR12-0
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933459800
EAN Code	4058546029722

M12 FIR38 **M12 FUEL**
M12 FUEL™ SUB COMPACT 3/8" RATCHET



- With up to 75 Nm of max torque and 200 rpm's, this tool is the ideal fastening solution for automotive mechanics, maintenance and repair professionals
- Low profile head design allows users better access in tight spaces
- The industry leading FUEL™ technology combined with a reinforced mechanism and investment cast steel yoke housing provides greater durability for the professional user

	M12 FIR38-0	M12 FIR38-201B
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	1 x M12 B2 Battery pack, C12 C Charger, Tool bag
Article Number	4933459797	4933459798
EAN Code	4058546029692	4058546029708

M12 BI **M12**
M12™ SUB COMPACT INFLATOR



- Compact lightweight design for fast inflation of car, light truck and compact equipment tires
- High efficiency motor & pump
- Anti-vibration stand with all rubber feet for no movement while inflating
- Auto shut-off technology inflates to users pre-selected pressure for highly accurate inflation
- Illuminated LCD display with a digital pressure and fuel gauge that displays remaining charge

	M12 BI-0
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933464124
EAN Code	4058546220693

M12 SI **M12**
M12™ SUB COMPACT SOLDERING IRON



- Quick heat up time: the tool is ready to use in 20 - 30 seconds
- 3 locking head positions to work in multiple orientations - 0°, 45°, 90°
- Tool free replaceable tips
- Dual color LED lights to notify user: flashing green when tool is heating up, solid green when the tool is ready for operation and solid red when the tool is off but the tip is hot to touch until the red LED turns off

	M12 SI-0	M12 SI-201C
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	1 x M12 B2 Battery pack, C12 C Charger, Kitbox
Article Number	4933459760	4933459761
EAN Code	4058546029326	4058546029333

M12 IR **M12**
M12™ SUB COMPACT RATCHET



- Pneumatic performance with cordless convenience, 47 Nm of torque and no load speed of 250 rpm
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Reinforced housing - provides high durability similar to steel ratchets
- Compact design - ideal for tight spaces and small engine bays

	M12 IR-201B 1/4	M12 IR-201B 3/8
Kit included	1 x M12 B2 Battery pack, C12 C Charger, Tool bag	1 x M12 B2 Battery pack, C12 C Charger, Tool bag
Article Number	4933441725	4933441720
EAN Code	4002395002030	4002395002023

M12 GG **M12**
M12™ SUB COMPACT GREASE GUN



- Powerful 12 V motor delivers over 562 bar max operating pressure
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Extreme long run time - dispenses up to 7 cartridges per charge
- Strong handle balance and ergonomics - only 355 mm long and 3.2 kg

	M12 GG-0	M12 GG-401B
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	1 x M12 B4 Battery pack, C12 C Charger, Tool bag
Article Number	4933440435	4933441675
EAN Code	4002395000951	4002395001903

M12 FTB **M12 FUEL**
M12 FUEL™ LOW SPEED TYRE BUFFER



- The M12 FUEL™ low speed tyre buffer has a two-speed mode selector for reaming & buffing applications
- Optimal speed settings of 1200 RPM in first mode and 2500 RPM in second mode help to avoid burning the rubber and damaging the tyre
- Pneumatic performance with cordless convenience for better accessibility and manoeuvrability in tight spaces

	M12 FTB-0
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933472215
EAN Code	4058546326111

M12 BLROT **M12**
M12™ BRUSHLESS ROTARY TOOL



- Compact and balanced in all orientation design allow the user to hold the tool close to the work piece
- Variable speed from 5000 rpm to 27500 rpm with 12 speed settings allows the user to dial in the correct speed for each application
- 3.2 mm collet included, compatible with most common accessories
- Soft grip and low vibration allows user to work comfortably and for longer periods

	M12 BLROT-0
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933493591
EAN Code	4058546484620

M12 PCG/600 **M12**
M12™ SUB COMPACT CAULK GUN WITH 600 ML TUBE



- Up to 1780 N of force
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Optimised performance with all construction adhesives and cool temperatures
- Anti-drip feature prevents unwanted dripping when trigger is released
- Dial control with 6 speed settings allows for maximum bead control

	M12 PCG/600A-0	M12 PCG/600A-201B
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	1 x M12 B2 Battery pack, C12 C Charger, Tool bag
Article Number	4933441786	4933441670
EAN Code	4002395002283	4002395001897

M12 PCG/400 **M12**
M12™ SUB COMPACT CAULK GUN WITH 400 ML TUBE



- Up to 1780 N of force
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Optimised performance with all construction adhesives and cool temperatures
- Anti-drip feature prevents unwanted dripping when trigger is released
- Dial control with 6 speed settings allows for maximum bead control

	M12 PCG/400A-0	M12 PCG/400A-201B
Kit included	No batteries supplied, No charger supplied, Tool bag	1 x M12 B2 Battery pack, C12 C Charger, Tool bag
Article Number	4933441780	4933441665
EAN Code	4002395002276	4002395001880

C12 RT **M12**
M12™ SUB COMPACT ROTARY TOOL



- Versatile cordless solution for cutting and removal applications
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Variable speed (5000 - 32,000 rpm)
- 3.2 mm collet fits most current accessories in the market
- Spindle lock mechanism for easy accessory changes

	C12 RT-0
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933427183
EAN Code	4002395239030

M12 FCOT **M12 FUEL**
M12 FUEL™ SUB COMPACT MULTI-MATERIAL CUT-OFF TOOL



- Fast accurate cutting with up to 20,000 RPM
- Optimised ergonomic design for easy control and one-handed use. Only 1.1 kg and 226 mm in length
- Multi-material cutting capability with variety of blades available (metal cut-off wheel, carbide abrasive blade and diamond tile blade)
- A very capable problem solving tool for cutting steel, stainless steel, non-ferrous materials, drywall, fibre cement, plastic and ceramics

	M12 FCOT-0	M12 FCOT-422X
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	1 x M12 B4, 1 x M12 B2 Battery packs, C12 C Charger, HD Box
Article Number	4933464618	4933464619
EAN Code	4058546225636	4058546225643

M12 PCG/310 **M12**
M12™ SUB COMPACT CAULK GUN WITH 310 ML CARTRIDGE HOLDER



- Up to 1780 N of force
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Optimised performance with all construction adhesives and cool temperatures
- Anti-drip feature prevents unwanted dripping when trigger is released
- Dial control with 6 speed settings allows for maximum bead control

	M12 PCG/310C-0	M12 PCG/310C-201B
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	1 x M12 B2 Battery pack, C12 C Charger, Tool bag
Article Number	4933441783	4933441655
EAN Code	4002395002269	4002395001866

M12 ATB **M12**
M12™ AUTOMOTIVE TECHNICIAN BORESCOPE



- 4.3" LCD screen delivers sharp and clear images and allows users to see objects in greater detail
- 5.0 mm camera head allows great access to tight places like spark plug holes, fuel injector ports and cylinders
- Front and side view camera guarantees to identify hairline cracks and other issues on the engine and other areas of the vehicle

	M12 ATB-0C
Kit included	No batteries supplied, No charger supplied, Kitbox
Article Number	4933493136
EAN Code	4058546480073

M12 FBS64 **M12 FUEL**
M12 FUEL™ SUB COMPACT BAND SAW WITH 64 MM CUTTING CAPACITY



- First 12V band saw with 64 mm cutting capacity on the market
- Compact light weight design, especially for cutting overhead with one hand in existing installations and in tight spaces
- Variable speed trigger for quick & easy speed adjustments
- Integrated blade cover protects user from injuries by preventing any access to the blade

	M12 FBS64-0C	M12 FBS64-402C
Kit included	No batteries supplied, No charger supplied, Kitbox	2 x M12 B4 Battery packs, C12 C Charger, Kitbox
Article Number	4933478440	4933478441
EAN Code	4058546346317	4058546346324

M12 BS **M12**
M12™ SUB COMPACT BANDSAW



- Compact light weight design for cutting with one hand overhead in existing installations and in tight spaces
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Cuts a multitude of materials: steel, stainless steel, copper, plastic, aluminium
- Cold cutting - spark and burr free

	M12 BS-0	M12 BS-402C
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M12 B4 Battery packs, C12 C Charger, Kitbox
Article Number	4933431310	4933441805
EAN Code	4002395242092	4002395002344

TiD-extra 3.0

M12 FNB16
M12 FUEL™ 1.6 MM NIBBLER

M12 FUEL



- First 12V Nibbler with max. cutting capacity in mild Steel: 1.6 mm, in Stainless Steel: 1.2 mm, in Aluminium: 2.1 mm
- With only 1.6 kg (6.0 Ah battery included) it is the lightest cordless Nibbler on the market, while still outperforming 18V brushed competitors
- Maximum control for any material, with a 5-step speed dial it is ideal for working with stainless steel and aluminium

	M12 FNB16-0X	M12 FNB16-402X
Kit included	No batteries supplied, No charger supplied, HD Box	2 x M12 B4 Battery packs, C12 C Charger, HD Box
Article Number	4933479618	4933479619
EAN Code	4058546374129	4058546374136

M12 FDGS
M12 FUEL™ STRAIGHT DIE GRINDER

M12 FUEL



- The first cordless in-line die grinder that delivers more power vs. pneumatic models
- Best-in-class size (262 mm long) to help reach in tight places, and offers great mobility and access
- Features a 3-mode speed control and responsive variable speed trigger enabling outstanding control
- To be used with discs up to Ø50 mm
- Supplied with 6 and 8 mm collets

	M12 FDGS-0	M12 FDGS-422B
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	1 x M12 B4, 1 x M12 B2 Battery packs, C12 C Charger, Tool bag
Article Number	4933471435	4933471436
EAN Code	4058546290634	4058546290641

M12 FMT
M12 FUEL™ MULTI-TOOL

M12 FUEL



- Brushless POWERSTATE™ motor delivers fast cutting speed through common materials without slowing or bogging down in hardwoods
- Adjustable 10,000 to 20,000 opm allow the user to get the perfect cut whatever the material
- Lowest vibration in its class, 4.56 m/s² driving productivity through performance and safety

	M12 FMT-0	M12 FMT-422X
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	1 x M12 B4, 1 x M12 B2 Battery packs, C12 C Charger, HD Box
Article Number	4933472238	4933472239
EAN Code	4058546326340	4058546326357

C12 MT
M12™ SUB COMPACT MULTI-TOOL

M12



- Versatile cordless solution for cutting and removal applications
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Variable speed (5000 - 20,000 rpm) and 1.5° left/right oscillation movement allows quick completion of professional applications into materials such as metal, wood and plastic
- Will accept competitor accessories

	C12 MT-0	C12 MT-202B	C12 MT-402B
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M12 B2 Battery packs, C12 C Charger, Tool bag	2 x M12 B4 Battery packs, C12 C Charger, Tool bag
Article Number	4933427180	4933441710	4933441705
EAN Code	4002395239276	4002395002009	4002395001989

M12 FDGA
M12 FUEL™ ANGLED DIE GRINDER

M12 FUEL



- The first cordless right angle die grinder that delivers more power vs. pneumatic models
- Compact size (only 119 mm long) to help fit in tight places, and offers great mobility and access
- Features a 4-mode speed control and responsive variable speed trigger enabling outstanding control
- To be used with discs up to Ø50 mm
- Supplied with 6 and 8 mm collets

	M12 FDGA-0	M12 FDGA-422B
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	1 x M12 B4, 1 x M12 B2 Battery packs, C12 C Charger, Tool bag
Article Number	4933471438	4933471439
EAN Code	4058546290665	4058546290672

M12 BPS
M12™ SUB COMPACT POLISHER / SANDER

M12



- Variable 2 speed selection (0-2800 / 0-8300 RPM) for both polishing and sanding applications
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Large capacity of 76 mm polishing sponge and 50 mm sanding pad size for fast job completion

	M12 BPS-0	M12 BPS-421X
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	1 x M12 B4, 1 x M12 B2 Battery packs, C12 C Charger, HD Box
Article Number	4933447791	4933447799
EAN Code	4002395006557	4002395006564

M12 FCS442
M12 FUEL™ SUB COMPACT CIRCULAR SAW

M12 FUEL



- Redesigned brushless POWERSTATE™ motor for up to 25% increase in performance when combined with MILWAUKEE® M12™ HIGH OUTPUT™ batteries
- Magnesium shoe reduces weight and maximises durability
- Integrated dust blower keeps cut line clear
- LED light illuminates the cut line for better visibility

	M12 FCS442-0	M12 FCS442-502X
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M12 HB5 Battery packs, C12 C Charger, HD Box
Article Number	4933493488	4933493489
EAN Code	4058546483593	4058546483609

M12 CHZ
M12 FUEL™ SUB COMPACT HACKZALL™

M12 FUEL



- Counter balance mechanism lowers vibration to 6.5 m/s² allowing the operator to work safely for longer periods of time reducing fatigue
- Sealed gearbox prevents water and debris entering the housing
- Patented FIXTEC™ clamp for fast and easy keyless blade change
- LED light illuminates the cutline in low light conditions

	M12 CHZ-0	M12 CHZ-402C	M12 CHZ-602X
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M12 B4 Battery packs, C12 C Charger, Kitbox	2 x M12 B6 Battery packs, C12 C Charger, HD Box
Article Number	4933446960	4933446950	4933451511
EAN Code	4002395005727	4002395005710	4002395161591

M12 FBFL10
M12 FUEL™ BAND FILE 10 MM

M12 FUEL



- Lightest cordless band file on the market, only 1.0 kg with a 2.0 Ah battery
- Outperforms pneumatic competitor while providing better balance
- 2 speed modes and variable speed trigger provide maximum control from taking down welds to precise work with inox, aluminium and wood

	M12 FBFL10-0	M12 FBFL10-402B
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M12 B4 Battery packs, C12 C Charger, Tool bag
Article Number	4933480958	4933480959
EAN Code	4058546412432	4058546412449

M12 FBFL13
M12 FUEL™ BAND FILE 13 MM

M12 FUEL



- Worlds first cordless 12V band file with a capacity of 13mm belt width
- Lightest cordless band file on the market, only 1.1 kg with a 2.0 Ah battery
- Outperforms pneumatic competitor while providing better balance
- 2 speed modes and variable speed trigger provide maximum control from taking down welds to precise work with inox, aluminium and wood

	M12 FBFL13-0	M12 FBFL13-402B
Kit included	2 x M12 B4 Battery packs, C12 C Charger, Tool bag	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933480960	4933480961
EAN Code	4058546412456	4058546412463

C12 HZ
M12™ SUB COMPACT HACKZALL™

M12



- High performance compact one handed use HACKZALL™, measuring only 280 mm in length, making it ideal for working within confined spaces
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Patented FIXTEC™ clamp for fast and easy keyless blade change
- Low vibration at 10.5 m/s²

	C12 HZ-0	C12 HZ-202C
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M12 B2 Battery packs, C12 C Charger, Kitbox
Article Number	4933411925	4933441195
EAN Code	4002395236367	4002395001200

M12 FJS
M12 FUEL™ BODYGRIP JIGSAW

M12 FUEL



- Delivering outstanding power, durability with a run time of up to 24 m in 19 mm OSB (on a 4.0 Ah battery pack)
- Patented FIXTEC™ blade clamp for fast and easy blade change
- 6-speed settings with auto controlled start mode allows the tool to start slow and ramp up to full speed when load is detected for smooth and accurate cut starts

	M12 FJS-0	M12 FJS-422X
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	1 x M12 B4, 1 x M12 B2 Battery packs, C12 C Charger, HD Box
Article Number	4933493347	4933493348
EAN Code	4058546482183	4058546482190

M12 FDSS
M12 FUEL™ SUB COMPACT SPOT SANDER

M12 FUEL



- Compact detail sander with a penta shaped pad allows uncompromised corner accessibility
- Four speed modes allows the correct speed to be set for different types of material
- Low vibration at only 4.3 m/s²
- Sponge interface pad included optimises the tool for profiles and contours which increases the precision and removal of material

	M12 FDSS-0B	M12 FDSS-422X
Kit included	No batteries supplied, No charger supplied, Tool bag	1 x M12 B4, 1 x M12 B2 Battery packs, C12 C Charger, HD Box
Article Number	4933479680	4933479681
EAN Code	4058546374747	4058546374754

M12 BLP
M12™ BRUSHLESS PLANER

M12

BRUSHLESS



- M12™ Brushless Planer with a 2 mm planning depth and 51 mm planning width allows the tool to perform in the most common user applications
- Compact and light weight, comfortable to use in a variety of orientations and allows for one handed usage
- Dual-sided dust port for improved chip ejection to the left or right

	M12 BLP-0X	M12 BLP-402X
Kit included	No batteries supplied, No charger supplied, HD Box	2 x M12 B4 Battery packs, C12 C Charger, HD Box
Article Number	4933492850	4933492851
EAN Code	4058546477219	4058546477226

M12 FCN18GS
M12 FUEL™ 18 GA STRAIGHT BRAD NAILER

M12 FUEL



- Fires 18 gauge straight nails with a 0 degree pitch
- Dry-Fire lockout stops the tool being fired when there are no nails left in the magazine
- Quick access for tool free jam removals
- Small work contact bracket allows the user to fire and sink nails at a more acute angle
- Smaller nail hole, the exact size of the nail head leaving a neater finish

	M12 FCN18GS-0X	M12 FCN18GS-202X
Kit included	No batteries supplied, No charger supplied, HD Box	2 x M12 B2 Battery packs, C12 C Charger, HD Box
Article Number	4933493354	4933493355
EAN Code	4058546482251	4058546482268

M12 BCST
M12™ SUB COMPACT CABLE STAPLER

M12



- The new battery powered cable stapler is twice as fast than manual staple installation. It eliminates majority of hand stapling of low voltage cable into wood
- Moveable cable guides ensure proper alignment over cable prior to fastening over a variety of cable sizes

	M12 BCST-0
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933480488
EAN Code	4058546407735

M12 BST
M12™ SUB COMPACT STAPLER

M12



- Breakthrough performance limits user fatigue by eliminating the repetitive motion of hand tools
- Ready to Fire Technology eliminates ramp-up time between each staple discharge
- Bump fire and sequential fire operation allows the user to fire quickly and accurately
- 2000 staples fired with one 2.0 Ah battery pack
- Fires standard T11 T50 and T140 10.6 mm staples from 6 to 14 mm

	M12 BST-0	M12 BST-202X
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M12 B2 Battery packs, C12 C Charger, HD Box
Article Number	4933459634	4933459635
EAN Code	4058546028060	4058546028077



M12 FVCL
M12 FUEL™ WET/ DRY VACUUM

M12 FUEL



- Powerful M12 FUEL™ motor with a maximum air flow of 1275 l/min & 105 mbar provides 18V performance for both wet and dry clean up applications
- With a 6.0 Ah battery the vacuum provides 14 minutes of run time on high and 26 minutes on the low setting, this compact vacuum is ideal for spot and service focused wet/ dry quick clean up needs

	M12 FVCL-0
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933478186
EAN Code	4058546341190

C12 PN
M12™ SUB COMPACT PALM NAILER

M12



- Professional power effectively drives 100 mm framing nails in less than 3 seconds
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Superior ergonomics – user-preferred palm style grip provides outstanding comfort and control
- Fits into locations where a hammer cannot be swung

	C12 PN-0
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933427182
EAN Code	4002395239238

M12 AUN
M12™ AIR-TIP™ UTILITY NOZZLE

M12



- The M12™ powered utility nozzle is a great accessory that is designed to clean jobsite debris on short and medium hair carpeted surfaces
- The universal reception fits to all MILWAUKEE™ M12™ and M18™ cordless vacs and covers most common hose sizes (Ø 31.8 mm, 47.6 mm and 63.5 mm)

	M12 AUN-0
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4932479461
EAN Code	4058546372552



M12 BBL
M12™ BLOWER

M12



- Powerful motor can generate up to 4.81 m³ / min of air volume at 177 km/h for fast cleaning of the jobsite
- Lightweight, compact body clears dirt and debris in tight spaces
- Perfect control of the power with the 2 speed adjustable trigger
- Versatile attachments like the nozzle extension (25.5 cm) and a tip tube for accurate working are included

	M12 BBL-0
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933472214
EAN Code	4058546326104

M12 HV
M12™ SUB COMPACT STICK VAC

M12



- Excellent suction power for wood, metal and common debris
- Clear viewing window gives the user the ability to see debris build up
- Lock on switch reduces fatigue during sustained use
- Versatile accessories for small or large clean up areas
- Compact design makes it easy to clean in tight spaces

	M12 HV-0
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933448390
EAN Code	4002395262908

M12 AF
M12™ AIR FAN

M12



- Three speed settings delivering max air speed of 22.53 km/h
- High efficient 150 mm blade diameter generates a maximum air volume of 680 m³/h
- The 360° head rotation allow an unlimited directional airflow
- Boundless hanging and mounting possibilities with the integrated magnets, key holes, hooks and pass through holes

	M12 AF-0
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933478228
EAN Code	4058546344054

M12 JSSP
M12™ JOBSITE BLUETOOTH® SPEAKER

M12



- Advanced technology Bluetooth® jobsite speaker
- Connect wirelessly with portable electronic devices from up to 10 m away
- Loud, clear sound at all volumes
- Premium speaker with bass port
- Withstand tough conditions on and off the jobsite
- Rugged over mould, metal speaker grill

	M12 JSSP-0
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933448380
EAN Code	4002395262892

M12 RCDAB+
M12™ RADIO CHARGER DAB+

M12



- Premium speaker and high frequency tweeter provides high sound quality
- DAB+ and AM/FM tuner with the digital processor delivers highest reception accuracy, signal clarity and additional information like: song, artist and accurate time
- Digital Bluetooth® receiver: Plays music up to 30 m away from your smartphone, computer or tablet

	M12 RCDAB+-0
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933472114
EAN Code	4058546325107

M12-18 JSSP
M12™ - M18™ BLUETOOTH® SPEAKER

M12 M18



- Advanced technology Bluetooth® jobsite speaker
- Bluetooth® wireless range of up to 30 m
- Flexible battery system: works with all MILWAUKEE™ M12™ & M18™ batteries
- IP54 rated, water and debris resistant to withstand tough conditions on and off the jobsite
- Loud, clear sounds at all volumes

	M12-18 JSSP-0
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933459275
EAN Code	4058546002411

M12 FPP2A2
M12™ POWERPACK

M12 FUEL



- M12 FPD2 - M12 FUEL™ sub compact percussion drill
- M12 FID2 - M12 FUEL™ sub compact 1/4" impact driver

	M12 FPP2A2-402X	M12 FPP2A2-602X
Kit included	2 x M12 B4 Battery packs, C12 C Charger, HD Box	2 x M12 B6 Battery packs, C12 C Charger, HD Box
Article Number	4933480587	4933480588
EAN Code	4058546408725	4058546408732

M12 FPP2F2
M12 FUEL™ POWERPACK

M12 FUEL



- M12 FPD2 - M12 FUEL™ sub compact percussion drill
- M12 CH - M12 FUEL™ sub compact SDS-plus hammer

	M12 FPP2F2-402X	M12 FPP2F2-602X
Kit included	2 x M12 B4 Battery packs, C12 C Charger, HD Box	2 x M12 B6 Battery packs, C12 C Charger, HD Box
Article Number	4933480590	4933480591
EAN Code	4058546408756	4058546408763

M12 FPP2E2
M12 FUEL™ POWERPACK

M12 FUEL



- M12 FPD2 - M12 FUEL™ sub compact percussion drill
- M12 FQID - M12 FUEL™ SURGE™ 1/2" Hex hydraulic impact driver

	M12 FPP2E2-402X
Kit included	2 x M12 B4 Battery packs, C12 C Charger, HD Box
Article Number	4933480594
EAN Code	4058546408794

M12 BPP2B
M12™ POWERPACK

M12



- M12 BPD - M12™ sub compact percussion drill
- M12 BID - M12™ sub compact 1/2" Hex impact driver

	M12 BPP2B-421C
Kit included	1 x M12 B4, 1 x M12 B2 Battery packs, C12 C Charger, Kitbox
Article Number	4933443497
EAN Code	4002395004614

WORK GEAR

SCAN HERE FOR MORE INFORMATION



M12 HJ BL5 M12™ HEATED JACKET - BLACK

M12



- Heat on demand - sewn in carbon fibre heating wires, distribute heat to core body areas and to the front pockets
- Superior run time, up to 8 hours of heat on low level with a single battery charge of an M12™ REDLITHIUM™ 3.0 Ah battery pack
- Easy touch heat controller - 3 heat settings: High, Medium, Low
- TOUGHSHELL™ stretch 90% polyester and 10% spandex material to withstand harsh working conditions and deliver up to 5x longer life
- FREE FLEX™ mobility - additional material under the arms increases range of movement for working overhead
- New battery pocket design providing users multiple options for battery placement, allowing adaptability to the situation
- Improved slim fit design with extended back prevents heat loss and keeps the user warm
- M12™ battery controller with 1 A USB port, to charge mobile devices stored in concealed battery pocket
- Water and wind resistant, provides comfort and durability in harsh environments
- Big hand & chest pocket, ideal for storing mobile devices

	M12 HJ BL5-0 (S)	M12 HJ BL5-0 (M)	M12 HJ BL5-0 (L)	M12 HJ BL5-0 (XL)	M12 HJ BL5-0 (XXL)	M12 HJ BL5-0 (XXXL)
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	No batteries supplied, No charger supplied, No kitbox or bag supplied	No batteries supplied, No charger supplied, No kitbox or bag supplied	No batteries supplied, No charger supplied, No kitbox or bag supplied	No batteries supplied, No charger supplied, No kitbox or bag supplied	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933478967	4933478968	4933478969	4933478970	4933478971	4933479362
EAN Code	4058546362492	4058546362508	4058546362515	4058546362522	4058546362539	4058546371562

M12 HJ GREY5 M12™ HEATED JACKET - GREY

M12



- Heat on demand - sewn in carbon fibre heating wires, distribute heat to core body areas and to the front pockets
- Superior run time, up to 8 hours of heat on low level with a single battery charge of an M12™ REDLITHIUM™ 3.0 Ah battery pack
- Easy touch heat controller - 3 heat settings: High, Medium, Low
- TOUGHSHELL™ stretch 90% polyester and 10% spandex material to withstand harsh working conditions and deliver up to 5x longer life
- FREE FLEX™ mobility - additional material under the arms increases range of movement for working overhead
- New battery pocket design providing users multiple options for battery placement, allowing adaptability to the situation
- Improved slim fit design with extended back prevents heat loss and keeps the user warm
- M12™ battery controller with 1 A USB port, to charge mobile devices stored in concealed battery pocket
- Water and wind resistant, provides comfort and durability in harsh environments
- Big hand & chest pocket, ideal for storing mobile devices

	M12 HJ GREY5-0 (S)	M12 HJ GREY5-0 (M)	M12 HJ GREY5-0 (L)	M12 HJ GREY5-0 (XL)	M12 HJ GREY5-0 (XXL)	M12 HJ GREY5-0 (XXXL)
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	No batteries supplied, No charger supplied, No kitbox or bag supplied	No batteries supplied, No charger supplied, No kitbox or bag supplied	No batteries supplied, No charger supplied, No kitbox or bag supplied	No batteries supplied, No charger supplied, No kitbox or bag supplied	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933478972	4933478973	4933478974	4933478975	4933478976	4933479363
EAN Code	4058546362546	4058546362553	4058546362560	4058546362577	4058546362584	4058546371579

M12 HJ CAM06 M12™ HEATED CAMOUFLAGE JACKET

M12



- REALTREE XTRA™ Camo pattern blends perfectly year round in a variety of habitats
- Quiet-shell stretch 100% polyester material to reduce noise during movement
- Heat on demand - 5 sewn in carbon fibre heating zones distribute heat to core body areas and to the front pockets
- Superior run time, up to 8 hours of heat on low level with a single battery charge of an M12™ REDLITHIUM™ 3.0 Ah battery pack
- Easy touch heat controller concealed inside the lapel - 3 heat settings: High, Medium, Low
- FREE FLEX™ mobility - additional material under the arms increases range of movement for working overhead
- Water and wind resistant, provides comfort and durability in harsh environments
- New battery pocket design providing users multiple options for battery placement, allowing adaptability to the situation
- Improved slim fit design with extended back prevents heat loss and keeps the user warm
- M12™ battery controller with 1 A USB port, to charge mobile devices stored in concealed battery pocket

	M12 HJ CAM06-0 (S)	M12 HJ CAM06-0 (M)	M12 HJ CAM06-0 (L)	M12 HJ CAM06-0 (XL)	M12 HJ CAM06-0 (XXL)	M12 HJ CAM06-0 (XXXL)
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	No batteries supplied, No charger supplied, No kitbox or bag supplied	No batteries supplied, No charger supplied, No kitbox or bag supplied	No batteries supplied, No charger supplied, No kitbox or bag supplied	No batteries supplied, No charger supplied, No kitbox or bag supplied	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933478977	4933478978	4933478979	4933478980	4933478981	4933479364
EAN Code	4058546362591	4058546362607	4058546362614	4058546362621	4058546362638	4058546371586

M12 HPJBL2 M12™ HEATED PUFFER JACKET - BLACK

M12



- M12™ Heated Jacket powered by an M12™ battery with carbon fibre heating elements creates and distributes heat to chest, back and shoulders
- Superior run time, up to 11 hours of heat on a single battery charge of an M12™ REDLITHIUM™ 3.0 Ah battery pack
- Lightweight and highly durable ripstop polyester provides a slim design that can be worn as an outer-shell or a mid-layer (100% Polyester outer and inner shell)
- Reinforced high-wear zones protect from abrasion and tears
- Provides comfort and durability in harsh, rainy or windy environments
- Optimised hidden battery pocket to place M12™ battery in front or rear for increased comfort
- Multiple heating zones - 5 sewn in carbon fibre heating zones distribute heat to core body areas
- Easy one-touch heat controller - 3 heat settings: High, Medium, Low
- Machine washable and dryable

	M12 HPJBL2-0 (S)	M12 HPJBL2-0 (M)	M12 HPJBL2-0 (L)	M12 HPJBL2-0 (XL)	M12 HPJBL2-0 (XXL)
Kit included	No batteries supplied, No charger supplied, Gift box	No batteries supplied, No charger supplied, Gift box	No batteries supplied, No charger supplied, Gift box	No batteries supplied, No charger supplied, Gift box	No batteries supplied, No charger supplied, Gift box
Article Number	4932480071	4932480072	4932480073	4932480074	4932480075
EAN Code	4058546403560	4058546403577	4058546403584	4058546403591	4058546403607

M12 HPJLBL2 M12™ HEATED PUFFER JACKET LADIES - BLACK

M12



- M12™ Heated Jacket powered by an M12™ battery with carbon fibre heating elements creates and distributes heat to chest, back and shoulders
- Superior run time, up to 11 hours of heat on a single battery charge of an M12™ REDLITHIUM™ 3.0 Ah battery pack
- Lightweight and highly durable ripstop polyester provides a slim design that can be worn as an outer-shell or a mid-layer (100% Polyester outer and inner shell)
- Reinforced high-wear zones protect from abrasion and tears
- Provides comfort and durability in harsh, rainy or windy environments
- Optimised hidden battery pocket to place M12™ battery in front or rear for increased comfort
- Multiple heating zones - 5 sewn in carbon fibre heating zones distribute heat to core body areas
- Easy one-touch heat controller - 3 heat settings: High, Medium, Low
- Machine washable and dryable

	M12 HPJLBL2-0 (S)	M12 HPJLBL2-0 (M)	M12 HPJLBL2-0 (L)	M12 HPJLBL2-0 (XL)	M12 HPJLBL2-0 (XXL)
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	No batteries supplied, No charger supplied, No kitbox or bag supplied	No batteries supplied, No charger supplied, No kitbox or bag supplied	No batteries supplied, No charger supplied, No kitbox or bag supplied	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4932480085	4932480086	4932480087	4932480088	4932480089
EAN Code	4058546403706	4058546403713	4058546403720	4058546403737	4058546403744

M12 HPVBL2 M12™ HEATED PUFFER VEST

M12



- M12™ Heated Jacket powered by an M12™ battery with carbon fibre heating elements creates and distributes heat to chest, back and shoulders
- Superior run time, up to 11 hours of heat on a single battery charge of an M12™ REDLITHIUM™ 3.0 Ah battery pack
- Lightweight and highly durable ripstop polyester provides a slim design that can be worn as an outer-shell or a mid-layer (100% Polyester outer and inner shell)
- Reinforced high-wear zones protect from abrasion and tears
- Provides comfort and durability in harsh, rainy or windy environments
- Optimised hidden battery pocket to place M12™ battery in front or rear for increased comfort
- Multiple heating zones - 3 sewn in carbon fibre heating zones distribute heat to core body areas
- Easy one-touch heat controller - 3 heat settings: High, Medium, Low
- Machine washable and dryable

	M12 HPVBL2-0 (S)	M12 HPVBL2-0 (M)	M12 HPVBL2-0 (L)	M12 HPVBL2-0 (XL)	M12 HPVBL2-0 (XXL)
Kit included	No batteries supplied, No charger supplied, Gift box	No batteries supplied, No charger supplied, Gift box	No batteries supplied, No charger supplied, Gift box	No batteries supplied, No charger supplied, Gift box	No batteries supplied, No charger supplied, Gift box
Article Number	4932480076	4932480077	4932480078	4932480079	4932480080
EAN Code	4058546403614	4058546403621	4058546403638	4058546403645	4058546403652

M12 HVGREY1 M12™ HEATED VEST - GREY

M12



- M12™ Heated TOUGHSHELL™ vest powered by an M12™ battery with carbon fibre heating elements creates and distributes heat to chest & back
- Superior run time, up to 11 hours of heat on a single battery charge of an M12™ REDLITHIUM™ 3.0 Ah battery pack
- TOUGHSHELL™ stretch 90% Polyester and 10% spandex material to withstand harsh working conditions
- Optimised hidden battery pocket to place M12™ battery in front or rear for increased comfort
- Multiple heating zones - 3 sewn in carbon fibre heating zones distribute heat to core body areas
- Easy one-touch heat controller - 3 heat settings: High, Medium, Low
- Machine washable and dryable
- Battery holder included
- Flexible battery system: works with all MILWAUKEE® M12™ batteries

	M12 HVGREY1-0 (S)	M12 HVGREY1-0 (M)	M12 HVGREY1-0 (L)	M12 HVGREY1-0 (XL)	M12 HVGREY1-0 (XXL)	M12 HVGREY1-0 (XXXL)
Kit included	No batteries supplied, No charger supplied, Gift box	No batteries supplied, No charger supplied, Gift box	No batteries supplied, No charger supplied, Gift box	No batteries supplied, No charger supplied, Gift box	No batteries supplied, No charger supplied, Gift box	No batteries supplied, No charger supplied, Gift box
Article Number	4932480100	4932480101	4932480102	4932480103	4932480104	4932480105
EAN Code	4058546403850	4058546403867	4058546403874	4058546403881	4058546403898	4058546403904

M12 HHGREY4 M12™ HEATED HOODIE - GREY

M12



- M12™ Heated Hoodie powered by an M12™ battery with carbon fibre heating elements creates and distributes heat to chest and back
- Superior run time, up to 11 hours of heat on a single battery charge of an M12™ REDLITHIUM™ 3.0 Ah battery pack
- Rugged heated hoodie made from durable cotton (53%) exterior with durable reinforced utility pockets and polyester fleece (47%) lining to withstand tough outdoor conditions
- Optimised hidden battery pocket to place M12™ battery in front or rear for increased comfort
- In autumn and spring the hoodie can be worn as a rugged outer layer. In winter, it is best as a base layer that allows to shed bulky undergarments while generating and holding heat close to the body
- Multiple heating zones - 3 sewn in carbon fibre heating zones distribute heat to core body areas
- Easy one-touch heat controller - 3 heat settings: High, Medium, Low
- Integrated cell phone pocket

	M12 HHGREY4-0 (S)	M12 HHGREY4-0 (M)	M12 HHGREY4-0 (L)	M12 HHGREY4-0 (XL)	M12 HHGREY4-0 (XXL)
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	No batteries supplied, No charger supplied, No kitbox or bag supplied	No batteries supplied, No charger supplied, No kitbox or bag supplied	No batteries supplied, No charger supplied, No kitbox or bag supplied	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4932480066	4932480067	4932480068	4932480069	4932480070
EAN Code	4058546403515	4058546403522	4058546403539	4058546403546	4058546403553

M12 HHBL4 M12™ HEATED HOODIE - BLACK

M12



- M12™ Heated Hoodie powered by an M12™ battery with carbon fibre heating elements creates and distributes heat to chest and back
- Superior run time, up to 11 hours of heat on a single battery charge of an M12™ REDLITHIUM™ 3.0 Ah battery pack
- Rugged heated hoodie made from durable cotton (53%) exterior with durable reinforced utility pockets and polyester fleece (47%) lining to withstand tough outdoor conditions
- Optimised hidden battery pocket to place M12™ battery in front or rear for increased comfort
- In autumn and spring the hoodie can be worn as a rugged outer layer. In winter, it is best as a base layer that allows to shed bulky undergarments while generating and holding heat close to the body
- Multiple heating zones - 3 sewn in carbon fibre heating zones distribute heat to core body areas
- Easy one-touch heat controller - 3 heat settings: High, Medium, Low
- Integrated cell phone pocket

	M12 HHBL4-0 (S)	M12 HHBL4-0 (M)	M12 HHBL4-0 (L)	M12 HHBL4-0 (XL)	M12 HHBL4-0 (XXL)
Kit included	No batteries supplied, No charger supplied, Gift box	No batteries supplied, No charger supplied, Gift box	No batteries supplied, No charger supplied, Gift box	No batteries supplied, No charger supplied, Gift box	No batteries supplied, No charger supplied, Gift box
Article Number	4932480061	4932480062	4932480063	4932480064	4932480065
EAN Code	4058546403461	4058546403478	4058546403485	4058546403492	4058546403508

M12 HHLBL1 M12™ HEATED LADIES HOODIE - BLACK

M12



- M12™ Heated Hoodie for ladies powered by an M12™ battery with carbon fibre heating elements creates and distributes heat to chest and back
- Superior run time, up to 11 hours of heat on a single battery charge of an M12™ REDLITHIUM™ 3.0 Ah battery pack
- Optimised hidden battery pocket to place M12™ battery in front or rear for increased comfort
- Rugged heated hoodie made from durable cotton (53%) exterior with durable reinforced utility pockets and polyester fleece (47%) lining to withstand tough outdoor conditions
- In autumn and spring the hoodie can be worn as a rugged outer layer. In winter, it is best as a base layer that allows to shed bulky undergarments while generating and holding heat close to the body
- Multiple heating zones - 3 sewn in carbon fibre heating zones distribute heat to core body areas
- Easy one-touch heat controller - 3 heat settings: High, Medium, Low
- Integrated cell phone pocket

	M12 HHLBL1-0 (S)	M12 HHLBL1-0 (M)	M12 HHLBL1-0 (L)	M12 HHLBL1-0 (XL)
Kit included	No batteries supplied, No charger supplied, Gift box	No batteries supplied, No charger supplied, Gift box	No batteries supplied, No charger supplied, Gift box	No batteries supplied, No charger supplied, Gift box
Article Number	4932480090	4932480091	4932480092	4932480093
EAN Code	4058546403751	4058546403768	4058546403775	4058546403782

L4 HBLB USB RECHARGEABLE HEATED WORKSKIN™ BASE LAYER

REDLITHIUM™
3.0 Ah



- Mid-weight construction out of durable, pilling resistant material, keeps body warm and dry
- Fully heats-up in 2.5 min
- Heat is created and distributed to the chest and back
- Powered by L4 USB rechargeable REDLITHIUM™ battery pack
- A one-touch LED controller allows the user to select from 2 heat settings, delivering ideal heat for any environment
- Durable, pilling resistant material with raglan designed sleeves and seamless shoulders for improved mobility and comfort
- Superior run time - Up to 180 min of heat on low level
- L4 battery holder - concealed battery pocket for minimal user interference
- Machine washable

	L4 HBLB-301S	L4 HBLB-301M	L4 HBLB-301L	L4 HBLB-301XL	L4 HBLB-301XXL
Kit included	1 x L4 B3 Battery pack, No charger supplied, No kitbox or bag supplied	1 x L4 B3 Battery pack, No charger supplied, No kitbox or bag supplied	1 x L4 B3 Battery pack, No charger supplied, No kitbox or bag supplied	1 x L4 B3 Battery pack, No charger supplied, No kitbox or bag supplied	1 x L4 B3 Battery pack, No charger supplied, No kitbox or bag supplied
Article Number	4933478081	4933478082	4933478083	4933478084	4933478085
EAN Code	4058546340148	4058546340155	4058546340162	4058546340179	4058546340186

LASERS RANGE

SCAN HERE FOR MORE INFORMATION



M18 RLOHV1200 M18™ 1200 M HORIZONTAL VERTICAL AUTO DUAL GRADE ROTARY LASER WITH ONE-KEY™

M18

ONE-KEY
UNLOCKING THE DIGITAL JOBSITE



- The ultimate tool for grading applications
- Fast, accurate automatic dual grade match up to 12.5 % in X & Y axis, and can adjust slope remotely with a duplicated remote display
- Adjustable masking to prevent laser interference and laser reflection from windows at jobsite
- Designed for harsh jobsite conditions, IP66 rated and withstands up to 1.5 m drops

	M18 RLOHV1200-501C
Standard equipment	1x RD1200, detector clamp, 1x remote control
Kit included	1 x M18 B5 Battery pack, M12-18 C Charger, Kitbox
Article Number	4933493204
EAN Code	4058546480752

M18 RLOH600 M18™ 600 M HORIZONTAL ROTARY LASER WITH ONE-KEY™

M18

ONE-KEY
UNLOCKING THE DIGITAL JOBSITE



- The ultimate tool for accurate results when leveling on the jobsite
- Easy to use, one button setup
- Manual masking shutters to prevent laser interference and laser reflection from windows
- Designed for harsh jobsite conditions, IP66 rated and withstands up to 1.5 m drops
- ±5° self levelling range for fast and accurate setup

	M18 RLOH600-201C
Standard equipment	1x RD600, detector clamp
Kit included	1 x M18 B2 Battery pack, M12-18 C Charger, Kitbox
Article Number	4933493191
EAN Code	4058546480622

M18 RLOHVG300 M18™ 300 M GREEN HORIZONTAL VERTICAL ROTARY LASER WITH ONE-KEY™

M18

ONE-KEY
UNLOCKING THE DIGITAL JOBSITE




- Designed for interior and exterior jobs, for long distance applications
- Automatic centre find with one press off a button, for long range alignment
- High intensity green laser diode for maximised visibility; up to 4x better visibility vs red lasers
- Adjustable masking to prevent laser interference and laser reflection from windows
- Designed for harsh jobsite conditions, IP66 rated and withstands up to 1.5 m drops

	M18 RLOHVG300-501C
Standard equipment	1x RD300G, detector clamp
Kit included	1 x M18 B5 Battery pack, M12-18 C Charger, Kitbox
Article Number	4933493194
EAN Code	4058546480653

M12 3PL M12™ GREEN 360° 3 PLANE LASER

M12



- M12™ green 360° 3 plane laser provides an all-in-one functionality with one horizontal line and two vertical lines for fast and easy alignment, leveling, squaring, and transfers allowing you to easily layout large spaces with one tool
- High intensity green laser diode for maximised visibility; up to 4x better visibility vs red lasers
- High intensity green beams provide a working range of 38 m and up to 100 m with a detector

	M12 3PL-0C	M12 3PL-401C	M12 3PLKIT-401P
Standard equipment	Track clip, HVIST	Track clip, HVIST	HVIST, LLD50, LM360, TRP120, Track Clip
Kit included	No batteries supplied, No charger supplied, Kitbox	1 x M12 B4 Battery pack, C12 C Charger, Kitbox	1 x M12 B4 Battery pack, C12 C Charger, PACKOUT™ box
Article Number	4933478103	4933478102	4933478960
EAN Code	4058546340360	4058546340353	4058546362423

M12 CLL4P M12™ CROSS LINE LASER WITH 4 POINTS

M12



- M12™ green cross line laser with 4 points, provides an all-in-one functionality with horizontal levelling, vertical alignment, plumb point transfer from floor to ceiling and horizontal point transfer
- High intensity green beams provide a working range of 38 m and up to 100 m with a detector
- Provides all-day run time of 9+ hours with an M12 B3 battery pack

	M12 CLL4P-0C	M12 CLL4P-301C
Standard equipment	Track clip, HVIST	Track clip, HVIST
Kit included	No batteries supplied, No charger supplied, Kitbox	1 x M12 B3 Battery pack, C12 C Charger, Kitbox
Article Number	4933479202	4933479203
EAN Code	4058546369965	4058546369972

M12 CLLP M12™ GREEN CROSS LINE LASER WITH PLUMB POINTS

M12



- M12™ green cross line laser with plumb points provides an all-in-one functionality with horizontal levelling, vertical alignment and plumb point transfer from floor to ceiling
- High intensity green laser diode for maximised visibility; up to 4x better visibility vs red lasers
- High intensity green beams provide a working range of 38 m and up to 100 m with a detector
- Provides all-day run time of 15+ hours with an M12 B3 battery pack

	M12 CLLP-0C	M12 CLLP-301C
Standard equipment	Track clip, HVIST	Track clip, HVIST
Kit included	No batteries supplied, No charger supplied, Kitbox	1 x M12 B3 Battery pack, C12 C Charger, Kitbox
Article Number	4933478101	4933478100
EAN Code	4058546340346	4058546340339

L4 CLLP USB RECHARGEABLE GREEN CROSS LINE LASER WITH PLUMB POINTS

REDLITHIUM USB



- REDLITHIUM™ USB rechargeable green cross line laser with plumb points provides an all-in-one functionality with horizontal levelling, vertical alignment and plumb point transfer from floor to ceiling
- High intensity green laser diode for maximised visibility; up to 4x better visibility vs red lasers
- High intensity green beams provide a working range of 30 m and up to 100 m with a detector

L4 CLLP-301C

Standard equipment	Track clip
Kit included	1 x L4 B3 Battery pack, USB cable and wall plug, Kitbox
Article Number	4933478099
EAN Code	4058546340322

L4 CLL USB RECHARGEABLE GREEN CROSS LINE LASER

REDLITHIUM USB



- REDLITHIUM™ USB rechargeable green cross line laser provides an all-in-one functionality with horizontal levelling and vertical alignment
- High intensity green laser diode for maximised visibility; up to 4x better visibility vs red lasers
- High intensity green beams provide a working range of 30 m and up to 100 m with a detector
- The rechargeable and removable REDLITHIUM™ USB 3.0 Ah battery provides all day run time of over 8 hours

L4 CLL-301C

Standard equipment	Track clip
Kit included	1 x L4 B3 Battery pack, USB cable and wall plug, Kitbox
Article Number	4933478098
EAN Code	4058546340315

LLD50 LASER LINE DETECTOR

I.1



- The MILWAUKEE® LLD50 laser line detector extends laser line functionality up to 50 metres
- The LEDs on front and back allow easy and accurate detection of the laser beam to improve the set-up process
- Rare earth magnets located on two sides of the detector allow it to easily attach to metal surfaces, ideal for suspended ceiling installations

LLD50

Kit included	1 x AA Battery, No kitbox or bag supplied
Article Number	4932478104
EAN Code	4058546340377

LM360 360° LASER MOUNT



- The MILWAUKEE® 360° laser mount is an adaptable laser attachment that provides the fastest laser setup
- Multi-plane rotational adjustment, users can easily attach all MILWAUKEE® lasers to the mount
- A micro vertical adjustment that makes aligning horizontal lines much faster

LM360

Article Number	4932478105
EAN Code	4058546340384

CLL ALKALINE GREEN CROSS LINE LASER

III.4



- Alkaline cross line laser provides an all-in-one functionality with horizontal levelling and vertical alignment
- High intensity green beams provide a working range of 30 m and up to 50 m with a detector
- The 4x AA alkaline batteries provides all day run time of over 8 hours

CLL-C

Standard equipment	Track clip
Kit included	4 x AA Batteries, Kitbox
Article Number	4933478753
EAN Code	4058546360351



RD600 ROTARY LASER DETECTOR 600 M

III.5



- 600 m detection range in combination with the M18 RLOH600 laser, for long distance applications
- Easy-to-read, mm/in back and front backlit display for clear visibility
- IP67 rated and withstands up to 2 m drops
- Adjustable accuracy at five steps from 0.5 mm to 10 mm
- LED and audio indication for the most versatile detector read out

RD600

Kit included	2 x AA Batteries, No kitbox or bag supplied
Article Number	4932493197
EAN Code	4058546480684

RD1200 ROTARY LASER DETECTOR 1200 M

III.5



- 1200 m detection range in combination with the M18 RLOHV1200 laser, for long distance applications
- With automatic vertical and horizontal grade match and slope adjustment, the M18 RLOHV1200 laser will automatically align itself to the centre of the detector
- Easy-to-read, mm/in back and front backlit display, making it more visible for any application

RD1200

Kit included	2 x AA Batteries, No kitbox or bag supplied
Article Number	4932493207
EAN Code	4058546480783

RD300G ROTARY LASER DETECTOR 300 M GREEN

III.5



- 300 m detection range in combination with the M18 RLOHVG300 laser, for long distance applications
- The RD300G detector with integrated remote control allows the M18 RLOHVG300 laser to be activated from distance
- Easy-to-read, mm/in back and front backlit display for clear visibility, whether used indoors or outdoors

RD300G

Kit included	2 x AA Batteries, No kitbox or bag supplied
Article Number	4932493198
EAN Code	4058546480691

LRD100 LINE/ ROTARY LASER DETECTOR



- The MILWAUKEE® LRD100 detector extends laser line functionality up to 100 metre in combination with all MILWAUKEE® cross line and plane lasers and can be universally used with rotary lasers up to 250 metre radius
- The millimetre display on front and back allows easy and accurate detection of the laser beam to improve the set-up process
- Red and green laser diodes detection for most versatile use

LRD100

Kit included	1 x AA Battery, No kitbox or bag supplied
Article Number	4932479555
EAN Code	4058546373498

TRP300 3.0 METRE LASER TRIPOD



- Up to 2.95 m extension range for easy setup at most common working heights
- Most versatile setup in all environments with spiked feet and rubber feet
- 1.10 m elevation range to fine adjust the laser at height
- Shoulder strap for comfortable and hands-free transport, when carry the laser
- 5/8" standard threading to setup all rotary lasers and all MILWAUKEE® M12™ lasers

TRP300

Article Number	4932493200
EAN Code	4058546480714

TRP180 1.8 METER LASER TRIPOD



- The MILWAUKEE® laser tripod with a 1/4" mounting thread is ideal for setting the height of a horizontal laser line or elevating the laser when needed
- Height can be adjusted easily from 72 cm to 180 cm
- Laser can be mounted to the bottom of the tripod with the 360° mount (not included) for low level applications like socket installation

TRP180

Article Number	4932478106
EAN Code	4058546340391

LWM LASER WALL MOUNT



- Vertical micro adjustment for most precise alignment during setup
- Hanghole and material clamp for most versatile setup at walls and ceilings
- Levelling adjustment screw to get laser in self levelling range
- Ruler scale to speed up setup and adjustment process
- Compatible with all MILWAUKEE® rotary lasers and M12™ line lasers in the range

LWM

Article Number	4932493201
EAN Code	4058546480721

LMP 3.6 M TELESCOPING LASER POLE



- The MILWAUKEE® telescoping laser pole with 3.6 m extension range is ideal to setting up line lasers even on high ceilings
- The spring loaded swivel head makes setup easy, even at uneven surfaces
- The included quick release clamp opens to 6.3 cm and can be attached to round and square materials

LMP

Article Number	4932479205
EAN Code	4058546369996

WLB WIRELESS LASER ALIGNMENT BASE



- Precision horizontal motorised control with micro and macro alignment feature
- +60 m distance control to cover entire laser working range
- Pivots on point for faster setup when aligning two points
- Quick sliding attachment for fast and easy setup
- Intuitive pairing and control

WLB-C

Kit included	2 x AA Batteries, Kitbox
Article Number	4932479198
EAN Code	4058546369927

TRP160 1.6 METRE LASER TRIPOD



- Up to 1.60 m extension range for easy setup at most common working heights
- Aluminium frame and steel feet to use at any jobsite condition
- Reinforced handle design for improved durability
- Shoulder strap for comfortable and hands-free transport, when carry the laser
- 5/8" standard threading to setup all rotary lasers and all MILWAUKEE® M12™ lasers

TRP160

Article Number	4932493199
EAN Code	4058546480707

TRP120 1.2 METER COMPACT LASER TRIPOD



- The MILWAUKEE® compact laser tripod with a 1/2" mounting thread and a flat head design is ideal for setting the height of a horizontal laser line or elevating the laser when needed
- Height can be adjusted easily from 47 cm to 120 cm
- 29 cm elevating range for fine adjusting the height

TRP120

Article Number	4932478959
EAN Code	4058546362416

SR240 240 CM STAFF ROD



- Metric elevation scale up to 2.4 m with integrated detector slider for a fast detector positioning
- Durable aluminium frame to withstand jobsite condition
- Durable endcaps to prevent frame damage
- Adjustable level vial for a more precise setup

SR240

Article Number	4932493202
EAN Code	4058546480738

ROD500 500 CM GRADE ROD



- Metric elevation scale up to 5 m for most common heights on jobsite
- Flat top endcap for a solid detector positioning
- Durable aluminium frame to withstand jobsite condition
- Durable endcaps to prevent frame damage
- Detachable level vial for a more precise setup

ROD500

Article Number	4932493203
EAN Code	4058546480745

LDM 100 100 M LASER DISTANCE METER



- Easy to use one person point and shoot system
- IP54 water & dust protection
- Metric & Imperial units of measurement
- Easy to touch measure buttons on the front and side of the housing to perform single measurements & continuous tracking

LDM 100

Kit included	2 x AAA Batteries, No kitbox or bag supplied
Article Number	4933459278
EAN Code	4058546002442

LDM 50 50 M LASER DISTANCE METER



- Easy to use one person point and shoot system
- Very slim housing design with belt clip for easy transport
- Area/volume/indirect height and patent pending surface measurement
- Min/Max sweep & continuous tracking
- Distance addition & subtraction for layouting
- Indirect height measurements (Pythagoras 2-point, 3-point, partial height)

LDM 50

Kit included	2 x AAA Batteries, No kitbox or bag supplied
Article Number	4933447700
EAN Code	4002395006540

LDM 45 45 M LASER DISTANCE METER



- Easy to use one person point and shoot system
- IP54 water & dust protection
- Metric & Imperial units of measurement
- Easy to touch measure buttons on the front and side of the housing
- Enables user to perform single measurements & continuous tracking

LDM 45

Kit included	2 x AAA Batteries, No kitbox or bag supplied
Article Number	4933459277
EAN Code	4058546002435

LDM 30 30 M LASER DISTANCE METER



- Easy to use one person point and shoot system
- IP54 water & dust protection
- Auto shut off and low power indication
- Metric & Imperial units of measurement
- Very slim housing design with belt clip for easy transport
- Two easy to touch measure buttons on the front and side of the housing

LDM 30

Kit included	2 x AAA Batteries, Blister packaging
Article Number	4933459276
EAN Code	4058546002428

ELECTRICAL

SCAN HERE FOR MORE INFORMATION



M18 HSFC125R M18™ FORCE LOGIC™ HYDRAULIC 125 MM SAFETY CABLE CUTTER



- FORCE LOGIC™ Safety Cutter allows linemen to cut aluminium, copper and armored cables up to Ø125 mm remotely, removing any physical connection to the tool
- Enhanced remote control lets users start, pause and reverse the cutting blade all from a distanced position of complete safety
- Green LED lights on wireless remote gives positive indication that the cable is cut through blade positioning sensors

M18 HSFC125R-802C

Standard equipment	Remote control
Kit included	2 x M18 HB8 Battery packs, M12-18 FC Charger, Kitbox
Article Number	4933492421
EAN Code	4058546417888

M18 HCC125 M18™ FORCE LOGIC™ HYDRAULIC 125 MM CABLE CUTTER



- FORCE LOGIC™ Hydraulic Cutter cuts aluminium, copper and armored cables up to Ø125 mm
- Adjustable side handle, in-line tool design and hang hook enable easiest set-up in trenches and vaults
- Quick Lock latch system allows users to easily open and close the latch without any hassle of alignment

M18 HCC125-801C

Kit included	1 x M18 HB8 Battery pack, M12-18 FC Charger, No kitbox or bag supplied
Article Number	4933492419
EAN Code	4058546417864

M18 HCC75R M18™ FORCE LOGIC™ HYDRAULIC REMOTE UNDERGROUND CABLE CUTTER



- FORCE LOGIC™ hydraulic remote underground cable cutter cuts cables up to Ø75 mm in less than 10 seconds with 77.8 kN of force
- Wireless remote communicates with the tool via a mutually exclusive Bluetooth® connection, removing any physical connection to the tool and allowing Linemen to make remote cuts wirelessly
- Balanced design, handle and hang hook enable easiest set-up in vaults

M18 HCC75R-502C

Standard equipment	Remote control
Kit included	2 x M18 B5 Battery packs, M12-18 FC Charger, Kitbox
Article Number	4933459271
EAN Code	4058546002374

M18 HCC75 M18™ FORCE LOGIC™ HYDRAULIC UNDERGROUND CABLE CUTTER



- FORCE LOGIC™ hydraulic underground cable cutter cuts cables up to Ø75 mm in less than 10 seconds with 77.8 kN of force
- Brushless POWERSTATE™ motor provides more power, more run time and longer life
- Versatile top-handle can also be used as a stand and provides balanced cut alignment
- In-line design delivers easiest access in trenches and a secure stand during cable cuts

M18 HCC75-0C

M18 HCC75-502C

Kit included	No batteries supplied, No charger supplied, Kitbox	2 x M18 B5 Battery packs, M12-18 FC Charger, Kitbox
Article Number	4933459268	4933459269
EAN Code	4058546002343	4058546002350

M18 HCC45 M18™ FORCE LOGIC™ HYDRAULIC 44 MM CABLE CUTTER



- FORCE LOGIC™ hydraulic cable cutter cuts ACSR/ACSS cables up to Ø44 mm in less than 9 seconds with 77.8 kN of force
- Patent pending jaw design enables opening with just two fingers, enhancing alignment while delivering easiest operation with Class 3 gloves

M18 HCC45-0C

M18 HCC45-522C

Kit included	No batteries supplied, No charger supplied, Kitbox	1 x M18 B5, 1 x M18 B2 Battery packs, M12-18 FC Charger, Kitbox
Article Number	4933459265	4933459266
EAN Code	4058546002312	4058546002329

M12 CC M12™ SUB COMPACT CABLE CUTTER



- Professional capacity Ø32 mm - powerful jaws cut effortlessly through large cable
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Extended run time - delivers up to 60 cuts of 4 x 35 mm² copper per charge
- Compact front end - goes straight to the cable in panels or electrical cabinets without long handles looping or ratcheting

M12 CC-0

Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933431600
EAN Code	4002395242832

M18 ONEHCC

M18™ FORCE LOGIC™ HYDRAULIC 35 MM CABLE CUTTER

M18



- FORCE LOGIC™ hydraulic cable cutter cuts cables in less than 3 seconds with 53 kN of force
- Brushless POWERSTATE™ motor provides more power, more run-time and longer life
- Fully balanced tool provides secure control during one hand operation
- One tool provides cutting solutions for ACSR wire, steel guy wire, fine stranded or standard copper and aluminium cable

SCAN TO VIEW OUR SYSTEM ATTACHMENTS FOR M18 ONEHCC - M18™ FORCE LOGIC™ HYDRAULIC 35 MM CABLE CUTTER



	M18 ONEHCC-0C CU/AL-SET	M18 ONEHCC-201C CU/AL-SET	M18 ONEHCC-0C ACSR SET	M18 ONEHCC-201C ACSR SET	M18 ONEHCC-0C FSW SET	M18 ONEHCC-201C FSW SET	M18 ONEHCC-0C SWA SET
Standard equipment	Cu/AL jaw	Cu/AL jaw	ACSR jaw	ACSR jaw	FSW jaw	FSW jaw	SWA jaw
Kit included	No batteries supplied, No charger supplied, Kitbox	1 x M18 B2 Battery pack, M12-18 C Charger, Kitbox	No batteries supplied, No charger supplied, Kitbox	1 x M18 B2 Battery pack, M12-18 C Charger, Kitbox	No batteries supplied, No charger supplied, Kitbox	1 x M18 B2 Battery pack, M12-18 C Charger, Kitbox	No batteries supplied, No charger supplied, Kitbox
Article Number	4933464300	4933464301	4933464303	4933464304	4933464308	4933464309	4933464306
EAN Code	4058546222451	4058546222468	4058546222482	4058546222499	4058546222536	4058546222543	4058546222512

M18 HKP

M18™ FORCE LOGIC™ HYDRAULIC KNOCKOUT PUNCH

M18



- FORCE LOGIC™ hydraulic knockout punch is the most compact and lightweight tool on the market with 60 kN of force
- The easiest way to punch - for fast, accurate, round, and burr free holes
- Highest accuracy due to industry's finest exact alignment system for dies
- Best balanced tool and easiest control due to one hand operation

SCAN TO VIEW OUR SYSTEM ATTACHMENTS FOR M18 HKP - M18™ FORCE LOGIC™ HYDRAULIC KNOCKOUT PUNCH



	M18 HKP-201C	M18 HKP-201CA
Standard equipment	11.1mm (7/16) draw stud, 19mm (3/4) draw stud, quick connector, ball pull, adaptor	11.1mm (7/16) draw stud, 19mm (3/4) draw stud, quick connector, ball pull, adaptor, punches and dies: M16, M20, M25, M32, M40
Kit included	1 x M18 B2 Battery pack, M12-18 C Charger, Kitbox	1 x M18 B2 Battery pack, M12-18 C Charger, Kitbox
Article Number	4933451202	4933451204
EAN Code	4002395138906	4002395138920



M18 FPFT

M18 FUEL™ POWERED FISH TAPE

M18 FUEL



- The M18 FUEL™ Fish Tape is the world's first professional battery powered cable pulling solution
- POWERSTATE™ brushless motor that provides the ability to pull a maximum length of 72 m wire
- AUTO-RUN™ powered feeding and cable pulling is a fast and efficient solution providing higher productivity vs other solutions

SCAN TO VIEW OUR SYSTEM ATTACHMENTS FOR M18 FPFT - M18 FUEL™ POWERED FISH TAPE



	M18 FPFT-0	M18 FPFT-202 36m ST Set	M18 FPFT-202 30m NC Set
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M18 B2 Battery packs, M12-18 FC, No kitbox or bag supplied	2 x M18 B2 Battery packs, M12-18 FC, No kitbox or bag supplied
Article Number	4933471952	4933471953	4933471954
EAN Code	4058546298517	4058546298524	4058546298531



M18 HUP700

M18™ HYDRAULIC UTILITY PUMP

M18



- FORCE LOGIC™ hydraulic utility pump powers every single acting 700 bar crimping, cutting and punching head attachment
- Significantly faster work cycles due to a large 1.6 litre total oil reservoir and 2x higher flow rate compared to other pumps
- The pump is equipped with a industry standard CEJN Series 115, G1/4" female quick connection coupler to suit most common attachments

SCAN TO VIEW OUR SYSTEM ATTACHMENTS FOR M18 HUP700 - M18™ HYDRAULIC UTILITY PUMP



	M18 HUP700-121
Kit included	1 x M18 HB12 Battery pack, M12-18 FC Charger, No kitbox or bag supplied
Article Number	4933471813
EAN Code	4058546297121



M18 HCCT109/42

M18™ FORCE LOGIC™ HYDRAULIC 109 KN CABLE CRIMPER

M18



- Lightest, most balanced tool with ergonomic grip design
- Red alignment marks on the tool jaws aid accuracy in crimp placement
- Crimps connectors up to 400 mm² with 109 kN of force
- 42 mm jaw opening and 350° head rotation provides easy positioning and access, even for large connectors

	M18 HCCT109/42-522C
Kit included	1 x M18 B5, 1 x M18 B2 Battery packs, M12-18 FC Charger, Kitbox
Article Number	4933459273
EAN Code	4058546002398

M18 ONEHCCT60

M18™ FORCE LOGIC™ HYDRAULIC 60 KN CABLE CRIMPER

M18



- FORCE LOGIC™ hydraulic cable crimper crimps connectors up to 300 mm² in less than 5 seconds with 60 kN of force
- Easy die alignment and linear movement ensure most uniform crimp results
- Improved ergonomics and slim handle design provide for a comfortable one-handed operation

	M18 ONEHCCT60-0C	M18 ONEHCCT60-202C
Kit included	No batteries supplied, No charger supplied, Kitbox	2 x M18 B2 Battery packs, M12-18 C Charger, Kitbox
Article Number	4933479683	4933479684
EAN Code	4058546374778	4058546374785

M18 HCCT

M18™ FORCE LOGIC™ HYDRAULIC 53 KN CABLE CRIMPER

M18



- FORCE LOGIC™ hydraulic cable crimper crimps connectors up to 300 mm² in less than 3 seconds with 53 kN of force
- Revolutionary jaw holds connector for best alignment of cable and connector
- 2 in 1 solution: crimping jaw can be exchanged for an CU/AL cable cutting jaw
- Best balanced tool and easiest control due to one hand operation

	M18 HCCT-201C
Kit included	1 x M18 B2 Battery pack, M12-18 C Charger, Kitbox
Article Number	4933451194
EAN Code	4002395138821

SCAN TO VIEW OUR CRIMPER DIES



M18 HDCT

M18™ FORCE LOGIC™ HYDRAULIC DIELESS CRIMPER

M18



- M18™ FORCE LOGIC™ HDCT crimps connectors on flexible wire from 10 to 300 mm² without changing dies
- Auto distance control continuously measures distance & pressure for uniform crimp appearance across every size of the crimping range
- 180° rotating head and easy access latch deliver easy alignment and free-up second hand to hold material

	M18 HDCT-0C	M18 HDCT-202C
Kit included	No batteries supplied, No charger supplied, Kitbox	2 x M18 B2 Battery packs, M12-18 C Charger, Kitbox
Article Number	4933471949	4933471950
EAN Code	4058546298487	4058546298494

M18 BLTRC

M18™ BRUSHLESS THREADED ROD CUTTER

M18



- M18™ brushless threaded rod cutter delivers a fast and effortless solution for cutting threaded rods
- Integrated brushless motor provides the user the power to cut through M6, M8, M10 and M12 mild steel or M6, M8 and M10 stainless steel threaded rod, with a run time of up to 300 cuts with a 2.0 Ah battery

	M18 BLTRC-0X	M18 BLTRC-522X
Standard equipment	M6, M8, M10, M12 cutting dies	M6, M8, M10, M12 cutting dies
Kit included	No batteries supplied, No charger supplied, HD Box	1 x M18 B5, 1 x M18 B2 Battery packs, M12-18 C Charger, HD Box
Article Number	4933471150	4933471151
EAN Code	4058546287788	4058546287795

M18 BSBT

M18™ SHEAR BOLT TOOL

M18



- Huge capacity up to a cable size of 1000 mm² or connector diameter of 78 mm
- Outstanding power with a max torque of 100 Nm
- Universal compatibility with the industry leading shear bolt lug manufacturers
- IEC-Tested, superior electrical connection integrity of lug and cable thanks to smooth tightening of the screws without an impact mechanism

	M18 BSBT-0X	M18 BSBT-202X
Standard equipment	9x Impact rated 1/2" sockets (10/17 mm socket, 13/19 mm socket long, 5/6/8 mm Hex socket, 6/8 mm Hex socket long), 2x fork attachment (33-52 mm, 58-69 mm)	9x Impact rated 1/2" sockets (10/17 mm socket, 13/19 mm socket long, 5/6/8 mm Hex socket, 6/8 mm Hex socket long), 2x fork attachment (33-52 mm, 58-69 mm)
Kit included	No batteries supplied, No charger supplied, HD Box	2 x M18 B2 Battery packs, M12-18 FC Charger, HD Box
Article Number	4933493288	4933493289
EAN Code	4058546481599	4058546481605



M18 UBL M18™ LED UTILITY BUCKET LIGHT

TRUEVIEW™



- Dual light head design with 180° of vertical and horizontal head rotation, heads can be rotated individually
- 3 output modes: Spot, Flood, Spot/Flood provides up to 2500 lumens and up to 457 m of beam distance on Flood mode
- Patented spring loaded bucket clamp for most bucket sizes
- IP56 to withstand harsh weather conditions

M18 UBL-0	
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933459433
EAN Code	4058546010942

2205-40 FORK METER FOR ELECTRICIANS



- TRMS always guarantees accurate readings
- High contrast, easy to read display provides clearer readings
- Built-in non-contact voltage detector
- CAT III 1000 V/CAT IV 600 V for increased safety
- Rugged over-moulding for increased durability and grip
- Built-in LED work light – lights the work area
- Side mounted dial for one-handed use

2205-40	
Kit included	2 x AA Batteries, Tool bag
Article Number	4933416972
EAN Code	4002395238026

2212-20 AUTO VOLTAGE / CONTINUITY TESTER



- Provides measurements down to decimals and displays them on an easy-to-read backlit LCD
- Automatically determines the need for voltage or continuity tests and display all measurements with proper resolution
- Compatible with accessories for carrying or mounting
- LED worklight for low lit areas
- Dual LED and audible indicators for fast and convenient test results

2212-20	
Kit included	2 x AAA Batteries, No kitbox or bag supplied
Article Number	4933447776
EAN Code	4002395006526

2216-40 LIGHT COMMERCIAL MULTIMETER



- TRMS always guarantees accurate readings
- CAT III 600 V for increased safety
- Rugged over-moulding increases durability and user grip
- Side mounted dial for one-handed use
- Feature set tailored to electrician – for intuitive use
- Auto range to mV
- Supplied with electrical test lead set and 2 x AA batteries

2216-40	
Kit included	2 x AA Batteries, No kitbox or bag supplied
Article Number	4933427309
EAN Code	4002395240128

2217-40 DIGITAL MULTIMETER



- TRMS always guarantees accurate readings
- High contrast, easy to read display provides clearer readings
- Cat III 600 V for increased safety
- Side mounted dial for one-handed use
- Feature set tailored to electrician – for intuitive use
- Lo-Z. – always guaranteed accurate readings
- Versatile contact temperature measurement
- Slide rail for accessory mount

2217-40	
Kit included	2 x AA Batteries, Tool bag
Article Number	4933416976
EAN Code	4002395238064

2235-40 LIGHT COMMERCIAL CLAMP METER



- TRMS always guarantees accurate readings
- CAT III 600 V for increased safety
- Rugged over-moulding increases durability and user grip
- Built-in LED work light – lights the work area
- Side mounted dial for one-handed use
- Thin jaw profile for easier wire measurement in panels or in bundles
- Supplied with electrical test lead set and 2 x AA batteries

2235-40	
Kit included	2 x AA Batteries, No kitbox or bag supplied
Article Number	4933427315
EAN Code	4002395240135

2267-40 10:1 INFRARED TEMP-GUN™



- 10:1 distance to spot ratio, a 1 m spot from 10 m away
- Up to -30°C to 400°C temperature range
- Premium LCD display for high readability
- Simplified buttons and setup for faster scanning
- Raised overmolding protects lens and screen from direct impact

2267-40	
Kit included	2 x AA Batteries, No kitbox or bag supplied
Article Number	4933451906
EAN Code	4002395282159

2200-40 VOLTAGE DETECTOR



- Wide 50 - 1000 AC voltage range
- CAT IV 1000 V for highest safety rating
- Tip for checking outlets
- Green light indicates tool is on
- Loud beeper indicates voltage
- Blinking red light indicates voltage
- On/Off button
- Pocket clip for easy storage

2200-40	
Kit included	2 x AAA Batteries, No kitbox or bag supplied
Article Number	4932352561
EAN Code	4002395372195

PLUMBING

SCAN HERE FOR MORE INFORMATION



M18 ONEBLHPT M18™ FORCE LOGIC™ BRUSHLESS PRESS TOOL WITH ONE-KEY™



- Compact brushless motor in FORCE LOGIC™ press tools delivers up to 10 % faster connections and 20 % more run time
- FORCE LOGIC™ press indicator: provides visual confirmation of a quality connection
- One hand operated tool for over head applications and working in narrow spaces
- Tool records & stores every press made. ONE-KEY™ enabled for professional report buildings via ONE-KEY™ app or ONE-KEY™ browser version
- ONE-KEY™ tool tracking & security offers a cloud-based inventory management platform that supports both location tracking and theft prevention
- FORCE LOGIC™ long life reliability: No press cycle limitation within the 3 year maintenance interval
- Allows to press system related up to 108 mm metal pipes and 110 mm composite pipes
- Universal jaw reception to fit most common jaws available on the market
- Auto-Cycle ensures a full press cycle is completed with every press connection

	M18 ONEBLHPT-0C	M18 ONEBLHPT-302C	M18 ONEBLHPT-302C TH-SET	M18 ONEBLHPT-302C V-SET	M18 ONEBLHPT-302C U-SET	M18 ONEBLHPT-302C M-SET	M18 ONEBLHPT-302C Geberit Mapress Set
Standard equipment	-	-	3 x TH-profile jaws (16/20/323 x V-profile jaws (15/22/28 mm))	3 x U-profile jaws (16/20/25 mm)	3 x M-profile jaws (15/22/28 mm)	3 x M-profile jaws (15/22/28 mm)	3 x Geberit Licensed Mapress jaws (15/22/28 mm)
Kit included	No batteries supplied, No charger supplied, Kitbox	2 x M18 HB3 Battery packs, M12-18 FC Charger, Kitbox	2 x M18 HB3 Battery packs, M12-18 FC Charger, Kitbox	2 x M18 HB3 Battery packs, M12-18 FC Charger, Kitbox	2 x M18 HB3 Battery packs, M12-18 FC Charger, Kitbox	2 x M18 HB3 Battery packs, M12-18 FC Charger, Kitbox	2 x M18 HB3 Battery packs, M12-18 FC Charger, Kitbox
Article Number	4933478305	4933478306	4933478307	4933478308	4933478309	4933478310	4933480904
EAN Code	4058546344825	4058546344832	4058546344986	4058546344993	4058546345006	4058546345013	4058546411893

M18 BLHPT M18™ FORCE LOGIC™ BRUSHLESS PRESSTOOL



- New compact brushless motor in FORCE LOGIC™ press tools delivers up to 10% faster connections and 20% more runtime
- FORCE LOGIC™ press indicator: provides visual confirmation of a quality connection
- One hand operated tool for over head applications and working in narrow spaces
- Most compact in-line design with 13% less weight for easy operation
- Battery-tool communication: press operation doesn't start to prevent incomplete pressing in case of low charged battery. Pre-press battery check ensures enough charge to complete each press
- FORCE LOGIC™ long life reliability: No press cycle limitation within the 3 year maintenance interval
- Allows to press system related up to 108 mm metal pipes and 110 mm composite pipes
- Universal jaw reception to fit most common jaws available on the market
- On board fuel gauge and LED light

	M18 BLHPT-0C	M18 BLHPT-202C	M18 BLHPT-202C M-SET	M18 BLHPT-202C V-SET	M18 BLHPT-202C TH-SET	M18 BLHPT-202C U-SET	M18 BLHPT-202C Geberit Mapress Set
Standard equipment	-	-	3 x M-profile jaws (15/22/28 mm)	3 x V-profile jaws (15/22/28 mm)	3 x TH-profile jaws (16/20/323 x U-profile jaws (16/20/25 mm))	3 x U-profile jaws (16/20/25 mm)	3 x Geberit Licensed Mapress jaws (15/22/28 mm)
Kit included	No batteries supplied, No charger supplied, Kitbox	2 x M18 B2 Battery packs, M12-18 C Charger, Kitbox	2 x M18 B2 Battery packs, M12-18 C Charger, Kitbox	2 x M18 B2 Battery packs, M12-18 C Charger, Kitbox	2 x M18 B2 Battery packs, M12-18 C Charger, Kitbox	2 x M18 B2 Battery packs, M12-18 C Charger, Kitbox	2 x M18 B2 Battery packs, M12-18 C Charger, Kitbox
Article Number	4933478248	4933451132	4933451133	4933451134	4933451135	4933451136	4933480903
EAN Code	4058546344252	4002395138012	4002395138029	4002395138036	4002395138043	4002395138050	4058546411886

M18 BLHPTXL M18™ FORCE LOGIC™ BRUSHLESS XL PRESS TOOL



- New compact brushless motor in FORCE LOGIC™ press tools delivers up to 10% faster connections and 20% more run time
- FORCE LOGIC™ press indicator: provides visual confirmation of a quality connection
- Extended press range up to 108 mm in copper, C- steel & stainless steel & up to 4" in steel pipe
- One hand operated tool for over head applications and working in narrow spaces
- Adjustable stroke length allows usage of all standard MILWAUKEE® J18 jaws + most common competitive jaws available on the market
- FORCE LOGIC™ long life reliability: No press cycle limitation within the 3 year maintenance interval
- Auto-cycle ensures a full press cycle is completed with every press connection
- Battery-tool communication: press operation doesn't start to prevent incomplete pressing in case of low charged battery. Pre-press battery check ensures enough charge to complete each press
- On board fuel gauge and LED light

	M18 BLHPTXL-0P	M18 BLHPTXL-502P
Kit included	No batteries supplied, No charger supplied, PACKOUT™ box	2 x M18 B5 Battery packs, M12-18 C Charger, PACKOUT™ box
Article Number	4933479440	4933479441
EAN Code	4058546372347	4058546372354

TiD-extra 3.1.2022 D.O.O.

M12 HPT M12™ SUB COMPACT FORCE LOGIC™ HYDRAULIC PRESS TOOL

M12

FORCELOGIC™



- The industry's smallest, lightest press tool: weighs only 1.8 kg for greater user comfort
- Patented one hand operation allows to work in restricted areas
- Press indicator: provides visual confirmation of a quality connection
- Outstanding pressing range up to 35 mm metal and 40 mm composite pipes
- Battery-tool communication: press operation doesn't start to prevent incomplete pressing in case of low charged battery. Pre-press battery check ensures enough charge to complete each press
- FORCE LOGIC™ long life reliability: No press cycle limitation within the 3 year maintenance interval
- 4-step and precise battery status indicator
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Individual battery cell monitoring optimises tool run time and ensures long term pack durability

	M12 HPT-0C	M12 HPT-202C	M12 HPT-202C M-SET	M12 HPT-202C V-SET	M12 HPT-202C V-SET2	M12 HPT-202C TH-SET	M12 HPT-202C U-SET	M12 HPT-202C Geberit Mappress Set
Standard equipment	-	-	3 x M-profile jaws (15/22/28 mm)	3 x V-profile jaws (15/22/28 mm)	3 x V-profile jaws (14/16/22 mm)	3 x TH-profile jaws (16/20/26 mm)	3 x U-profile jaws (16/20/25 mm)	3 x Geberit Licensed Mappress jaws (15/22/28 mm)
Kit included	No batteries supplied, No 2 x M12 B2 Battery packs, 2 x M12 B2 Battery packs, C12 C Charger, Kitbox	No batteries supplied, No 2 x M12 B2 Battery packs, 2 x M12 B2 Battery packs, C12 C Charger, Kitbox	No batteries supplied, No 2 x M12 B2 Battery packs, 2 x M12 B2 Battery packs, C12 C Charger, Kitbox	No batteries supplied, No 2 x M12 B2 Battery packs, 2 x M12 B2 Battery packs, C12 C Charger, Kitbox	No batteries supplied, No 2 x M12 B2 Battery packs, 2 x M12 B2 Battery packs, C12 C Charger, Kitbox	No batteries supplied, No 2 x M12 B2 Battery packs, 2 x M12 B2 Battery packs, C12 C Charger, Kitbox	No batteries supplied, No 2 x M12 B2 Battery packs, 2 x M12 B2 Battery packs, C12 C Charger, Kitbox	No batteries supplied, No 2 x M12 B2 Battery packs, 2 x M12 B2 Battery packs, C12 C Charger, Kitbox
Article Number	4933478247	4933443085	4933443095	4933443100	4933459382	4933443105	4933443110	4933480902
EAN Code	4058546344245	4002395003037	4002395003044	4002395003051	4058546010430	4002395003068	4002395003075	4058546411879

SCAN TO VIEW OUR M12™ AND M18™ PRESS JAWS



M18 FPT2 M18 FUEL™ PIPE THREADER 2" WITH ONE-KEY™

M18 FUEL



- World's first 18V 2" pipe threader on the market that is fully universal with competitive die heads. It threads pipes from 1/8" up to 2"
- Unique to MILWAUKEE®, pipe threader with AUTO-STOP™ kickback control, senses binding and shuts tool off to provide the user with more safety



	M18 FPT2-0C	M18 FPT2-121C
Standard equipment	1x support arm	1x support arm
Kit included	No batteries supplied, No charger supplied, Kitbox	1 x M18 HB12 Battery pack, M12-18 FC Charger, Kitbox
Article Number	4933478596	4933478597
EAN Code	4058546347895	4058546347901

SCAN TO VIEW OUR PIPE THREADER DIES



MXF PTR2 MX FUEL™ PIPE THREADING MACHINE 2" WITH ONE-KEY™

MX FUEL



- Threading capacity from 1/8" all the way up to 2"
- One stop shop: Cut, Ream and Thread with one tool
- Outstanding performance with 2 speed settings of 39 RPM and 59 RPM matching corded speed
- Maximum mobility thanks to foldable wheel cart with tool free setup
- Integrated auto oil system with oil pump and reservoir

	MXF PTR2-0	MXF PTR2-601
Standard equipment	1/2"-3/4" BSPT HS die set, 1"-2" BSPT HS die set	1/2"-3/4" BSPT HS die set, 1"-2" BSPT HS die set
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	1 x MXF XC406 Battery pack, MXF C Charger, No kitbox or bag supplied
Article Number	4933498324	4933492100
EAN Code	4058546521936	4058546414672

M18 FPT114 M18 FUEL™ PIPE THREADER 1 1/4" WITH ONE-KEY™

M18 FUEL



- Wide threading capacity from 1/8" up to 1 1/4"
- Unique to MILWAUKEE®, pipe threader with AUTOSTOP™ kickback control, senses binding and shuts tool off to provide the user with more safety
- Low weight and compact size allows convenient usage on installed pipes in confined spaces
- Compatible with new MILWAUKEE® FPT114H die heads and Ridgid 11R heads until 1 1/4"

	M18 FPT114-0C	M18 FPT114-802C	M18 FPT114-802CA
Included heads	-	-	4x BSPT alloy heads (1/2"/1 1/4"/1 1/4")
Standard equipment	1x support arm	1x support arm	1x support arm, 4x BSPT alloy heads (1/2"/1 1/4"/1 1/4")
Kit included	No batteries supplied, No charger supplied, Kitbox	2 x M18 HB8 Battery packs, M12-18 FC Charger, Kitbox	2 x M18 HB8 Battery packs, M12-18 FC Charger, Kitbox
Article Number	4933480220	4933479420	4933479421
EAN Code	4058546405052	4058546372149	4058546372156

SCAN TO VIEW OUR PIPE THREADER HEADS



MPS MILWAUKEE® PIPE STAND



- World's first pipe stand, that is flat foldable, which allows for easier transportation and more efficient storage
- Able to clamp materials, such as pipe, strut, channel, angled iron and other materials, up to 165 mm or 6"
- The MILWAUKEE® pipe stand can be used with threaders, angle grinders, sawzalls, hackzalls, metal circular saws and various other tools

MPS

Article Number	4933472022
EAN Code	4058546324186

M12 PCSS M12™ RAPTOR™ PIPE CUTTER STAINLESS STEEL

M12

RAPTOR™



- The MILWAUKEE® RAPTOR™ is the world's first 12V pipe cutter that is able to cut installed pipe in stainless steel, c-steel and copper
- High performance 380 rpm motor cuts 28 mm stainless steel pipe in less than 20 seconds
- Up to 90 cuts in 15 mm stainless steel with one M12™ 2.0 Ah battery pack
- Auto locking cut mechanism cuts installed pipe with as little as 40 mm clearance

	M12 PCSS-0	M12 PCSS-202C
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M12 B2 Battery packs, C12 C Charger, Kitbox
Article Number	4933479241	4933479242
EAN Code	4058546370350	4058546370367

C12 PPC M12™ SUB COMPACT PEX CUTTER

M12



- Massive cutting pressure of 175 kg/cm²
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Powerful mechanism cuts up to 50 mm PVC pipe in 3 seconds
- Heavy Duty full metal gearbox and gears for superior durability and maximum torque
- Variable speed trigger for complete cut out control

	C12 PPC-0
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933416550
EAN Code	4002395237203

M18 BTP M18™ COMPACT TRANSFER PUMP

M18



- 18V transfer pump with 3.4 kg in weight, it's lighter than other corded transfer pumps with an equal performance
- With a flow rate of 1817 l/h, it can deliver 908 l of transferred water with one M18™ 5.0 Ah battery charge
- REDLINK™ intelligence can recognise when the tool stops moving water and automatically shuts itself off to avoid dry pumping

	M18 BTP-0
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933471494
EAN Code	4058546293932

SCAN TO VIEW OUR ACCESSORIES FOR MPS - MILWAUKEE® PIPE STAND



C12 PC M12™ SUB COMPACT COPPER PIPE CUTTER

M12



- High performance 500 rpm motor cuts 12 mm copper pipe in less than 3 seconds
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Auto locking cut mechanism cuts installed copper tubing with as little as 40 mm clearance
- Auto adjusting jaws automatically adjust to pipe size

	C12 PC-0
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933411920
EAN Code	4002395236374

M18 STSO M18™ FORCE LOGIC™ STRUT SHEAR

M18

FORCELOGIC™



- Cleanest and safest way to cut strut profiles
- Compatible with 41x41 mm, 41x21 mm, 41x22 mm strut
- Compatible with commonly available strut manufacturers in the specified dimensions
- Shears pre- and hot dipped galvanized strut until 3.0 mm wall thickness
- All day run time of over 200 cuts on a single M18™ 5.0 Ah battery
- Cuts 41x41 mm strut in under 5 seconds

	M18 STSO-0B
Kit included	No batteries supplied, No charger supplied, Tool bag
Article Number	4933492097
EAN Code	4058546414641

M12 BSWP M12™ HYDROPASS™ BRUSHED STICK WATER PUMP

M12

HYDROPASS™



- HYDROPASS™ unique filter system, prevents blocking of the inlet and allows the user to pump water at all times, regardless of the debris encountered
- Pumps more than 2000 l/hour and up to 1000 l on 1x M12™ 6.0 Ah battery, perfect for emptying trenches, storm drains, outside meter boxes, rain barrels and various other applications

	M12 BSWP-0	M12 BSWP-601
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	1 x M12 B6 Battery pack, C12 C Charger, No kitbox or bag supplied
Article Number	4933479639	4933479640
EAN Code	4058546374334	4058546374341

2267-40 10:1 INFRARED TEMP-GUN™

M18



- 10:1 distance to spot ratio, a 1 m spot from 10 m away
- Up to -30°C to 400°C temperature range
- Premium LCD display for high readability
- Simplified buttons and setup for faster scanning
- Raised overmolding protects lens and screen from direct impact

2267-40

Kit included	2 x AA Batteries, No kitbox or bag supplied
Article Number	4933451906
EAN Code	4002395282159

M18 ONEBLPXP M18™ ONE-KEY™ FORCE LOGIC™ UPONOR™ Q&E HYDRAULIC PIPE EXPANDING TOOL

M18



- The ONE-KEY™ FORCE LOGIC™ hydraulic expander is the world's first cordless expander for UPONOR™ Q&E PE-Xa pipe sizes up to DN75
- Brushless POWERSTATE™ motor delivers outstanding run time and quick expansions
- Expands dimensions DN40, DN50, DN63 and DN75 of 6 and 10 bar pipes

M18 ONEBLPXP-502C

Kit included	2 x M18 B5 Battery packs, M12-18 C Charger, Kitbox
Article Number	4933464299
EAN Code	4058546222444

HD18 PXP M18™ UPONOR™ Q&E EXPANSION TOOL

M18



- Auto rotating head 12 mm to 40 mm (6 bar) and to 32 mm (10 bar) provides accurate, one-handed expansion
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Quick cam mechanism - single pull continuous action installs Q&E up to 4x faster
- Steel gears and integrated magnesium frame

HD18 PXP-H06202C HD18 PXP-H10202C

Included heads	16/20/25/32 mm	16/20/25/32 mm
Kit included	2 x M18 B2 Battery packs, M12-18 C Charger, Kitbox	2 x M18 B2 Battery packs, M12-18 C Charger, Kitbox
Article Number	4933441771	4933441774
EAN Code	4002395001835	4002395001842

C12 PXP M12™ SUB COMPACT UPONOR™ Q&E EXPANSION TOOL

M12



- Auto-rotating head 12 mm to 32 mm (6 bar) and to 25 mm (10 bar) provides accurate, one-handed expansion
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Quick cam mechanism - single pull, continuous action installs Q&E up to 4x faster
- Steel gears and integrated frame

C12 PXP-I06202C C12 PXP-I10202C C12 PXP-N202C

Included heads	16/ 20/ 25 mm	16/ 20/ 25 mm	15/18/22 mm
Kit included	2 x M12 B2 Battery packs, C12 C Charger, Kitbox	2 x M12 B2 Battery packs, C12 C Charger, Kitbox	2 x M12 B2 Battery packs, C12 C Charger, Kitbox
Article Number	4933441715	4933441730	4933441740
EAN Code	4002395002016	4002395002047	4002395002061

M18 FVP5 M18 FUEL™ VACUUM PUMP 5 CFM

M18 FUEL



- Up to 90 minutes of run time in Manifold Mode and 60 minutes of run time in Default Mode on an M18™ HIGH OUTPUT™ 8.0 Ah battery
- Delivers corded performance
- Instant power allows to vacuum a system without generators or temporary power
- 1/2", 3/8" and 1/4" ports and an additional 5/16" adaptor enables to easily fit different hose sizes
- Check valve protects vacuum when pump is not running

M18 FVP5-0 M18 FVP5-801

Standard equipment	500 ml oil bottle, 5/16" adaptor	500 ml oil bottle, 5/16" adaptor
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	1 x M18 HB8 Battery pack, M12-18 FC Charger, No kitbox or bag supplied
Article Number	4933492853	4933492854
EAN Code	4058546477240	4058546477257

M18 FPXP M18 FUEL™ UPONOR™ Q&E EXPANSION TOOL

M18 FUEL



- Auto-rotating heads from 9.9 mm to 50 mm provide the most accurate, one-handed expansions
- Most compact 50 mm battery powered pipe expander
- Compatible with all existing M12™ and M18™ expansion heads up to 50 mm
- Fast solution for 50 mm Q&E installations
- Two speed settings: one for up to 32 mm and one for 40 mm and above

M18 FPXP-0C M18 FPXP-H06502C M18 FPXP-H10502C

Included heads	-	6 bar Heads 32/40/50 mm	10 bar Heads 32/40/50 mm
Kit included	No batteries supplied, No charger supplied, Kitbox	2 x M18 B5 Battery packs, M12-18 FC Charger, Kitbox	2 x M18 B5 Battery packs, M12-18 FC Charger, Kitbox
Article Number	4933479436	4933479438	4933479437
EAN Code	4058546372309	4058546372323	4058546372316

M12 FPXP M12 FUEL™ SUB COMPACT UPONOR™ Q&E EXPANSION TOOL

M12 FUEL



- Auto-rotating head 9.9 mm to 32 mm (6 bar) and to 25 mm (10 bar) provides accurate, one-handed expansion
- Quick cam mechanism - single pull, continuous action installs Q&E up to 7 seconds faster
- RAPID SEAL™ heads improve time to seal by 20% or more (depending on the ambient temperatures)
- Dual acting trigger allows expansions from any grip position

M12 FPXP-0C M12 FPXP-I10202C M12 FPXP-I06202C

Included heads	-	10 Bar heads 16 / 20 / 25 mm	6 Bar heads 16 / 20 / 25 mm
Kit included	No batteries supplied, No charger supplied, Kitbox	2 x M12 B2 Battery packs, C12 C Charger, Kitbox	2 x M12 B2 Battery packs, C12 C Charger, Kitbox
Article Number	4933472018	4933472020	4933472021
EAN Code	4058546324148	4058546324162	4058546324179

SCAN TO VIEW THE FULL RANGE OF EXPANDER HEADS



DRAIN CLEANING AND INSPECTION

SCAN HERE FOR MORE INFORMATION



MXF LSDP MX FUEL™ LARGE SEWER DRUM MACHINE WITH POWERTREDZ™

MX FUEL



- The MX FUEL™ large sewer drum machine with integrated POWERTREDZ™, requires one person only to move the sewer machine in and out of the service van, up and down building stairs
- World's first battery powered large drum machine that uses MILWAUKEE® 16 mm and 20 mm inner core spirals in drains from 75 mm up to 200 mm, with the power to clear roots up to 60 m down the line

MXF LSDP-301

Standard equipment	1 x 20 mm x 15.2 m inner core cable, 1 x 20 mm x 7.6 m inner core cable, 1 x 9 pc head attachment kit
Kit included	1 x MXF CP203 Battery pack, MXF C Charger, No kitbox or bag supplied
Article Number	4933471851
EAN Code	4058546297503

M18 FFSDC13 M18 FUEL™ FREE STANDING DRAIN CLEANER 13 MM

M18 FUEL



- World's first free standing drum machine on a 18V battery, with electronic footpedal and integrated drum brake that electronically slows drum super-fast for more control and safety
- M18 FUEL™ SWITCH PACK™ tool-free sectional drum connection system allows users to quickly interchange between cable sizes, 8 mm, 10 mm, 13 mm inner core and 16 mm open wind spirals, or add a second drum to reach 30 m down the line

M18 FFSDC13-0

Standard equipment	1 x backpack assembly, 2 x drum assembly's, 2 x 13 mm x 15 m cables, 1 x cutter set & removal tool
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933459708
EAN Code	4058546028800

M18 FFSDC10 M18 FUEL™ FREE STANDING DRAIN CLEANER 10 MM

M18 FUEL



- World's first free standing drum machine on a 18V battery, with electronic footpedal and integrated drum brake that electronically slows drum super-fast for more control and safety
- M18 FUEL™ SWITCH PACK™ tool-free sectional drum connection system allows users to quickly interchange between cable sizes, 8 mm, 10 mm, 13 mm inner core and 16 mm open wind spirals, or add a second drum to reach 30 m down the line

M18 FFSDC10-0

Standard equipment	1 x backpack assembly, 1 x drum assembly, 1 x 10 mm x 15 m cables, 1 x cutter set & removal tool
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933459707
EAN Code	4058546028794

M18 FDCPF10 M18 FUEL™ DRAIN CLEANER - POWER FEED 10 MM

M18 FUEL



- World's first hand held drain cleaner on a 18V battery with automatic feed and retract that can be used with 6 mm, 8 mm and 10 mm spirals from both MILWAUKEE® and other manufacturers, in pipes from 32 mm up to 75 mm, up to 15 m down the line, eliminating all electrocution hazards users encounter today with their corded tools

M18 FDCPF10-0C M18 FDCPF10-201C

Standard equipment	1 x 10 mm x 10.6 m cable (48532675), retriever bulb, removal pin	1 x 10 mm x 10.6 m cable (48532675), 5 pc cutter set (48532685), removal pin
Kit included	No batteries supplied, No charger supplied, Closed bucket	1 x M18 B2 Battery pack, M12-18 FC Charger, Closed bucket
Article Number	4933459684	4933459685
EAN Code	4058546028565	4058546028572

M18 FFSDC16 M18 FUEL™ FREE STANDING DRAIN CLEANER 16 MM

M18 FUEL



- World's first free standing drum machine on a 18V battery, with electronic footpedal and integrated drum brake that electronically slows drum super-fast for more control and safety
- M18 FUEL™ SWITCH PACK™ tool-free sectional drum connection system allows users to quickly interchange between cable sizes, 8 mm, 10 mm, 13 mm inner core and 16 mm open wind spirals, or add a second drum to reach 30 m down the line

M18 FFSDC16-0 M18 FFSDC16-502

Standard equipment	1 x backpack assembly, 2 x drum assembly's, 2 x 16 mm x 15 m cables, 1 x cutter set & removal tool	1 x backpack assembly, 2 x drum assembly's, 2 x 16 mm x 15 m cables, 1 x cutter set & removal tool
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M18 B5 Battery packs, M12-18 FC Charger, No kitbox or bag supplied
Article Number	4933459709	4933459710
EAN Code	4058546028817	4058546028824

SCAN TO VIEW THE AUTO FEED SYSTEM ATTACHMENTS



M18 FDCPF8 **M18 FUEL**
M18 FUEL™ DRAIN CLEANER - POWER FEED 8 MM



- World's first hand held drain cleaner on a 18V battery with automatic feed and retract that can be used with 6 mm, 8 mm and 10 mm spirals from both MILWAUKEE™ and other manufacturers, in pipes from 32 mm up to 75 mm, up to 15 m down the line, eliminating all electrocution hazards users encounter today with their corded tools

	M18 FDCPF8-0C
Standard equipment	8 mm x 10.6 m cable (48532673)
Kit included	No batteries supplied, No charger supplied, Closed bucket
Article Number	4933459683
EAN Code	4058546028558

M12 BDC8 **M12**
M12™ SUB COMPACT DRAIN CLEANER WITH SPIRAL DIAMETER 8 MM



- Lightest professional drain cleaner on the market
- Versatile design, provides benefits of both handheld and floor based drain cleaners in one machine
- Best user flexibility and manoeuvrability due to the independence of electric power supply

	M12 BDC8-0C	M12 BDC8-202C
Standard equipment	8 mm x 7.6 m inner core bulb head	8 mm x 7.6 m inner core bulb head
Kit included	No batteries supplied, No charger supplied, Bucket	2 x M12 B2 Battery packs, C12 C Charger, Bucket
Article Number	4933451632	4933451633
EAN Code	4002395140992	4002395141609

M12 BDC6 **M12**
M12™ SUB COMPACT DRAIN CLEANER WITH SPIRAL DIAMETER 6 MM



- Lightest professional drain cleaner on the market
- Versatile design, provides benefits of both handheld and floor based drain cleaners in one machine
- Best user flexibility and manoeuvrability due to the independence of electric power supply

	M12 BDC6-0C	M12 BDC6-202C
Standard equipment	6 mm x 7.6 m inner core bulb head	6 mm x 7.6 m inner core bulb head
Kit included	No batteries supplied, No charger supplied, Bucket	2 x M12 B2 Battery packs, C12 C Charger, Bucket
Article Number	4933451634	4933451635
EAN Code	4002395141616	4002395141623

SCAN TO VIEW OUR SYSTEM ATTACHMENTS FOR DRAIN CLEANERS

M18 FSSM **M18 FUEL**
M18 FUEL™ SECTIONAL SEWER MACHINE



- World's first cordless sectional sewer machine on a 18V battery with automatic feed and retract that can be used with 22 mm and 32 mm sectional spirals from both MILWAUKEE® and other manufacturers in pipes from 50 mm up to 200 mm, up to 60m down the line, eliminating all electrocution hazards users encounter today with their corded tools

	M18 FSSM-0	M18 FSSM-121
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	1 x M18 HB12 Battery pack, M12-18 FC Charger, No kitbox or bag supplied
Article Number	4933471411	4933471410
EAN Code	4058546290399	4058546290382



M18 FCSSM **M18 FUEL**
M18 FUEL™ COMPACT SECTIONAL SEWER MACHINE



- World's first compact sectional sewer machine on a 18V battery that uses 16 mm and 22 mm sectional spirals from both MILWAUKEE® and other manufacturers, eliminating all electrocution hazards users encounter today with their corded tools
- Extremely light weight, 14 kg including M18™ 12.0 Ah battery, allowing user to comfortably transport the compact sectional up multiple flights of stairs or over longer distances

	M18 FCSSM-0	M18 FCSSM-121
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	1 x M18 HB12 Battery pack, M12-18 FC Charger, No kitbox or bag supplied
Article Number	4933478408	4933478407
EAN Code	4058546345990	4058546345983

SCAN TO VIEW OUR SYSTEM ATTACHMENTS FOR SECTIONAL SEWER MACHINE

M18 HSFSM **M18 FUEL**
M18™ HIGH SPEED FLEXIBLE SHAFT MACHINE



- Clears clogs in 32 mm (1 1/4") - 110 mm (4") pipes up to 23 m down the line
- Infinite variable speed from 600 - 2200 RPM for more control in the line and best wall to wall clean
- Integrated mechanical clutch protecting the cable when binding up
- Nylon coated 8 mm cable with universal reception to fit and use with most common attachment heads available on the market

	M18 HSFSM-0	M18 HSFSM-122
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M18 HB12 Battery packs, M12-18 FC Charger, No kitbox or bag supplied
Article Number	4933480721	4933480722
EAN Code	4058546410063	4058546410070

SCAN TO VIEW OUR SYSTEM ATTACHMENTS FOR M18 HSFSM - M18™ HIGH SPEED FLEXIBLE SHAFT MACHINE

M12 PL **M12**
M12™ PLUMBING LOCATOR



- Easy to use plumbing locator: 2 omni directional antennas make locating sondes and tracing energised lines easy without any ghost signals
- First locator on the market on a 12V battery with 13 hours run time on a M12™ 2.0 Ah battery, no alkaline batteries that need frequent changing
- 4.3" colour LCD screen with backlit buttons for better visibility

	M12 PL-0C	M12 PL-201C
Kit included	No batteries supplied, No charger supplied, Kitbox	1 x M12 B2 Battery pack, C12 C Charger, Kitbox
Article Number	4933471995	4933478615
EAN Code	4058546298944	4058546348083



M12 360IC12 **M12**
M12™ 360° INSPECTION CAMERA 1.2 M 2ND GEN



- 4.3" LCD screen delivers sharp and clear images and allows users to see objects in greater detail
- 270° rotating screen provides the user fluid image control in every position of use
- 1.2 metre cable balances flexibility and rigidity for both drain line and behind wall inspections
- Included 32 GB micro SD card allows to record and store images and videos

	M12 360IC12-0C	M12 360IC12-201C
Standard equipment	4x Accessories	4x Accessories
Kit included	No batteries supplied, No charger supplied, Kitbox	1 x M12 B2 Battery pack, C12 C Charger, Kitbox
Article Number	4933480739	4933480740
EAN Code	4058546410247	4058546410254



M12 360IC32 **M12**
M12™ 360° INSPECTION CAMERA 3 M 2ND GEN



- 4.3" LCD screen delivers sharp and clear images and allows users to see objects in greater detail
- 270° rotating screen provides the user fluid image control in every position of use
- 3 metre cable balances flexibility and rigidity for both drain line and behind wall inspections
- Included 32 GB micro SD card allows to record and store images and videos

	M12 360IC32-0C
Standard equipment	4x Accessories
Kit included	No batteries supplied, No charger supplied, Kitbox
Article Number	4933480741
EAN Code	4058546410261

AIC2
ALKALINE INSPECTION CAMERA 2ND GEN



- 4.3" LCD screen delivers sharp and clear images and allows users to see objects in greater detail
- 1.2 metre cable balances flexibility and rigidity for both drain line and behind wall inspections
- 5 modes of brightness provide best in class illumination without shadow or glare
- 720p camera resolution provides outstanding image quality

	AIC2
Standard equipment	4x Accessories
Kit included	4 x AA Batteries, Kitbox
Article Number	4933480738
EAN Code	4058546410230

TiD-extra 3.0

INSPECTION CAMERAS

- STEP 1** CHOOSE YOUR DESIRED REEL
- STEP 2** SMART HUB
- STEP 3** CHOOSE YOUR VIEWING DEVICE
- STEP 4** SAVE YOUR RECORDINGS

OPE

SCAN HERE FOR MORE INFORMATION



M18 SIC60SC M18™ SEWER INSPECTION SMALL CAMERA 60 M

M18



- 25 mm 1080 p HD camera with pan zoom, allowing the user to zoom in on the entire picture
- 12 LED's for better illumination of drain pipes
- 60 m long, 10 mm thick push rod for easier reach of longer runs but still flexible enough to run through 50 mm 90 degree bends
- Fully enclosed reels for better mess containment
- Rubber stand for putting reel on back

M18 SIC60SC

Article Number	4933480585
EAN Code	4058546408701

M18 SIC60 M18™ SEWER INSPECTION CAMERA 60 M

M18



- 34 mm 1080 p HD camera with pan zoom, allowing the user to zoom in on the entire picture
- 20 LED's for better illumination of drain pipes
- 60 m long, 12 mm thick push rod for easier reach of longer runs but still flexible enough to run through 75 mm 90 degree bends
- Fully enclosed reels for better mess containment
- Rubber stand for putting reel on back

M18 SIC60

Article Number	4933471412
EAN Code	4058546290405

M18 SIC36 M18™ SEWER INSPECTION CAMERA 36 M

M18



- 25 mm 1080 p HD camera with pan zoom, allowing the user to zoom in on the entire picture
- 12 LED's for better illumination of drain pipes
- 36 m long, 10 mm thick push rod for easier reach of longer runs but still flexible enough to run through 50 mm 90 degree bends
- Fully enclosed reels for better mess containment
- Rubber stand for putting reel on back

M18 SIC36

Article Number	4933471413
EAN Code	4058546290412

M18 SIC30 M18™ SEWER INSPECTION CAMERA 30 M

M18



- 25 mm 1080 p HD camera with pan zoom, allowing the user to zoom in on the entire picture
- 30 m long, 9.5 mm thick push rod for easier reach of longer runs but still flexible enough to run through 50 mm 90 degree bends
- Fully enclosed reels for better mess containment
- 12 LED's for better illumination of drain pipes
- Rubber stand for putting reel on back

M18 SIC30

Article Number	4933480737
EAN Code	4058546410223

M18 SISH M18™ SEWER INSPECTION SMART HUB

M18

ONE-KEY
UNLOCKING THE DIGITAL JOBSITE.



- Easily interchangeable between reels with one push on the button
- Integrated Wi-Fi for connection with MILWAUKEE® monitor and tablet or smartphone with NEW MILWAUKEE® App
- Share customised reports
- Multiple screen viewing and recording

M18 SISH-0

Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933471415
EAN Code	4058546290436

M18 SIM M18™ SEWER INSPECTION MONITOR

M18

ONE-KEY
UNLOCKING THE DIGITAL JOBSITE.



- Wireless 8" high resolution, 800 x 600, LCD screen for optimal viewing
- Sun readable screen for best viewing of inspection
- ONE-KEY™ tool tracking & security offers a free of charge cloud-based tracking network and inventory management platform for your tools. ONE-KEY™ also features a remote locking functionality

M18 SIM-0

Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933471414
EAN Code	4058546290429

M18 F2LM53 M18 FUEL™ DUAL BATTERY SELF-PROPELLED LAWN MOWER 53 CM

M18 FUEL



- 53 cm steel deck and blade design paired with M18 FUEL™ technology deliver best-in-class quality of cut
- Instant start in tall grass, outstanding peak power and start up torque to complete demanding applications
- 3-in-1 grass management system to mulch, bag, or rear side discharge
- Automatic blade speed adjustment to the required power for more efficiency

M18 F2LM53-0

M18 F2LM53-122

Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M18 HB12 Battery packs, M18 DFC Charger, No kitbox or bag supplied
Article Number	4933479584	4933479585
EAN Code	4058546373788	4058546373795

M18 F2LM46 M18 FUEL™ DUAL BATTERY SELF-PROPELLED LAWN MOWER 46 CM

M18 FUEL



- 46 cm steel deck and blade design paired with M18 FUEL™ technology deliver best-in-class quality of cut
- Compact deck design for more maneuverability in tight access areas
- 3-in-1 grass management system to mulch, 60 litre bag, or rear side discharge chute

M18 F2LM46-0

M18 F2LM46-802

Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M18 HB8 Battery packs, M18 DFC Charger, No kitbox or bag supplied
Article Number	4933492010	4933492011
EAN Code	4058546413774	4058546413781

M18 BLLT M18™ BRUSHLESS GRASS TRIMMER

M18

BRUSHLESS



- The M18™ brushless grass trimmer has the power to clear thick brush and reaches full throttle in under 1 second
- Up to 4600 RPM in first mode and 6200 RPM in second mode
- 2-speed variable trigger allows the user to choose between higher performance or extended run time
- Adjustable cutting swath of 35 cm – 40 cm

M18 BLLT-0

Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933472218
EAN Code	4058546326142

M18 FBCU M18 FUEL™ BRUSH CUTTER

M18 FUEL



- Powerful brush cutter designed to clear grass, weeds, thick brush and saplings up to 3 cm diameter
- Full throttle in under 1 second for instantaneous power and ultimate control
- Supplied with a trimmer head for a 35 - 40 cm cutting swath and a 23 cm blade featuring a 4-tooth design, meant to take on more demanding applications

M18 FBCU-0

M18 FBCU-802

Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M18 HB8 Battery packs, M12-18 FC Charger, No kitbox or bag supplied
Article Number	4933492297	4933492298



SCAN TO VIEW OUR OUTDOOR POWER EQUIPMENT ACCESSORIES RANGE



M18 FHET60 **M18 FUEL**
M18 FUEL™ HEDGE TRIMMER 60 CM

- Double sharpened blade for clean cuts and removal of thicker material
- Power to cut 20 mm branches
- 60 cm blade trims more material in a single pass, increasing reach and productivity
- Up to 2 hours run time with an M18™ HIGH OUTPUT™ 8.0 Ah battery pack
- POWERSTATE™ brushless motor provides increased efficiency, lasts longer and delivers maximum power

	M18 FHET60-0	M18 FHET60-802
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M18 HB8 Battery packs, M12-18 FC Charger, No kitbox or bag supplied
Article Number	4933493290	4933493291
EAN Code	4058546481612	4058546481629



M18 FHET45 **M18 FUEL**
M18 FUEL™ HEDGE TRIMMER 45 CM

- Double sharpened blade for clean cuts and removal of thicker material
- 45 cm blade for more flexibility and the power to cut 19 mm branches
- Sustains power under load without bogging down
- Up to 2 hours run time with an M18™ HIGH OUTPUT™ 8.0 Ah battery pack

	M18 FHET45-0	M18 FHET45-802
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M18 HB8 Battery packs, M12-18 FC Charger, No kitbox or bag supplied
Article Number	4933493293	4933493294
EAN Code	4058546481643	4058546481650

M18 FCHS **M18 FUEL**
M18 FUEL™ CHAINSAW WITH 40 CM BAR

- The M18 FUEL™ chainsaw delivers the power to outperform on the most demanding chainsaw applications vs. petrol chainsaws
- FUEL™ technology allows the saw to maintain speed in tough application without bogging down, giving it the ability to outperform petrol chainsaws up to 40cc

	M18 FCHS-0	M18 FCHS-121
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	1 x M18 HB12 Battery pack, M12-18 FC Charger, No kitbox or bag supplied
Article Number	4933464723	4933464223
EAN Code	4058546226688	4058546221683

M18 FCHSC **M18 FUEL**
M18 FUEL™ CHAINSAW WITH 30 CM BAR

- Delivers the power to outperform on the most demanding chainsaw applications vs. petrol chainsaws
- FUEL™ technology allows the saw to maintain speed in tough application without bogging down, giving it the ability to outperform petrol chainsaws up to 40cc

	M18 FCHSC-0	M18 FCHSC-121
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	1 x M18 HB12 Battery pack, M12-18 FC Charger, No kitbox or bag supplied
Article Number	4933471441	4933471442
EAN Code	4058546290696	4058546290702

M12 FHT20 **M12 FUEL**
M12 FUEL™ HEDGE TRIMMER 20 CM

- 20 cm blade ideal for small detail work like trimming overgrowth or topiary of hedges, shrubs and small bushes
- Delivers fast and precise cuts for upmost productivity
- All metal gear case for increased durability
- Slim ergonomic gripping area for outstanding control in tight to reach areas
- Well balanced and low weight for better control and effortless cutting in multiple positions

	M12 FHT20-0	M12 FHT20-402
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M12 B4 Battery packs, C12 C Charger, No kitbox or bag supplied
Article Number	4933479675	4933479676
EAN Code	4058546374693	4058546374709

M18 FCHS35 **M18 FUEL**
M18 FUEL™ CHAINSAW WITH 35 CM BAR

- Delivers the power to outperform on the most demanding applications vs. petrol chainsaws
- Maintains speed in tough applications without bogging down
- The HIGH OUTPUT™ system of tools elevates the M18 FUEL™ technologies to a new level and delivers extended performance and extended run time. These tools are designed to maximise the partnership with HIGH OUTPUT™ batteries

	M18 FCHS35-0	M18 FCHS35-122
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M18 HB12 Battery packs, M12-18 FC Charger, No kitbox or bag supplied
Article Number	4933479678	4933479679
EAN Code	4058546374723	4058546374730



M18 FTHCHS35 **M18 FUEL**
M18 FUEL™ TOP HANDLE CHAINSAW WITH 35 CM BAR

- Outstanding speed of cut in hardwood vs certain petrol or higher voltage top handle chainsaws
- High torque to complete cuts in demanding materials and maintains speed under heavy loads without bogging down
- FUEL™ technology to reach full throttle in under 1 second

	M18 FTHCHS35-0	M18 FTHCHS35-802
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M18 HB8 Battery packs, M12-18 FC Charger, No kitbox or bag supplied
Article Number	4933479588	4933479589
EAN Code	4058546373825	4058546373832

M18 FTHCHS30 **M18 FUEL**
M18 FUEL™ TOP HANDLE CHAINSAW WITH 30 CM BAR

- Outstanding speed of cut in hardwood vs certain petrol or higher voltage top handle chainsaws
- High torque to complete cuts in demanding materials and maintains speed under heavy loads without bogging down
- FUEL™ technology to reach full throttle in under 1 second

	M18 FTHCHS30-0	M18 FTHCHS30-802
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M18 HB8 Battery packs, M12-18 FC Charger, No kitbox or bag supplied
Article Number	4933479586	4933479587
EAN Code	4058546373801	4058546373818

M12 FHS **M12 FUEL**
M12 FUEL™ HATCHET™ PRUNING SAW 15 CM

- M12 FUEL™ HATCHET™ pruning saw delivers outstanding control & access, has the power to cut 75 mm hardwoods, and delivers up to 120 cuts per charge on an M12 B4 battery pack
- Designed to meet the ergonomic, performance, and durability needs of landscape maintenance professionals

	M12 FHS-0	M12 FHS-602X
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M12 B6 Battery packs, C12 C Charger, HD Box
Article Number	4933472211	4933472212
EAN Code	4058546326074	4058546326081

M18 F2BPB **M18 FUEL**
M18 FUEL™ DUAL BATTERY BACKPACK BLOWER

- High constant clearing force with a consistent blowing force of 20.5 N over the entire battery discharge
- 2 x 18V dedicated backpack blower with a padded back pad and padded adjustable straps for extreme comfort
- Up to four battery slots for extended run time
- Up to 18.5 m³/min of air volume at 250 km/h to clear leaves, gravel and debris

	M18 F2BPB-0	M18 F2BPB-124
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	4 x M18 HB12 Battery packs, M18 PC6 Chargers, No kitbox or bag supplied
Article Number	4933493212	4933493213
EAN Code	4058546480837	4058546480844



M18 FHS20 **M18 FUEL**
M18 FUEL™ HATCHET™ PRUNING SAW 20 CM

- M18 FUEL™ HATCHET™ pruning saw delivers outstanding power and torque to cut hardwood without bogging down
- Designed to meet the ergonomic, performance, and durability needs of landscape maintenance professionals
- Compact design for increased control and maneuverability in tight access areas

	M18 FHS20-0	M18 FHS20-552
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M18 HB5.5 Battery packs, M12-18 FC Charger, No kitbox or bag supplied
Article Number	4933480117	4933480118
EAN Code	4058546404024	4058546404031

M12 BLPRS **M12**
M12™ BRUSHLESS PRUNING SHEARS

- Power to cut branches up to 32 mm
- Trigger tracking technology allowing for blade movement to follow the trigger movement for increased control during the application
- No manual effort required, especially convenient for extended applications
- Mode select board provides ability to lock blades into half capacity of 16 mm, allowing for increased cut speed

	M12 BLPRS-0	M12 BLPRS-202
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M12 B2 Battery packs, C12 C Charger, No kitbox or bag supplied
Article Number	4933480114	4933480115
EAN Code	4058546403997	4058546404000



M18 F2BL M18 FUEL™ DUAL BATTERY BLOWER

M18 FUEL



- Up to 17 m³/min of air volume at 233 km/h to clear leaves, gravel and debris
- High constant clearing force with a consistent blowing force of 17.7 N over the entire battery discharge
- Best clearing control due to balanced design and ambidextrous variable speed lock allowing the user to lock on to any speed for precise applications

	M18 F2BL-0	M18 F2BL-802
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M18 HB8 Battery packs, M18 DFC Charger, No kitbox or bag supplied
Article Number	4933479987	4933479988
EAN Code	4058546377816	4058546377823

M18 FBL M18 FUEL™ BLOWER

M18 FUEL



- Up to 12.74 m³/min of air volume at 193 km/h to clear debris
- Variable trigger and speed lock for full power control
- Ergonomic inline design clears debris and dirt in tight spaces
- REDLINK PLUS™ intelligence system delivers an advanced digital overload protection for tool and battery and uniquely enhances the tool performance under load

	M18 FBL-0
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933459825
EAN Code	4058546029975

M18 FOPHLTKIT M18 FUEL™ OUTDOOR POWER HEAD - GRASS TRIMMER KIT

M18 FUEL



- Brushless POWERSTATE™ motor for longer motor life and up to 20% more power
- REDLINK PLUS™ intelligence system delivers an advanced digital overload protection for tool and battery and uniquely enhances the tool performance under load
- Full throttle in under 1 second
- Has the power to clear thick brush
- Up to 1 hour of run time with M18™ HIGH OUTPUT™ 8.0 Ah battery pack

	M18 FOPHLTKIT-0
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933464956
EAN Code	4058546229016

M18 FOPH M18 FUEL™ OUTDOOR POWER HEAD WITH QUIK-LOK™

M18 FUEL



- Versatile outdoor power equipment system, powered by a single power head
- Delivers the capability to swap between multiple attachments to complete a wide range of applications
- Full throttle in under 1 second
- 2-speed with variable speed trigger
- POWERSTATE™ brushless motor provides increased efficiency, lasts longer and delivers maximum power

	M18 FOPH-0
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933464954
EAN Code	4058546228996

M18 FTSP30 M18 FUEL™ TELESCOPING POLE SAW 30 CM

M18 FUEL



- Powerful cutting performance due to a chain speed of 25.4 m/s, high torque and 30 cm cutting length for fast results
- Outperforms petrol pole saws in demanding applications
- Features a telescopic shaft with a square profile and a quick length adjustment collar, allowing for optimal length adjustment of up to 400 cm

	M18 FTSP30-0	M18 FTSP30-121
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	1 x M18 HB12 Battery pack, M12-18 FC Charger, No kitbox or bag supplied
Article Number	4933480868	4933480869
EAN Code	4058546411534	4058546411541



M18 FOPH ATTACHMENTS



M12 BHCS3L M12™ HANDHELD CHEMICAL SPRAYER 3.7 L

M12



- Instant, constant and adjustable pressure for best in class control
- Three pressure settings deliver the capability to optimise performance for a wide range of applications like spot, broadcast and distance spraying
- No manual pumping allows faster application speed and reduces user fatigue versus other manual sprayers

	M12 BHCS3L-0	M12 BHCS3L-201
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	1 x M12 B2 Battery pack, C12 C Charger, No kitbox or bag supplied
Article Number	4933480781	4933480782
EAN Code	4058546410667	4058546410674

M18 BPPFH M18™ SWITCH TANK™

M18



- The M18™ SWITCH TANK™ 15 l backpack fluid pump sprayer delivers the industry's first interchangeable tank design with no manual pumping
- The interchangeable tank design isolates the pump, hose and wand, separating wearable components from the M18™ SWITCH TANK™ powered base

	M18 BPPFH-0	M18 BPPFH-401
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	1 x M18 B4 Battery pack, M12-18 C Charger, No kitbox or bag supplied
Article Number	4933464961	4933464962
EAN Code	4058546229061	4058546229078

M18 BPPF-CST M18™ SWITCH TANK™ 15L CHEMICAL SPRAYER

M18



- Fully compatible with SWITCH TANK™
- Chemical sprayer tank for pesticides/fertilizers/treatments/herbicides/fungicides/insecticides/de-icing agents and more
- Semi-transparent tank with measuring scale to know how much liquid is inside the tank
- Carry handle lid with wide mouth makes easy transport and pouring of water/chemicals into tank

	M18 BPPF-CST
Article Number	4933464964
EAN Code	4058546229092

M18 BPPF-WST M18™ SWITCH TANK™ 15L WATER SUPPLY

M18



- Fully compatible with SWITCH TANK™
- Water sprayer tank for efficient water delivery for concrete cutting and coring applications. Also useful for washing up slurry's, areas and equipment
- Semi-transparent tank with measuring scale to know how much liquid is inside the tank
- Carry handle lid with wide mouth makes easy transport and pouring of water into tank

	M18 BPPF-WST
Article Number	4933464965
EAN Code	4058546229108

		Description	Article Number	EAN Code
1.	M18 FOPH-LTA	QUIK-LOK™ grass trimmer attachment	4932464955	4058546229009
2.	M18 FOPH-HTA	QUIK-LOK™ hedge trimmer attachment	4932464959	4058546229047
3.	M18 FOPH-CSA	QUIK-LOK™ chainsaw attachment	4932464957	4058546229023
4.	M18 FOPH-EA	QUIK-LOK™ edger attachment	4932464958	4058546229030
5.	M18 FOPH-EXA	QUIK-LOK™ extension attachment	4932464960	4058546229054
6.	M18 FOPH-BCA	QUIK-LOK™ brush cutter attachment	4932479986	4058546377809
7.	M18 FOPH-RBA	QUIK-LOK™ rubber broom attachment	4932479984	4058546377786
8.	M18 FOPH-BBA	QUIK-LOK™ bristle brush attachment	4932479985	4058546377793
9.	M18 FOPH-SHTA	QUIK-LOK™ short hedge trimmer attachment	4932492666	4058546513450
10.	M18 FOPH-CA	QUIK-LOK™ cultivator attachment	4932492667	4058546475383
11.	M18 FOPH-BA	QUIK-LOK™ blower attachment	4932492668	4058546475390
12.	M18 FOPH-RA	QUIK-LOK™ reciprocator attachment	4932492669	4058546475406

TRUEVIEW™

1 TRUEST COLOUR ACCURACY



- True representation of colours and details
- Neutral white light for greatest clarity and comfort
- Designed to represent sunlight at 10 am or 2 pm

SCAN HERE FOR MORE INFORMATION



TRUEVIEW™ TECHNOLOGY

2 BEST-IN-CLASS BEAM PATTERN OPTICS

- Even and consistent beam pattern from edge to edge
- Accurate and efficient work environment, no hot spots or washed-out borders
- Reflectors and diffusers optimised for each light

3 REDLITHIUM™ BATTERY TECHNOLOGY

- Portable solutions
- Long lasting reliability
- System compatibility



MXF TL MX FUEL™ TOWER LIGHT



- TRUEVIEW™ high definition light output with up to 27,000 lumens in AC and up to 20,000 lumens in DC mode for both task and area lighting
- Has the ability to manoeuvre the light heads in multiple orientations, allowing the user to direct light to wherever it's needed

MXF TL-601

Kit included	1 x MXF XC406 Battery pack, Integrated charger, No kitbox or bag supplied
Article Number	4933471844
EAN Code	4058546297435

M18 ONESLDP M18™ ONE-KEY™ LED COMPACT SITE LIGHT CHARGER



- Optimise brightness and run time by adjusting the light output from 0 - 9000 lumens
- ONE-KEY™ tool customisation allows user to control brightness and set light settings remotely
- ONE-KEY™ tool tracking & security offers a free of charge cloud-based tracking network and inventory management platform for your tools. ONE-KEY™ also features a remote locking functionality

M18 ONESLDP-0

Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933459160
EAN Code	4002395287154

M18 ONESLSP M18™ ONE-KEY™ LED COMPACT SITE LIGHT



- ONE-KEY™ tool customisation allows user to control brightness and set light settings remotely
- ONE-KEY™ tool tracking & security offers a free of charge cloud-based tracking network and inventory management platform for your tools. ONE-KEY™ also features a remote locking functionality
- Optimise brightness and run time by adjusting the light output between 0 - 4400 lumens

M18 ONESLSP-0

Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933459155
EAN Code	4002395287109

M18 TAL M18™ TRADESMAN AREA LIGHT



- TRUEVIEW™ high definition lighting with 2,200 lumens of light output in Area mode and 1,000 lumens in Flood mode
- Advanced LED technology provides 360° of area light, while an independent array of LEDs on the side provide 90° of task lighting
- Compact design allowing for one-handed transport on the jobsite, with a built-in carry handle

M18 TAL-0

Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933464134
EAN Code	4058546220792

M18 HOSALC M18™ HIGH OUTPUT STAND AREA LIGHT CHARGER



- 6000 lumens TRUEVIEW™ of High Definition Output
- Up to 10 hours of run time on M18™ REDLITHIUM™ 8.0 Ah battery pack
- 3 impact resistant adjustable heads with highly durable lens can be rotated 180° vertically and pivoted 240° horizontally to have the perfect workplace illumination
- Integrated M18™ charger and 2.1 AMP USB output for USB device charging

M18 HOSALC-0

Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933478116
EAN Code	4058546340490

M18 ONERSAL M18™ ONE-KEY™ LED REMOTE STAND LIGHT



- Optimise brightness and run time by adjusting the light output from 0 - 5400 lumens
- ONE-KEY™ tool customisation allows user to control brightness and set light settings remotely
- ONE-KEY™ tool tracking & security offers a free of charge cloud-based tracking network and inventory management platform for your tools. ONE-KEY™ also features a remote locking functionality

M18 ONERSAL-0

Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933459431
EAN Code	4058546010928

M12 SAL M12™ STAND LIGHT



- TRUEVIEW™ high definition lighting
- 12 high performance LEDs provide 1400 lumens on high light output
- Impact resistant adjustable head with highly durable polycarbonate lens to withstand drops up to 3 m
- Head can be rotated 210° vertically and pivoted 270° horizontally to have the best perfect workplace illumination

M12 SAL-0

Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933464823
EAN Code	4058546227685

M12 POAL M12™ PACKOUT™ AREA LIGHT 1400 LUMENS



- 1400 Lumens of TRUEVIEW™ high definition output
- IP 54: water and dust resistant
- 3 modes to manage output and run time
- 300° of horizontal rotation and 180° of vertical rotation for complete light head adjustability
- Storage compartment for devices and small items

M12 POAL-0

Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933480473
EAN Code	4058546407582



M18 SAL2 M18™ LED STAND LIGHT



- TRUEVIEW™ high definition lighting
- Twelve high performance LEDs provides up to 2800 lumens on high light output
- Impact resistant adjustable head with highly durable polycarbonate lens can be rotated 230° vertically and pivoted 240° horizontally
- Protective guard secures the head and lens when the light is collapsed for storage or transport

M18 SAL2-0

M18 SAL2-502B

Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M18 B5 Battery packs, M12-18 C Tool bag
Article Number	4933492486	4933492903
EAN Code	4058546418533	4058546477745

M18 POALC M18™ PACKOUT™ AREA LIGHT CHARGER



- Three independent pivoting light heads provide 3000 lumens of TRUEVIEW™ High Definition Output
- All three pivot light heads combined provide up to 12 hours of run time on a M18™ REDLITHIUM™ 5.0 Ah battery pack
- IP54: water and dust resistant

M18 POALC-0

Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933478120
EAN Code	4058546340537

M18 HOAL M18™ HIGH OUTPUT AREA LIGHT



- 4000 lumens TRUEVIEW™ of High Definition Output
- Up to 12 hours of run time on M18™ REDLITHIUM™ 5.0 Ah battery pack
- 120° rotatable light head and integrated key holes for horizontal and vertical hanging
- Impact resistant design and durable roll cage to protect the light from rough jobsite conditions

M18 HOAL-0

Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933478118
EAN Code	4058546340513

M18 AL
M18™ LED AREA LIGHT

M18

TRUEVIEW™



- TRUEVIEW™ high definition lighting
- Eight high performance LEDs provide 1500 lumens of light output - up to 30% brighter than 250 W halogen lights
- Compact roll cage design provides superior durability
- Convenient built-in handle - ability to hang vertically or horizontally

M18 AL-0

Kit included	No batteries supplied, No charger supplied, Blister packaging
Article Number	4932430392
EAN Code	4002395380534

M12 AL
M12™ LED AREA LIGHT

M12

TRUEVIEW™



- TRUEVIEW™ high definition lighting
- Five high performance LEDs provide 1000 lumens of light output replacing 250 W halogen lights
- Highly durable and impact resistant polycarbonate lens to withstand drops up to 2.7 metres
- Integrated magnets, clamping mechanism, and key hole for screws / nails provide multiple mounting options for different surfaces

M12 AL-0

Kit included	No batteries supplied, No charger supplied, Blister packaging
Article Number	4933451394
EAN Code	4002395158621

M18 PAL
M18™ PIVOTING AREA LIGHT

M18

TRUEVIEW™



- TRUEVIEW™ high definition lighting with up to 1500 lumens and up to 20 hours of run time, allows replacement of 500 W halogen
- Two powerful magnets, a spring loaded clamp and a folding rotating light head design provide multiple mounting options and illumination possibilities from any angle
- Highly durable and impact resistant polycarbonate lens to withstand drops up to 2.7 metres

M18 PAL-0

Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933464105
EAN Code	4058546220501

M12 PAL
M12™ PIVOT AREA LIGHT

M12

TRUEVIEW™



- TRUEVIEW™ high definition lighting with up to 700 lumens
- Up to 24 hours of run time on M12™ 4.0 Ah battery pack
- With powerful magnets as well as a rotating light head design with 110° rotation in each direction to provide multiple beam options
- Highly durable and impact resistant design to withstand drops up to 3 m

M12 PAL-0

Kit included	No batteries supplied, No charger supplied, Blister packaging
Article Number	4933478226
EAN Code	4058546344030

M18 SLED
M18™ LED SEARCH LIGHT

M18

TRUEVIEW™



- TRUEVIEW™ high definition lighting
- Pivoting head provides 1250 lumens with up to 650 m beam distance
- 4 output modes: Spot, Flood, Spot/Flood, Strobe delivering multiple options in work space illumination
- Spot mode for long range identification: utility pole/ high voltage cable inspection, inspection of long runs of conduit, cast or copper pipe, under ground work, bridge work...

M18 SLED-0

Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933459159
EAN Code	4002395287147

M12 SLED
M12™ LED SPOT LIGHT

M12

TRUEVIEW™



- TRUEVIEW™ high definition lighting
- Up to 35% longer beam distance than competition - 650 m intense and highly focused beam of light with 750 lumens
- Especially useful for long range identification - utility pole/high voltage cable inspection, inspection of long runs of conduit, cast or copper pipe, under ground work, bridge work

M12 SLED-0

Kit included	No batteries supplied, No charger supplied, Blister packaging
Article Number	4933451261
EAN Code	4002395170159

M18 IL
M18™ LED INSPECTION LIGHT

M18

TRUEVIEW™



- TRUEVIEW™ high definition lighting
- Three LED design with 2 light settings provides 300 lumens on High and 130 lumens on Low setting
- Pivoting 45° forward & backward head allows for 180° coverage
- 2 adjustable metal hooks for hanging in vertical and horizontal position
- Thanks to its compact design it operates in locations other lights cannot

M18 IL-0

Kit included	No batteries supplied, No charger supplied, Blister packaging
Article Number	4932430564
EAN Code	4002395382255

M12 SL
M12™ LED STICK LIGHT

M12

TRUEVIEW™



- TRUEVIEW™ high definition lighting
- Powerful three LED design provides 220 lumens
- Adjustable metal hook allows for light to be hung in multiple orientations when being used
- Compact design - operates in locations other lights cannot
- Flexible battery system: works with all MILWAUKEE® M12™ batteries

M12 SL-0

Kit included	No batteries supplied, No charger supplied, Blister packaging
Article Number	4932430178
EAN Code	4002395378395

M12 UCL
M12™ UNDERCARRIAGE LIGHT

M12

TRUEVIEW™



- TRUEVIEW™ high definition lighting with up to 1,200 Lumens
- Up to 15 hours of run time on M12™ 4.0 Ah battery pack
- Designed for the on-the-go needs of automotive maintenance and service trades
- Dual joints swivel 300° horizontally and 180° vertically to ensure full undercarriage illumination coverage

M12 UCL-0

Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933478868
EAN Code	4058546361501

M12 CML
M12™ COLOUR MATCHING LIGHT

M12

TRUEVIEW™



- High definition lighting with up to 1000 lumens
- 98+ colour rendering index for use to identify accurate and reliable colour recognition
- Featuring 5 different colour temperatures, for end users to replicate real sunlight requirements
- Up to 14 hours of run time on M12™ 4.0 Ah battery pack
- IP54 rated for water and dust resistant and 2 m impact resistant

M12 CML-401

Kit included	1 x M12 B4 Battery pack, C12 C Charger, No kitbox or bag supplied
Article Number	4933479366
EAN Code	4058546371609

M18 LL
M18™ LED LANTERN LIGHT

M18

TRUEVIEW™



- TRUEVIEW™ high definition lighting
- 180° - 360° adjustable beam - versatile design, allows the user to select between area lighting and task lighting
- Best-in-class performance - outstanding light output 700 lumens, designed to illuminate large areas
- High powered USB charger charges tablets, smart phones, MP3 players and other electronic devices

M18 LL-0

Kit included	No batteries supplied, No charger supplied, Blister packaging
Article Number	4932430563
EAN Code	4002395382248



M12 UHL
M12™ LED UNDERHOOD LIGHT

M12

TRUEVIEW™



- TRUEVIEW™ high definition light output delivers consistent beam, optimised colour temperature and true representation of colours and detail
- Two light output settings with 1350 and 600 lumens to maximise run time and to optimise lighting output
- M12™ 4.0 Ah battery provides 4 hours of run time in high and 8 hours of run time in low setting

M12 UHL-0

Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933459432
EAN Code	4058546010935

M12 LL
M12™ LED LANTERN LIGHT

M12

TRUEVIEW™



- TRUEVIEW™ high definition lighting
- 180° - 360° adjustable beam - versatile design, allows the user to select between area lighting and task lighting
- Best-in-class performance - outstanding light output 400+ lumens, designed to illuminate large areas
- High powered 2.1A USB charger charges tablets, smart phones, MP3 players and other electronic devices

M12 LL-0

Kit included	No batteries supplied, No charger supplied, Blister packaging
Article Number	4932430562
EAN Code	4002395382231

M18 TLED
M18™ LED TORCH

M18

TRUEVIEW™



- The 120 lumen LED light is 2x brighter and whiter than conventional incandescent bulbs
- M18™ LED electronics deliver 2x longer run time on a single charge with less heat than conventional removable light bulbs
- Sealed aluminium head is designed for impact- and weather-resistant durability
- 135° rotating head allows the user to easily direct the light beam at the desired work area
- Integrated hook for hands-free use

M18 TLED-0

Kit included	No batteries supplied, No charger supplied, Blister packaging
Article Number	4932430361
EAN Code	4002395380220

M12 TLED
M12™ LED TORCH

M12

TRUEVIEW™



- The 120 lumen LED light is 2x brighter and whiter than conventional incandescent bulbs
- M12™ LED electronics deliver 2x longer run time on a single charge with less heat
- Sealed aluminium head is designed for impact- and weather-resistant durability
- 90° rotating head allows the user to easily direct the light beam at the desired work area
- Magnetic back for hands-free use

M12 TLED-0

Kit included	No batteries supplied, No charger supplied, Blister packaging
Article Number	4932430360
EAN Code	4002395380213

TiD-extra
3.0 Power D.O.O.

PERSONAL LIGHTS
REDLITHIUM™ USB


		Lumen	Max. run time (h)	IP protection class	Mounting	Kit included	Article Number	EAN Code
	L4 FL-301	445/ - / 100/ -	2.5/ - / 11/ -	IP54	Magnet, Clip	1 x L4 B3 Battery pack, USB cable, Blister packaging	4933479763	4058546375577
	L4 PWL-301	400/ - / 100/ 500	3.5/ - / 11.75/ 3.5	IP54	Magnet, Clip	1 x L4 B3 Battery pack, USB cable, Blister packaging	4933479765	4058546375591
	L4 FFL-301	550/ 250/ 100/ -	2.5/ 6/ 13.25/ -	IP54	Magnet, Carabiner	1 x L4 B3 Battery pack, USB cable, Blister packaging	4933479766	4058546375607
	L4 HL-VIS-301	600/ 400/ 200/ 25/ 400	2.5/ 4.5/ 8.5/ 22/ 4.5	IP53	Hard hat clips	1 x L4 B3 Battery pack, USB cable, Blister packaging	4933479768	4058546375621
	L4 HLRP-301	600/ 350/ 125/ 25	3/ 7.5/ 13/ 28	IP54	Hard hat clips	1 x L4 B3 Battery pack, USB cable, Blister packaging	4933479767	4058546375614
	L4 TML-301	1100/ 600/ 100/ -	1.5/ 4/ 12/ -	IP67	Clip	1 x L4 B3 Battery pack, USB cable, Blister packaging	4933479769	4058546375638
	L4 FML-301	800/ - / 100/ -	2.5/ - / 10/ -	IP67	Clip	1 x L4 B3 Battery pack, USB cable, Blister packaging	4933479770	4058546375645
	L4 SL550-301	550/ 250 ; 250/ 100	2/ 4.5/ 2/ 5	IP52	Magnet, Hook	1 x L4 B3 Battery pack, USB cable, Blister packaging	4933478869	4058546361518
	L4 NL400-301	400/ 250	2.5/ 8	IP50	-	1 x L4 B3 Battery pack, USB cable, Blister packaging	4933479898	4058546376925
	L4 BOLTHL-301	600/ 400/ 150/ 25	4/ 8/ 14/ 32	IP54	-	1 x L4 B3 Battery pack, USB cable, Blister packaging	4933479902	4058546376963
	L4 HL2-301	600/ 100/ 400/ 100/ 400	5/ 20/ 9/ 14/ 9	IP54	Hard hat clips	1 x L4 B3 Battery pack, USB cable, Blister packaging	4933479963	4058546377571
	L4 FL2000-301	2000/ 1300/ 800/ 100	4/ 8/ 24	IP66	Clip	1 x L4 B3 Battery pack, USB cable, Blister packaging	4933479637	4058546374310

INTERNAL RECHARGEABLE


		Lumen	Max. run time (h)	IP protection class	Mounting	Kit included	Article Number	EAN Code
	IR HL450	450/ 100/ 250/ 50/ 250	2.5/ 8/ 4/ 14/ 4	IP54	Magnet, Hard hat clips, BOLT™ Low-profile headlamp mount	Integrated battery, USB cable, Blister packaging	4933478587	4058546347802
	IR FL500	500 / 100 / 10/ -	3.5 / 16/ 40/ -	IP67	Clip	Integrated battery, USB cable, Blister packaging	4933478586	4058546347796
	IR PL250	250/ - / 50/ -	1.5/ - / 8/ -	IP67	Bite zone, Clip	Integrated battery, USB cable, Blister packaging	4933478705	4058546348984

ALKALINE


		Lumen	Max. run time (h)	IP protection class	Mounting	Kit included	Article Number	EAN Code
	IPL-LED	100	3	IP67	Clip, Bite zone	2 x AAA Batteries, Blister packaging	4933459440	4058546011017
	ML-LED	325/ - / 25/ -	5/ - / 18/ -	IP67	Clip	3 x AAA Batteries, Blister packaging	4933464825	4058546227708
	FL-LED	300/ - / 100/ -	5/ - / 16/ -	IP54	Magnet, Clip	2 x AA Batteries, Blister packaging	4933464824	4058546227692
	HL-SF	450/ 350/ 150/ 25/ 350	2/ 4/ 10/ 26/ 4	IP52	Hard hat clips, BOLT™ Low-profile headlamp mount	3 x AAA Batteries, Blister packaging	4933471388	4058546290160
	ISHL-LED	310/ 235/ 155/ 25/ 155	4/ 6/ 10/ 40/ 8	IP64	Hard hat clips, BOLT™ Low-profile headlamp mount	3 x AAA Batteries, No kitbox or bag supplied	4933478112	4058546340452
	HL2-LED	350/ 150/ 25/ -	4/ 8.5/ 28/ -	IP52	Hard hat clips, BOLT™ Low-profile headlamp mount	3 x AAA Batteries, Blister packaging	4933471286	4058546289140

BATTERIES


		Description	Charge time M18 DBSC charger	Charge time M12-18 FC charger	Charge time M12-18 C charger	Charge time M12-18 AC charger	Charge time M1418C6 charger	Charge time M18 DFC charger	Charge time C12 C charger	Charge time M12 TC charger	Charge time M12 C4 charger	Charge time L4 C charger	Article number	EAN Code
	M18 HB12	M18™ HIGH OUTPUT™ 12.0 Ah battery	60 min	130 min	250 min	285 min	270 min	130 min	-	-	-	-	4932464260	4058546222055
	M18 HB8	M18™ HIGH OUTPUT™ 8.0 Ah battery	45 min	87 min	167 min	190 min	190 min	87 min	-	-	-	-	4932471070	4058546286989
	M18 HB5.5	M18™ HIGH OUTPUT™ 5.5 Ah battery	35 min	60 min	115 min	130 min	125 min	60 min	-	-	-	-	4932464712	4058546226572
	M18 HB3	M18™ HIGH OUTPUT™ 3.0 Ah battery	36 min	36 min	65 min	75 min	70 min	36 min	-	-	-	-	4932471069	4058546286972
	M18 FB6	M18™ FORGE™ 6.0 Ah battery	25 min	60 min	115 min	130 min	125 min	60 min	-	-	-	-	4932492533	4058546419004
	M18 B5	M18™ 5.0 Ah battery	59 min	59 min	100 min	100 min	100 min	59 min	-	-	-	-	4932430483	4002395381449
	M18 B5-CR	M18™ 5.0 Ah battery	59 min	59 min	100 min	100 min	59 min	59 min	-	-	-	-	4932479265	4058546370596
	M18 B4	M18™ 4.0 Ah battery	52 min	52 min	80 min	80 min	80 min	52 min	-	-	-	-	4932430063	4002395377244
	M18 B2	M18™ 2.0 Ah battery	26 min	26 min	40 min	40 min	40 min	26 min	-	-	-	-	4932430062	4002395377237
	M12 HB5	M12™ 5.0 Ah HIGH OUTPUT™ battery pack	-	75 min	110 min	110 min	-	-	110 min	380 min	110 min	-	4932480165	4058546404505
	M12 HB2.5	M12™ 2.5 Ah HIGH OUTPUT™ battery pack	-	40 min	55 min	55 min	-	-	55 min	200 min	55 min	-	4932480164	4058546404499
	M12 B6	M12™ 6.0 Ah battery	-	95 min	130 min	165 min	-	-	130 min	525 min	130 min	-	4932451395	4002395158638
	M12 B4	M12™ 4.0 Ah battery	-	52 min	80 min	115 min	-	-	80 min	347 min	80 min	-	4932430065	4002395377268
	M12 B3	M12™ 3.0 Ah battery	-	50 min	70 min	90 min	-	-	70 min	264 min	70 min	-	4932451388	4002395157969
	M12 B2	M12™ 2.0 Ah battery	-	26 min	40 min	55 min	-	-	40 min	174 min	40 min	-	4932430064	4002395377251
	L4 B3	3.0 Ah REDLITHIUM™ USB battery	-	-	-	-	-	-	-	-	-	120 min	4933478311	4058546345020

CHARGERS

RED LITHIUM USB **M12** **M14** **M18**

		Description	Charging ports	Charge type	Power source	Carry handle	Wall mountable	Article Number	EAN Code
	M18 PC6	M18™ PACKOUT™ six bay rapid charger	6 x M18™; 1 x USB	Simultaneous	AC, USB	✓	✓	4932480162	4058546404475
	M18 DBSC	M18 FUEL™ dual bay super charger	2 x M18™	Simultaneous	AC	-	✓	4932492531	4058546418984
	M12-18 FC	M12™ - M18™ fast charger	1 x M12™, 1 x M18™	Sequential	AC	-	✓	4932451079	4002395810581
	M12-18 C	M12™ - M18™ charger	1 x M12™, 1 x M18™	Sequential	AC	-	✓	4932352959	4002395376179
	M12-18 AC	M12™-M18™ car charger	1 x M12™, 1 x M18™	Sequential	DC	-	✓	4932459205	4002395287208
	M18 DFC	M18™ dual bay rapid charger	2 x M18™	Simultaneous	AC	-	✓	4932472073	4058546324698
	M1418 C6	M14™ - M18™ multibay charger	6 x M14™ or 6 x M18™	Sequential	AC	✓	✓	4932430086	4002395377473
	C12 C	M12™ charger	1 x M12™	Single	AC	-	✓	4932352000	4002395366606
	M12 TC	M12™ travel charger	1 x M12™	Single	AC, USB	-	-	4932459450	4058546011116
	M12 C4	M12™ 4 bay charger	4 x M12™	Sequential	AC	-	✓	4932430554	4002395382156

PROMOTIONAL BATTERIES AND CHARGER KITS

M12 **M18**



		Voltage (V)	Battery type	Battery pack capacity (Ah)	No. of batteries supplied	Charger supplied	Article Number	EAN Code
1.	M18 HNRG-122	18 & 12	Li-ion	M18™ 12.0 & M12™ 6.0	3	M12-18 FC	4933464261	4058546222062
2.	M18 HNRG-802	18 & 12	Li-ion	M18™ 8.0 & M12™ 4.0	3	M12-18 FC	4933471073	4058546287016
3.	M18 HNRG-552	18 & 12	Li-ion	M18™ 5.5 & M12™ 3.0	3	M12-18 FC	4933464713	4058546226589
4.	M18 HNRG-302	18 & 12	Li-ion	M18™ 3.0 & M12™ 2.0	3	M12-18 FC	4933471071	4058546286996
5.	M18 NRG-503	18 & 12	Li-ion	M18™ 5.0 & M12™ 2.0	4	M12-18 FC	4933451423	4002395162628
6.	M18 NRG-502	18 & 12	Li-ion	M18™ 5.0 & M12™ 2.0	3	M12-18 FC	4933459217	4002395287925

BATTERIES AND CHARGER KITS

RED LITHIUM USB **M12** **M18**



		Voltage (V)	Battery type	Battery pack capacity (Ah)	No. of batteries supplied	Charger supplied	Article Number	EAN Code
1.	M18 FORGENRG-602	18	Li-ion	6.0	2	M18 DBSC	4933498549	4058546524180
2.	M18 NRGCR-502	18	Li-ion	5.0	2	M12-18 FC	4932479831	4058546376253
3.	M18 NRG-402	18	Li-ion	4.0	2	M12-18 FC	4933459215	4002395287901
4.	M18 NRG-202	18	Li-ion	2.0	2	M12-18 C	4933459213	4002395287284
5.	M12 NRG-603	12	Li-ion	6.0	3	C12 C	4933459208	4002395287239
6.	M12 NRG-602	12	Li-ion	6.0	2	C12 C	4933451903	4002395282128
7.	M12 NRG-402	12	Li-ion	4.0	2	C12 C	4933459211	4002395287260
8.	M12 NRG-303	12	Li-ion	3.0	3	C12 C	4933459207	4002395287222
9.	M12 NRG-302	12	Li-ion	3.0	2	C12 C	4933451902	4002395282111
10.	M12 NRG-202	12	Li-ion	2.0	2	C12 C	4933459209	4002395287246
11.	M12 NRG-201	12	Li-ion	2.0	1	C12 C	4933451900	4002395281497
12.	L4 PPS-301	4	Li-ion	3.0	1	USB rechargeable power source and charger + USB cable	4932493335	4058546482060

CONSTRUCTION


SCAN HERE FOR MORE INFORMATION



BREAKERS

	Tool reception	Power input (W)	Blow energy (EPTA)(J)	No load speed (rpm)	Full load hammer action (bpm)	Full load speed (soft hammer) (rpm)	Max. drilling solid bit (mm)	Max. drilling tunnel bit (mm)	Max. drilling core bit (mm)	Vibration drilling (m/s ²)	Vibration chiseling (m/s ²)	Weight (kg)	Supplied in	Article number	EAN code
1.	K 2628 H	K-Hex	2400	64	-	1200	-	-	-	-	6.2	25.7	No kitbox or bag supplied	4933471685	4058546295844
2.	K 1530 H	K-Hex	2100	39	-	1560	-	-	-	-	8.4	16.8	Plastic case	4933464117	4058546220624
3.	K 1528 H	K-Hex	2100	39	-	1560	-	-	-	-	8.8	17.2	Plastic case	4933464118	4058546220631
4.	K 1000 S	SDS-Max	1750	26	-	1400 - 1950	-	-	-	-	6.7	12.7	Plastic case	4933464120	4058546220655
5.	K 950 S	SDS-Max	1700	20	125 - 250	975 - 1950	125 - 250	50	80	150	12.5	11	Kitbox	4933375710	4002395232031
6.	K 900 K	K-Hex	1600	20	-	975 - 1950	-	-	-	-	11	11.0	Kitbox	4933375650	4002395231614
6.	K 900 S	SDS-Max	1600	20	-	975 - 1950	-	-	-	-	11	11.0	Kitbox	4933375720	4002395232048
7.	K 850 S	SDS-Max	1400	11	380	1600 - 2900	210 - 380	50	80	150	9.4	10.14	Kitbox	4933464896	4058546228415
8.	K 750 S	SDS-Max	1550	11.9	300	2740	240	50	80	150	9.5	9.1	Kitbox	4933398600	4002395235193
9.	K 545 S	SDS-Max	1300	8.5	450	2840	350	45	65	100	13	9	Kitbox	4933398200	4002395234073
10.	K 540 S	SDS-Max	1100	7.5	450	3000	430	-	65	105	16.8	6.3	Kitbox	4933418100	4002395238422
11.	K 500 ST	SDS-Max	1100	7.5	450	3000	-	-	-	-	16.7	5.9	Kitbox	4933443180	4002395003402
12.	K 500 S	SDS-Max	1300	8.5	-	2840	2200	-	-	-	11.5	6.3	Kitbox	4933398220	4002395234059
13.	PCE 3/K	SDS-Plus	720	3.6	-	0 - 3650	-	-	-	-	11	3.7	Kitbox	4933384300	4002395232215

COMBI HAMMERS




	Tool reception	Power input (W)	Blow energy (EPTA)(J)	Full load hammer action (bpm)	Full load speed (rpm)	Max. drilling concrete (mm)	Max. drilling steel (mm)	Max. drilling wood (mm)	Vibration drilling (m/s ²)	Vibration chiseling (m/s ²)	FIXTEC™	Weight (kg)	Supplied in	Article number	EAN code
1.	PLH 32 XE	SDS-Plus + Reduced shank 13 mm	900	3.8	0 - 4500	0 - 800	32	16	40	22	20	3.6	Kitbox	4933400069	4002395233342
2.	PLH 28 E	SDS-Plus	800	4.1	0 - 4000	0 - 1000	28	13	40	10.6	6.8	3.4	Kitbox	4933446790	4002395005482
2.	PLH 28 XE	SDS-Plus + Reduced shank 13 mm	800	4.1	0 - 4000	0 - 1000	28	13	40	10.6	6.8	3.6	Kitbox	4933446800	4002395005499
3.	PH 30 POWER X	SDS-Plus + Reduced shank 13 mm	1030	3.6	0 - 3800	0 - 850	30	13	40	22	14	2.9	Kitbox	4933396420	4002395234967
4.	PH 28	SDS-Plus	820	3.4	0 - 4000	0 - 900	28	13	30	22	16	2.7	Kitbox	4933396396	4002395234936
4.	PH 28 X	SDS-Plus + Reduced shank 13 mm	820	3.4	0 - 4000	0 - 900	28	13	30	22	16	2.9	Kitbox	4933396392	4002395234943
5.	PH 26 T	SDS-Plus	800	2.4	0 - 4500	0 - 1500	26	13	30	13.6	11.9	2.4	Kitbox	4933464580	4058546225254
5.	PH 26 TX	SDS-Plus	800	2.4	0 - 4500	0 - 1500	26	13	30	13.6	11.9	2.6	Kitbox	4933464579	4058546225247
6.	PFH 26 T	SDS-Plus	800	2.4	0 - 4500	0 - 1500	26	13	30	13.6	11.9	2.4	Kitbox	4933464581	4058546225261
7.	PFH 26	SDS-Plus	725	2.4	0 - 4500	0 - 1250	26	13	30	13.5	-	2.4	Kitbox	4933428230	4002395239832

ROTARY DRILLS AND DRIVERS



		Chuck capacity (mm)	Power input (W)	No load speed (rpm)	Max. drilling concrete (mm)	Max. drilling masonry (mm)	Max. drilling steel (mm)	Max. drilling wood (mm)	Max. static stalling torque (Nm)	Weight (kg)	Supplied in	Article Number	EAN Code
1.	SB 2-35 D	16	1010	0 - 800/ 0 - 1800	35	40	16	50	57	4.2	No kitbox or bag supplied	4933380507	4002395227280
2.	PD2E 24 R	13	1020	0 - 1000/ 0 - 3200	22	24	16	40	60	3.0	Kitbox	4933419595	4002395238651
3.	PD2E 22 R	13	850	0 - 1000/ 0 - 3200	20	22	13	40	56	2.9	Kitbox	4933419570	4002395238613
4.	PD-705	13	705	0 - 3000	15	16	13	30	15	1.9	No kitbox or bag supplied	4933431955	4002395243914
5.	PDE 16 RP	13	630	0 - 950	16	20	13	40	59	2.0	Kitbox	4933409206	4002395235339
6.	PDE 13 RX	13	630	0 - 2900	15	18	13	30	21	1.8	Kitbox	4933409200	4002395235322
7.	HDE 13 RQX	13	950	0 - 850	-	-	13	38	94	2.0	No kitbox or bag supplied	030250	4002395229642
8.	HDE 13 RQX KIT	13	950	0 - 850	-	-	13	38	94	2.0	Kitbox	4933428550	4002395241576
9.	DE 13 RP	13	630	0 - 950	-	-	13	40	59	2.1	Kitbox	4933409194	4002395235346


BRT
BREAKER TROLLEY



BRT

Article Number	4933459794
EAN Code	4058546029661


IPWE 400 R
1/2" DRIVE IMPACT WRENCH



IPWE 400 R

Article Number	4933451524
EAN Code	4002395143511

IPWE 520 R
3/4" DRIVE IMPACT WRENCH



IPWE 520 R

Article Number	4933451525
EAN Code	4002395143528

AGV 15 DEC
1550 W ANGLE GRINDER WITH DUST MANAGEMENT (28 MM DOC)



AGV 15-125 XC DEC-SET

Article Number	4933448025
EAN Code	4002395006816

AGV 15 DEG
1550 W ANGLE GRINDER WITH DUST MANAGEMENT



AGV 15-125 XC DEG-SET **AGV 15-125 XE DEG-SET**

Article Number	4933448035	4933448830
EAN Code	4002395006830	4002395263424

AGV 12 DEG
1200 W ANGLE GRINDER WITH DUST MANAGEMENT



AGV 12-125 X DEG-SET

Article Number	4933448030
EAN Code	4002395006823

DD 2-160 XE
2-SPEED DRY DIAMOND DRILL



DD 2-160 XE

Article Number	4933368690
EAN Code	4002395232505

DD 3-152
3-SPEED COMBI DIAMOND DRILL



DD 3-152

Article Number	4933428000
EAN Code	4002395239801

SCAN TO VIEW OUR WET DIAMOND DRILLING ACCESSORIES RANGE




AGV 12 DEC
1200 W ANGLE GRINDER WITH DUST MANAGEMENT (28 MM DOC)



AGV 12-125 X DEC-SET

Article Number	4933448020
EAN Code	4002395006809

WCS 45
1900 W 150 MM (45 MM DOC) WALL CHASER



WCS 45

Article Number	4933383350
EAN Code	4002395229086

WCE 30
1500 W 125 MM (30 MM DOC) WALL CHASER



WCE 30

Article Number	4933383855
EAN Code	4002395228980

METAL WORKING

SCAN HERE FOR MORE INFORMATION



ANGLE GRINDERS



		Power input (W)	No load speed (rpm)	Disc diameter (mm)	Weight (kg)	Switch type	Brake	Anti-kickback protection	FIXTEC™	AVS Anti-Vibration System	AVS side handle	Rotatable main handle	Autobalancer system	Line lock out function	Supplied in	Article Number	EAN Code
1.	AGVM 26-230 GEX	2600	6600	230	5.8	Trigger lock-on switch	No	Yes	Yes	Yes	-	Yes	Yes	Yes	No kitbox or bag supplied	4933402365	4002395234271
1.	AGVM 26-230 GEX DMS	2600	6600	230	5.8	Deadman switch	No	Yes	Yes	Yes	-	Yes	Yes	No	No kitbox or bag supplied	4933402495	4002395234394
2.	AGV 26-230 GE	2600	6600	230	5.5	Trigger lock-on switch	No	No	No	Yes	-	Yes	Yes	Yes	No kitbox or bag supplied	4933402360	4002395234257
2.	AGV 26-230 GE DMS 2600	2600	6600	230	5.5	Deadman switch	No	No	No	Yes	-	Yes	Yes	No	No kitbox or bag supplied	4933402490	4002395234356
3.	AGVM 24-230 GEX	2400	6600	230	5.8	Trigger lock-on switch	No	Yes	Yes	Yes	-	Yes	Yes	Yes	No kitbox or bag supplied	4933402340	4002395234240
3.	AGVM 24-230 GEX DMS	2400	6600	230	5.8	Deadman switch	No	Yes	Yes	Yes	-	Yes	Yes	No	No kitbox or bag supplied	4933402475	4002395234370
4.	AGVKB 24-230 EXX	2400	6500	230	5.9	Trigger lock-on switch	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	No kitbox or bag supplied	4933471464	4058546293635
5.	AGVK 24-230 EK	2400	6600	230	5.4	Trigger lock-on switch	No	Yes	No	Yes	Yes	No	No	Yes	No kitbox or bag supplied	4933451413	4002395161683
5.	AGVK 24-230 EK DMS	2400	6600	230	5.4	Deadman switch	No	Yes	No	Yes	Yes	No	No	Yes	No kitbox or bag supplied	4933451414	4002395161690
6.	AGV 24-230 GE	2400	6600	230	5.5	Trigger lock-on switch	No	No	No	Yes	-	Yes	Yes	Yes	No kitbox or bag supplied	4933402330	4002395234226
7.	AG 24-230 E	2400	6600	230	5.3	Trigger lock-on switch	No	No	No	No	-	No	No	Yes	No kitbox or bag supplied	4933402325	4002395234219
7.	AG 24-230 E DMS	2400	6600	230	5.3	Deadman switch	No	No	No	No	-	No	No	No	No kitbox or bag supplied	4933402450	4002395234325
8.	AGV 22-180 E	2200	8500	180	5.3	Trigger lock-on switch	No	No	No	Yes	Yes	No	No	Yes	No kitbox or bag supplied	4933431820	4002395243839
8.	AGV 22-230 E	2200	6600	230	5.4	Trigger lock-on switch	No	No	No	Yes	Yes	No	No	Yes	No kitbox or bag supplied	4933431850	4002395243860
8.	AGV 22-230 DMS	2200	6600	230	5.4	Deadman switch	No	No	No	Yes	Yes	No	No	No	No kitbox or bag supplied	4933431860	4002395243877
9.	AG 22-180 DMS	2200	8500	180	5.1	Deadman switch	No	No	No	No	No	No	No	No	No kitbox or bag supplied	4933431830	4002395243846
9.	AG 22-230 DMS	2200	6600	230	5.2	Deadman switch	No	No	No	No	No	No	No	No	No kitbox or bag supplied	4933433630	4002395244423
10.	AGV 17-125 XE	1750	2600 - 11,000	125	2.8	Trigger lock-on switch	No	Yes	Yes	No	Yes	-	No	Yes	No kitbox or bag supplied	4933432230	4002395243983
10.	AGV 17-125 XC	1750	11,000	125	2.8	Trigger lock-on switch	No	Yes	Yes	No	Yes	-	No	Yes	No kitbox or bag supplied	4933449850	4002395247295
10.	AGV 17-125 XC DMS 1750	1750	11,000	125	2.8	Deadman switch	No	Yes	Yes	No	Yes	-	No	Yes	No kitbox or bag supplied	4933455140	4002395247905
10.	AGV 17-150 XC DMS 1750	1750	9500	150	3.0	Deadman switch	No	Yes	Yes	No	Yes	-	No	Yes	No kitbox or bag supplied	4933432250	4002395243990
10.	AGV 17-180 XC DMS 1750	1750	7600	180	3.1	Deadman switch	No	Yes	Yes	No	Yes	-	No	Yes	No kitbox or bag supplied	4933432270	4002395244003
11.	AGV 17-125 INOX	1750	2000 - 7600	125	2.8	Trigger lock-on switch	No	Yes	Yes	No	-	-	No	Yes	No kitbox or bag supplied	4933449870	4002395247912
12.	AGV 15-125 XC	1550	11,000	125	2.6	Slide lock-on switch	No	Yes	Yes	No	-	-	No	Yes	No kitbox or bag supplied	4933428120	4002395239641
12.	AGV 15-125 XE	1550	2800 - 11,000	125	2.6	Slide lock-on switch	No	Yes	Yes	No	-	-	No	Yes	No kitbox or bag supplied	4933428127	4002395239658
12.	AGV 15-150 XC	1550	9000	150	2.6	Slide lock-on switch	No	Yes	Yes	No	Yes	-	No	Yes	No kitbox or bag supplied	4933433250	4002395244164
13.	AGV 13-125 XE	1250	2,800 - 11,500	125	2.4	Slide lock-on switch	No	Yes	Yes	Yes	Yes	-	-	Yes	No kitbox or bag supplied	4933451218	4002395260850
14.	AGV 13-125 XSPDEB	1250	12,000	125	2.5	Paddle (Deadman) switch	Yes	Yes	Yes	No	Yes	-	-	Yes	No kitbox or bag supplied	4933464998	4058546229436
14.	AGV 13-125 XSPDEB KIT	1250	12,000	125	2.5	Paddle (Deadman) switch	Yes	Yes	Yes	No	Yes	-	-	Yes	Kitbox	4933471194	4058546288228
15.	AGV 13-125 XSPDE	1250	12,000	125	2.5	Paddle (Deadman) switch	No	Yes	Yes	No	Yes	-	-	Yes	No kitbox or bag supplied	4933451578	4002395140794
16.	AG 13-125 XSPD	1250	12,000	125	2.3	Paddle (Deadman) switch	No	No	Yes	No	-	-	-	No	No kitbox or bag supplied	4933451577	4002395140787
17.	AGV 12-125 X	1200	11,000	125	2.4	Slide lock-on switch	No	Yes	Yes	No	Yes	-	-	Yes	No kitbox or bag supplied	4933428085	4002395239597
18.	AGV 10-125 EK	1000	11,000	125	2.2	Slide lock-on switch	No	No	No	No	-	-	-	Yes	No kitbox or bag supplied	4933451222	4002395260898
19.	AG 10-115 EK	1000	11,000	115	2.1	Slide lock-on switch	No	No	No	No	-	-	-	Yes	No kitbox or bag supplied	4933451219	4002395260867
19.	AG 10-125 EK	1000	11,000	125	2.1	Slide lock-on switch	No	No	No	No	-	-	-	Yes	No kitbox or bag supplied	4933451220	4002395260874
20.	AG 800-125 EK	800	11,500	125	2.0	Slide lock-on switch	No	No	No	No	-	-	-	Yes	No kitbox or bag supplied	4933451213	4002395260805
21.	AG 800-115 E	800	11,500	115	2.0	Slide lock-on switch	No	No	No	No	-	-	-	Yes	No kitbox or bag supplied	4933451210	4002395260171
21.	AG 800-125 E	800	11,500	125	2.0	Slide lock-on switch	No	No	No	No	-	-	-	Yes	No kitbox or bag supplied	4933451211	4002395260188
21.	AG 800-115 E D-SET800	800	11,500	115	2.0	Slide lock-on switch	No	No	No	No	-	-	-	Yes	Kitbox	4933451281	4002395170777

AGS 15-125 C
1500 W GRINDER/SANDER



AGS 15-125 C
Article Number 4933407480
EAN Code 4002395236015

AS 12 E
1200 W SANDER WITH
ELECTRONIC VARIABLE SPEED



AS 12 E
Article Number 4933383940
EAN Code 4002395229390

AP 14-2 200 E
1450 W POLISHER



	AP 14-2 200 E	AP 14-2 200 E KIT
Standard equipment	Side handle, flexible backing pad	Side handle, flexible backing pad, soft & hard polishing sponge, lambswool pad, sanding & finishing compound, cloth
Article Number	4933432800	4933493427
EAN Code	4002395001156	4058546482985

AP 12 E
1200 W POLISHER WITH
ELECTRONIC VARIABLE SPEED



AP 12 E
Article Number 4933383925
EAN Code 4002395229406

DGL 34
SINGLE HIGH SPEED 2-HANDED
DIE GRINDER



DGL 34
Article Number 4933385110
EAN Code 4002395230020

DGL 30 E
VARIABLE SPEED 2-HANDED DIE
GRINDER



DGL 30 E
Article Number 4933385120
EAN Code 4002395230037

DG 30 E
VARIABLE SPEED SINGLE HANDED
DIE GRINDER



DG 30 E
Article Number 4933385100
EAN Code 4002395230013

DG 7 E
LOW SPEED DIE GRINDER



DG 7 E
Article Number 4933391200
EAN Code 4002395231928

MCS 66
DRY CUT METAL CIRCULAR SAW



MCS 66
Article Number 4933440615
EAN Code 4002395000432

BS 125
DEEP CUT BAND SAW



BS 125
Article Number 4933448245
EAN Code 4002395262830

CHS 355
2300 W CHOPSAW



CHS 355
Article Number 4933411760
EAN Code 4002395236220

DE 10 RX
630 W SINGLE HIGH SPEED
ROTARY DRILL



DE 10 RX
Article Number 4933409211
EAN Code 4002395235353

MDE 41
MAGNETIC DRILLING PRESS WITH
ELECTRO MAGNET



MDE 41
Article Number 4933451015
EAN Code 4002395136681

MDP 41
MAGNETIC DRILLING PRESS WITH
PERMANENT MAGNET



MDP 41
Article Number 4933451014
EAN Code 4002395136674

SCAN HERE FOR MORE INFORMATION




WOODWORKING

SCAN HERE FOR MORE INFORMATION



SAWZALL™



		Power input (W)	No load stroke rate (spm)	Stroke length (mm)	Weight (kg)	Supplied in	Article number	EAN code
1.	SSPE 1500 X	1500	0 - 2800	32	4.5	Kitbox	4933428900	4002395241699
2.	SSPE 1300 RX	1300	0 - 3000	32	4.2	Kitbox	4933440590	4002395001095
3.	SSPE 1300 SX	1300	0 - 2800	32	3.9	Kitbox	4933428520	4002395241545
4.	SSD 1100 X	1100	0 - 2900	28	3.2	Kitbox	4933416710	4002395237623

JIGSAWS



		Power input (W)	No load stroke rate (spm)	Max. cutting capacity wood/steel/aluminium (mm)	Mitre capacity (°)	Stroke length (mm)	Weight (kg)	Supplied in	Article number	EAN code
1.	FSPE 110 X	710	500 - 3000	120/10/30	45	26	2.5	Kitbox	4933357990	4002395229185
2.	JSPE 135 TX	750	800 - 3000	135/10/30	45	26	2.5	Kitbox	4933381230	4002395232529
3.	JS 120 X	710	500 - 2800	120/10/30	45	26	2.3	Kitbox	4933381680	4002395234677

CIRCULAR SAWS



		Power input (W)	No load speed (rpm)	Blade diameter (mm)	Bevel capacity (°)	Max. cutting depth 45° (mm)	Max. cutting depth 90° (mm)	Bore size (mm)	Weight (kg)	Supplied in	Article Number	EAN Code
1.	CS 85 SB	2200	4500	235	50	67	85	30	6.6	No kitbox or bag supplied	4933451117	4002395137411
2.	CS 85 CBE	2200	4500	235	60	67	85	30	7.7	Kitbox	4933451116	4002395137404
3.	SCS 65 Q	1900	5800	190	0 - 45	52	65	30	5.5	Kitbox	638051	4002395229529
4.	CS 60	1600	5800	184	0 - 56	49	61	30	4.8	No kitbox or bag supplied	4933419225	4002395238361

SANDERS



		Power input (W)	No load speed (rpm)	Oscillation rate (opm)	Oscillation diameter (mm)	Sanding pad size (mm)	Weight (kg)	Supplied in	Article Number	EAN Code
1.	BS 100 LE	1150	230 - 400	-	-	100 x 160	5.3	No kitbox or bag supplied	4933385150	4002395229222
2.	ROS 125 E	300	7000 - 12,000	14,000 - 26,000	2.4	125	1.7	Tool bag	4933433180	4002395244010
3.	SPS 140	260	14,700	28,000	1.6	113 x 105	1.6	No kitbox or bag supplied	4933447015	4002395005826

DUST EXTRACTORS



		Power input (W)	Air volume (l/min)	Filter type	Max. vacuum (mbar)	Capacity (l)	Hose diameter (mm)	Hose length (m)	Weight (kg)	Supplied in	Article Number	EAN Code
1.	AS 42 MAC	1200	4500	PTFE	250	42	38	4	17.5	No kitbox or bag supplied	4933459418	4058546010799
2.	AS 30 MAC	1200	4500	PTFE	250	30	38	4	14.5	No kitbox or bag supplied	4933459415	4058546010768
3.	AS 30 LAC	1200	4500	PTFE	250	30	36	4	14.5	No kitbox or bag supplied	4933459411	4058546010720
4.	AS 2-250 ELCP	1000	3600	PET	210	25	32	3.5	10.4	No kitbox or bag supplied	4933447480	4002395006274
5.	AS 2-250EM	1200	3720	PTFE	245	25	32	4	8.0	No kitbox or bag supplied	4933493593	4058546484644
6.	AS 2-250EH	1200	3720	PTFE	245	25	32	4	8	No kitbox or bag supplied	4933493595	4058546484668

RCS REMOTE CONTROL SOCKET AND CONTROLLER KIT



RCS
 Article number 4932478965
 EAN code 4058546362478



RCO REMOTE SOCKET CONTROLLER



RCO
 Article Number 4932479620
 EAN Code 4058546374143

MILWAUKEE® IS THE SOLUTIONS PROVIDER

ACCESSORIES



HAND TOOLS



OVER
3000
 SOLUTIONS



OVER
1200
 SOLUTIONS

STORAGE



PPE



OVER
100
 SOLUTIONS



OVER
850
 SOLUTIONS

MX FUEL™ RANGE 4 - 7

MX FUEL™ BATTERIES	7
MX FUEL™ BATTERIES AND CHARGER KITS	7
MX FUEL™ CHARGERS	7
MX FUEL™ INTRODUCTION	4
MXF COS350G2 MX FUEL™ 350 MM CUT-OFF SAW	5
MXF COSCG2 MX FUEL™ CUT-OFF SAW CART	5
MXF CVBC MX FUEL™ BRIEFCASE CONCRETE VIBRATOR	4
MXF CVBP MX FUEL™ BACKPACK CONCRETE VIBRATOR	4
MXF DCD150 MX FUEL™ 150 MM DIAMOND CORE DRILL	5
MXF DCD350 MX FUEL™ 350 MM DIAMOND CORE DRILL	5
MXF DH2528H MX FUEL™ 25 KG CLASS 28 MM HEX DEMOLITION HAMMER	6
MXF DHT BREAKER TROLLEY FOR MX FUEL™ DEMOLITION HAMMER	6
MXF DR255TV PREMIUM DIAMOND DRILLING STAND FOR MX FUEL™ DIAMOND CORE DRILL	5
MXF LSDP MX FUEL™ LARGE SEWER DRUM MACHINE WITH POWERREDZ™	6, 67
MXF PS MX FUEL™ POWER SUPPLY	6
MXF PSC MX FUEL™ SCREED	4
MXF PTR2 MX FUEL™ PIPE THREADING MACHINE 2' WITH ONE-KEY™	6, 64
MXF TL MX FUEL™ TOWER LIGHT	6, 76

M18™ RANGE 8 - 39

C18 HZ M18™ HACKZALL™	33
C18 PCG/310 M18™ CAULK GUN WITH 310 ML CANISTER	23
C18 PCG/400 M18™ CAULK GUN WITH 400 ML TUBE	23
C18 PCG/600 M18™ CAULK GUN WITH 600 ML TUBE	23
C18 RAD M18™ COMPACT RIGHT ANGLE DRILL	17
GET THE RIGHT ANGLE GRINDER FOR THE JOB	24
GET THE RIGHT HAMMER FOR THE JOB	10
GET THE RIGHT IMPACT DRIVER FOR THE JOB	16
GET THE RIGHT IMPACT WRENCH FOR THE JOB	18 - 19
GET THE RIGHT MITRE SAW FOR THE JOB	29
GET THE RIGHT NAILER/ STAPLER FOR THE JOB	36
GET THE RIGHT PERCUSSION DRILL FOR THE JOB	14
GET THE RIGHT SAW FOR THE JOB	31
HD18 CS M18™ 55 MM CIRCULAR SAW FOR WOOD AND PLASTIC	32
M12-18 JSSP M12™ - M18™ BLUETOOTH® SPEAKER	38, 51
M18 AF M18™ AIR FAN	38
M18 ARFHP M18™ HIGH PERFORMANCE AIR FAN	38
M18 BBL M18™ BATTERY BLOWER	38
M18 BH M18™ COMPACT 2-MODE SDS-PLUS HAMMER	13
M18 BHG M18™ HEAT GUN	28
M18 BI M18™ INFLATOR	38
M18 BIW12 M18™ 1/2" IMPACT WRENCH	22
M18 BIW38 M18™ 3/8" IMPACT WRENCH	23
M18 BJS M18™ TOP HANDLE JIGSAW	34
M18 BLCPP2A M18™ COMPACT BRUSHLESS POWERPACK	39
M18 BLCPP2B M18™ COMPACT BRUSHLESS POWERPACK	39
M18 BLCS66 M18™ BRUSHLESS 66 MM CIRCULAR SAW FOR WOOD AND PLASTICS	32
M18 BLDD2 M18™ BRUSHLESS DRILL DRIVER	15
M18 BLDDRC M18™ COMPACT BRUSHLESS DRILL DRIVER	15
M18 BLH M18™ BRUSHLESS 4-MODE 26 MM SDS-PLUS HAMMER	13
M18 BLHACD26 M18™ BRUSHLESS 26 MM SDS-PLUS D-HANDLE HAMMER	13
M18 BLHIWF12 M18™ BRUSHLESS 1/2" HIGH TORQUE IMPACT WRENCH WITH FRICTION RING	22
M18 BLHX M18™ BRUSHLESS 4-MODE 26 MM SDS-PLUS HAMMER WITH FIXTEC™ CHUCK	13
M18 BLJDR M18™ BRUSHLESS 1/4" HEX IMPACT DRIVER	17
M18 BLIDRC M18™ COMPACT BRUSHLESS 1/4" HEX IMPACT DRIVER	17
M18 BLPD2 M18™ BRUSHLESS PERCUSSION DRILL	15
M18 BLPDRC M18™ COMPACT BRUSHLESS PERCUSSION DRILL	15
M18 BLSAG115XPD M18 BRUSHLESS 115 MM ANGLE GRINDER WITH PADDLE SWITCH	27
M18 BLSAG125X M18 BRUSHLESS 125 MM ANGLE GRINDER WITH SLIDE SWITCH	26
M18 BLSAG125XPD M18 BRUSHLESS 125 MM ANGLE GRINDER WITH PADDLE SWITCH	27

M18 BMS12 M18™ METAL SHEAR	28
M18 BMS20 M18™ METAL SHEAR	28
M18 BMT M18™ MULTI-TOOL	34
M18 BOS125 M18™ 125 MM RANDOM ORBITAL SANDER	35
M18 BP M18™ PLANER	34
M18 BQSS M18™ QUARTER SHEET SANDER	34
M18 BRAID M18™ RIGHT ANGLE IMPACT DRIVER	20
M18 BRAIW M18™ 3/4" RIGHT ANGLE IMPACT WRENCH	23
M18 BRDC M18™ ROTATION DRYWALL CUTTER	34
M18 BSX M18™ SAWZALL™	33
M18 CBS125 M18 FUEL™ DEEP CUT BAND SAW	27
M18 CCS55 M18 FUEL™ 55 MM CIRCULAR SAW FOR WOOD AND PLASTICS	32
M18 CDEX M18 FUEL™ SDS-PLUS DUST EXTRACTOR	13
M18 CHM M18 FUEL™ 5 KG SDS-MAX DRILLING AND BREAKING HAMMER	11
M18 CRAD2 M18 FUEL™ RIGHT ANGLE DRILL	17
M18 CV M18™ HAND VAC	38
M18 F2VC23L M18 FUEL™ 23L L-CLASS VACUUM	37
M18 FAC M18 FUEL™ AIR COMPRESSOR	35
M18 FAP M18 FUEL™ POLISHER	27
M18 FBJS M18 FUEL™ BODY GRIP JIGSAW	37
M18 FBPV M18 FUEL™ BACKPACK VACUUM	33
M18 FBS85 M18 FUEL™ COMPACT BAND SAW	28
M18 FBTS75 M18 FUEL™ 75 MM BELT SANDER	35
M18 FCDDEXL COMPACT DEDICATED DUST EXTRACTION FOR M18 FUEL™ 26 MM SDS-PLUS HAMMERS	12
M18 FCOS230 M18 FUEL™ CUT-OFF SAW	13
M18 FCS66 M18 FUEL™ 66 MM CIRCULAR SAW FOR WOOD AND PLASTICS	32
M18 FCSG66 M18 FUEL™ 66 MM CIRCULAR SAW FOR WOOD AND PLASTICS, GUIDE RAIL COMPATIBLE	32
M18 FCSRH66 M18 FUEL™ REAR HANDLE CIRCULAR SAW FOR WOOD	32
M18 FCVN M18 FUEL™ NEEDLE CONCRETE VIBRATOR	13
M18 FDD3 M18 FUEL™ DRILL DRIVER	15
M18 FDDEL32 DEDICATED DUST EXTRACTION FOR M18 FUEL™ 32 MM SDS-PLUS D-HANDLE HAMMER WITH AUTOPULSE™	11
M18 FDDEXL DEDICATED DUST EXTRACTION FOR M18 FUEL™ 26 MM SDS-PLUS HAMMERS WITH AUTOPULSE™	12
M18 FDGRB M18 FUEL™ BRAKING DIE GRINDER WITH SLIDE SWITCH	28
M18 FDGROVB M18 FUEL™ BRAKING DIE GRINDER WITH ONE-KEY™, VARIABLE SPEED AND SLIDE SWITCH	28
M18 FDGROVPDB M18 FUEL™ BRAKING DIE GRINDER WITH ONE-KEY™, VARIABLE SPEED AND PADDLE SWITCH	28
M18 FFN M18 FUEL™ 34° FRAMING NAILER 2-MODE	35
M18 FFN21 M18 FUEL™ 21° FRAMING NAILER 2-MODE	35
M18 FFNS M18 FUEL™ 34° FRAMING NAILER WITH SINGLE SHOT ONLY	35
M18 FFUS M18 FUEL™ FENCING UTILITY STAPLER	37
M18 FH M18 FUEL™ 4-MODE 26 MM SDS-PLUS HAMMER	12
M18 FHACOD32 M18 FUEL™ 32 MM SDS-PLUS D-HANDLE HAMMER WITH ONE-KEY™	11
M18 FHIW2F12 M18 FUEL™ 1/2" HIGH TORQUE IMPACT WRENCH WITH FRICTION RING	21
M18 FHIW2P12 M18 FUEL™ 1/2" HIGH TORQUE IMPACT WRENCH WITH PIN DETENT	21
M18 FHIWF1R M18 FUEL™ 1" RAILWAY IMPACT WRENCH WITH FRICTION RING	20
M18 FHM M18 FUEL™ ONE-KEY™ 8 KG SDS-MAX DRILLING AND BREAKING HAMMER	11
M18 FHSAG125XB M18 FUEL™ HIGH PERFORMANCE 125 MM BRAKING GRINDER WITH SLIDE SWITCH	25
M18 FHSAG125XPDB M18 FUEL™ HIGH PERFORMANCE 125 MM BRAKING GRINDER WITH PADDLE SWITCH	25
M18 FHSAG150XB M18 FUEL™ HIGH PERFORMANCE 150 MM BRAKING GRINDER WITH SLIDE SWITCH	25
M18 FHSAG150XPDB M18 FUEL™ HIGH PERFORMANCE 150 MM BRAKING GRINDER WITH PADDLE SWITCH	25
M18 FHX M18 FUEL™ 4-MODE 26 MM SDS-PLUS HAMMER WITH FIXTEC™	12
M18 FHZ M18 FUEL™ HACKZALL™	33
M18 FID3 M18 FUEL™ 1/4" HEX IMPACT DRIVER	17
M18 FIW2F12 M18 FUEL™ 1/2" COMPACT IMPACT WRENCH WITH FRICTION RING	22
M18 FIW2F38 M18 FUEL™ 3/8" COMPACT IMPACT WRENCH WITH FRICTION RING	22
M18 FIW2P12 M18 FUEL™ 1/2" COMPACT IMPACT WRENCH WITH PIN DETENT	22

M18™ RANGE 8 - 39

M18 FJS M18 FUEL™ TOP HANDLE JIGSAW	33
M18 FLAG230XPDB M18 FUEL™ 230 MM LARGE BRAKING GRINDER WITH PADDLE SWITCH	25
M18 FMCS M18 FUEL™ 57 MM METAL CIRCULAR SAW	27
M18 FMCS66 M18 FUEL™ 66 MM METAL CIRCULAR SAW	27
M18 FMDP M18 FUEL™ MAGNETIC DRILLING PRESS WITH PERMANENT MAGNET	28
M18 FMS190 M18 FUEL™ 190 MM MITRE SAW	30
M18 FMS254 M18 FUEL™ 254 MM MITRE SAW	30
M18 FMS305 M18 FUEL™ ONE-KEY™ 305 MM MITRE SAW	30
M18 FMT M18 FUEL™ MULTI-TOOL	34
M18 FMTIW2F12 M18 FUEL™ 1/2" MID-TORQUE IMPACT WRENCH WITH FRICTION RING	21
M18 FMTIW2F38 M18 FUEL™ 3/8" MID TORQUE IMPACT WRENCH WITH FRICTION RING	22
M18 FMTIW2P12 M18 FUEL™ 1/2" MID-TORQUE IMPACT WRENCH WITH PIN DETENT	21
M18 FN15GA M18 FUEL™ 15 GA ANGLED NAIL FINISH NAILER 2-MODE	35
M18 FN16GA M18 FUEL™ 16 GA ANGLED NAIL FINISH NAILER 2-MODE	35
M18 FN16GS M18™ FUEL™ 16 GA STRAIGHT FINISH NAILER	37
M18 FN18GS M18 FUEL™ 18 GS FINISH NAILER	37
M18 FNCS18GS M18 FUEL™ NARROW CROWN STAPLER 2-MODE	37
M18 FPD3 M18 FUEL™ PERCUSSION DRILL	15
M18 FPDEXL DEDICATED DUST EXTRACTION FOR M18 FUEL™ 32 MM SDS-PLUS HAMMERS WITH AUTOPULSE™	11
M18 FPM M18 FUEL™ PADDLE MIXER	13
M18 FPOVCL M18 FUEL™ PACKOUT™ WET/ DRY VACUUM	37
M18 FPP2A3 M18 FUEL™ POWER PACK	39
M18 FPP6E3 M18 FUEL™ POWER PACK	39
M18 FPP6F3 M18 FUEL™ POWER PACK	39
M18 FPS55 M18 FUEL™ 55 MM PLUNGE SAW	32
M18 FQID M18 FUEL™ SURGE™ 1/4" HEX HYDRAULIC IMPACT DRIVER	17
M18 FR12 M18 FUEL™ 12 MM ROUTER	34
M18 FRAD2 M18 FUEL™ SUPER HAWG® 2-SPEED RIGHT ANGLE DRILL DRIVER GEN II	17
M18 FROP15 M18 FUEL™ RANDOM ORBITAL POLISHER WITH 15 MM STROKE	27
M18 FROP21 M18 FUEL™ RANDOM ORBITAL POLISHER WITH 21 MM STROKE	27
M18 FSAG125X M18 FUEL™ 125 MM ANGLE GRINDER WITH SLIDE SWITCH	26
M18 FSAG125XB M18 FUEL™ 125 MM BRAKING ANGLE GRINDER WITH SLIDE SWITCH	26
M18 FSAGF125XB M18 FUEL™ 125 MM FLATHEAD BRAKING ANGLE GRINDER WITH SLIDE SWITCH	26
M18 FSAGF125XPDB M18 FUEL™ 125 MM FLATHEAD BRAKING ANGLE GRINDER WITH PADDLE SWITCH	26
M18 FSAGSV0125X M18 FUEL™ 125 MM SAFETY GRINDER WITH VARIABLE SPEED AND ONE-KEY™	25
M18 FSAGV125XB M18 FUEL™ 125 MM VARIABLE SPEED & BRAKING ANGLE GRINDER WITH SLIDE SWITCH	26
M18 FSAGV125XPDB M18 FUEL™ 125 MM VARIABLE SPEED & BRAKING ANGLE GRINDER WITH PADDLE SWITCH	26
M18 FSG M18 FUEL™ SCREW GUN	20
M18 FSGC M18 FUEL™ SCREW GUN WITH A COLLATED ATTACHMENT	20
M18 FSX M18 FUEL™ SUPER SAWZALL™	33
M18 FSZ M18 FUEL™ SAWZALL™	33
M18 FTR8 M18 FUEL™ TRIM ROUTER WITH 8 MM/ 6 MM COLLETS AND BASES	34
M18 FTS210 M18 FUEL™ ONE-KEY™ TABLE SAW	30
M18 FUEL™ INTRODUCTION	8
M18 GG M18™ GREASE GUN	23
M18 ONEDD3 M18 FUEL™ ONE-KEY™ DRILL DRIVER	15
M18 ONEFH M18 FUEL™ 4-MODE 26 MM SDS-PLUS HAMMER WITH ONE-KEY™	12
M18 ONEFHIWF1 M18 FUEL™ ONE-KEY™ 1" HIGH TORQUE IMPACT WRENCH WITH FRICTION RING	20
M18 ONEFHIWF12 M18 FUEL™ ONE-KEY™ 1/2" HIGH TORQUE IMPACT WRENCH WITH FRICTION RING	21
M18 ONEFHIWF12E M18 FUEL™ ONE-KEY™ 1/2" HIGH TORQUE IMPACT WRENCH WITH FRICTION RING AND EXTENDED ANVIL	21
M18 ONEFHIWF1D M18 FUEL™ ONE-KEY™ 1" HIGH TORQUE D-HANDLE IMPACT WRENCH WITH FRICTION RING AND EXTENDED ANVIL	20
M18 ONEFHIWF1DS M18 FUEL™ ONE-KEY™ 1" HIGH TORQUE D-HANDLE IMPACT WRENCH WITH FRICTION RING AND SHORT ANVIL	20
M18 ONEFHIWF34 M18 FUEL™ ONE-KEY™ 3/4" HIGH TORQUE IMPACT WRENCH WITH FRICTION RING	20

M18 ONEFHIWH716 M18 FUEL™ 7/16" HEX UTILITY HIGH TORQUE IMPACT WRENCH WITH ONE-KEY™	21
M18 ONEFHIWP12 M18 FUEL™ ONE-KEY™ 1/2" HIGH TORQUE IMPACT WRENCH WITH PIN DETENT	21
M18 ONEFHP M18 FUEL™ HIGH PERFORMANCE 4-MODE 32 MM SDS-PLUS HAMMER WITH ONE-KEY™	11
M18 ONEFHPX M18 FUEL™ HIGH PERFORMANCE 4-MODE 32 MM SDS-PLUS HAMMER WITH ONE-KEY™ AND FIXTEC™ CHUCK	11
M18 ONEFHPXDEL M18 FUEL™ HIGH PERFORMANCE SDS-PLUS HAMMER WITH DEDICATED DUST EXTRACTOR	11
M18 ONEFHX M18 FUEL™ 4-MODE 26 MM SDS-PLUS HAMMER WITH FIXTEC™ CHUCK AND ONE-KEY™	12
M18 ONEFHXDEL M18 FUEL™ 4-MODE 26 MM SDS-PLUS HAMMER WITH FIXTEC™ CHUCK, ONE-KEY™ AND WITH DEDICATED DUST EXTRACTOR	12
M18 ONEFLAG230XPDB M18 FUEL™ ONE-KEY™ 230 MM BRAKING ANGLE GRINDER WITH PADDLE SWITCH	25
M18 ONEFLT M18 FUEL™ LOCKBOLT TOOL WITH ONE-KEY™	23
M18 ONEFPRT M18 FUEL™ RIVET TOOL WITH ONE-KEY™	23
M18 ONEFSAG125XB M18 FUEL™ ONE-KEY™ 125 MM BRAKING ANGLE GRINDER WITH SLIDE SWITCH	26
M18 ONEFSAG125XPDB M18 FUEL™ ONE-KEY™ 125 MM BRAKING ANGLE GRINDER WITH PADDLE SWITCH	25
M18 ONEFSZ M18 FUEL™ ONE-KEY™ SAWZALL™	33
M18 ONEID3 M18 FUEL™ ONE-KEY™ 1/4" HEX IMPACT DRIVER	17
M18 ONEIWF12 M18 FUEL™ ONE-KEY™ 1/2" IMPACT WRENCH WITH FRICTION RING	22
M18 ONEIWP12 M18 FUEL™ ONE-KEY™ 1/2" IMPACT WRENCH WITH PIN DETENT	22
M18 ONEPD3 M18 FUEL™ ONE-KEY™ PERCUSSION DRILL	15
M18 ONEPP2A3 M18 FUEL™ ONE-KEY™ POWERPACK	39
M18 PRCDAB+ M18™ PACKOUT™ RADIO CHARGER	38
M18 RADDAB+G2 M18™ JOBSITE RADIO DAB+	38
M18 RC M18™ JOBSITE RADIO CHARGER WITH BLUETOOTH®	38
M18 VC2 M18™ WET/ DRY VACUUM	37
MITRE SAW EXTENDABLE LEGSTANDS	29
MSL 1000 MITRE SAW STAND EXTENDABLE UP TO 2 M	30
MSL 2000 MITRE SAW STAND EXTENDABLE UP TO 2.5 M	30
MSL 3000 MITRE SAW STAND EXTENDABLE UP TO 3 M	30
MSUV 280 MITRE SAW STAND EXTENDABLE UP TO 2.8 M	30
ONE-KEY™ INTRODUCTION	9
TSS 1000 TABLE SAW STAND	32

M12™ RANGE 40 - 51

C12 HZ M12™ SUB COMPACT HACKZALL™	49
C12 MT M12™ SUB COMPACT MULTI-TOOL	49
C12 PN M12™ SUB COMPACT PALM NAILER	50
C12 RAD M12™ SUB COMPACT RIGHT ANGLE DRILL	42
C12 RT M12™ SUB COMPACT ROTARY TOOL	47
GET THE RIGHT RATCHET FOR THE JOB	44
M12 AF M12™ AIR FAN	51
M12 ATB M12™ AUTOMOTIVE TECHNICIAN BORESCOPE	46
M12 AUN M12™ AIR-TIP™ UTILITY NOZZLE	50
M12 BBL M12™ BLOWER	50
M12 BCST M12™ SUB COMPACT CABLE STAPLER	49
M12 BD M12™ SUB COMPACT DRIVER	42
M12 BDDX M12™ SUB COMPACT DRILL DRIVER WITH REMOVABLE CHUCK	41
M12 BI M12™ SUB COMPACT INFLATOR	47
M12 BIW12 M12™ SUB COMPACT 1/2" IMPACT WRENCH	43
M12 BIW38 M12™ SUB COMPACT 3/8" IMPACT WRENCH	43
M12 BLP M12™ BRUSHLESS PLANER	48
M12 BLROT M12™ BRUSHLESS ROTARY TOOL	47
M12 BPP2B M12™ POWERPACK	51
M12 BPRT M12™ SUB COMPACT RIVET TOOL	43
M12 BPS M12™ SUB COMPACT POLISHER / SANDER	48
M12 BRAID M12™ SUB COMPACT RIGHT ANGLE IMPACT DRIVER	42
M12 BS M12™ SUB COMPACT BANDSAW	47
M12 BSD M12™ SUB COMPACT SINGLE SPEED DRIVER	42
M12 BST M12™ SUB COMPACT STAPLER	50
M12 CD M12 FUEL™ SUB COMPACT DRIVER	42
M12 CH M12 FUEL™ SUB COMPACT SDS-PLUS HAMMER	41

M12™ RANGE		40 - 51
M12 CHZ	M12 FUEL™ SUB COMPACT HACKZALL™	49
M12 FBFL10	M12 FUEL™ BAND FILE 10 MM	48
M12 FBFL13	M12 FUEL™ BAND FILE 13 MM	48
M12 FBS64	M12 FUEL™ SUB COMPACT BAND SAW WITH 64 MM CUTTING CAPACITY	47
M12 FCN18GS	M12 FUEL™ 18 GA STRAIGHT BRAD NAILER	49
M12 FCOT	M12 FUEL™ SUB COMPACT MULTI-MATERIAL CUT-OFF TOOL	47
M12 FCS442	M12 FUEL™ SUB COMPACT CIRCULAR SAW	49
M12 FDD2	M12 FUEL™ SUB COMPACT DRILL DRIVER	41
M12 FDDX	M12 FUEL™ INSTALLATION DRILL/DRIVER WITH INTERCHANGEABLE HEADS	41
M12 FDGA	M12 FUEL™ ANGLED DIE GRINDER	48
M12 FDGS	M12 FUEL™ STRAIGHT DIE GRINDER	48
M12 FDSS	M12 FUEL™ SUB COMPACT SPOT SANDER	48
M12 FHIR14	M12 FUEL™ 1/4" HIGH SPEED RATCHET	45
M12 FHIR14LR	M12 FUEL™ 1/4" EXTENDED REACH HIGH SPEED RATCHET	45
M12 FHIR38	M12 FUEL™ 3/8" HIGH SPEED RATCHET	45
M12 FHIR38LR	M12 FUEL™ 3/8" EXTENDED REACH HIGH SPEED RATCHET	45
M12 FID2	M12 FUEL™ SUB COMPACT 1/4" IMPACT DRIVER	42
M12 FIR12	M12 FUEL™ SUB COMPACT 1/4" RATCHET	46
M12 FIR38	M12 FUEL™ SUB COMPACT 3/8" RATCHET	46
M12 FIR38LR	M12 FUEL™ 3/8" EXTENDED REACH RATCHET	45
M12 FIW14	M12 FUEL™ SUB COMPACT 1/4" IMPACT WRENCH	43
M12 FIW38	M12 FUEL™ SUB COMPACT 3/8" IMPACT WRENCH	42
M12 FIWF12	M12 FUEL™ SUB COMPACT 1/2" IMPACT WRENCH	43
M12 FJS	M12 FUEL™ BODYGRIP JIGSAW	49
M12 FMT	M12 FUEL™ MULTI-TOOL	49
M12 FNB16	M12 FUEL™ 1.6 MM NIBBLER	48
M12 FPD2	M12 FUEL™ SUB COMPACT PERCUSSION DRILL	41
M12 FPDX	M12 FUEL™ SUB COMPACT PERCUSSION DRILL WITH REMOVABLE CHUCK	41
M12 FPP2A2	M12™ POWERPACK	51
M12 FPP2E2	M12 FUEL™ POWERPACK	51
M12 FPP2F2	M12 FUEL™ POWERPACK	51
M12 FPTR	M12 FUEL™ INSIDER™ PASS-THROUGH RATCHET	45
M12 FQID	M12 FUEL™ SURGETM™ 1/4" HEX HYDRAULIC IMPACT DRIVER	42
M12 FRAWF12	M12 FUEL™ 1/2" RIGHT ANGLE IMPACT WRENCH WITH FRICTION RING	43
M12 FRAWF38	M12 FUEL™ 3/8" RIGHT ANGLE IMPACT WRENCH WITH FRICTION RING	43
M12 FTB	M12 FUEL™ LOW SPEED TYRE BUFFER	47
M12 FUEL™ INTRODUCTION		40
M12 FVCL	M12 FUEL™ WET/ DRY VACUUM	50
M12 GG	M12™ SUB COMPACT GREASE GUN	46
M12 HV	M12™ SUB COMPACT STICK VAC	50
M12 IR	M12™ SUB COMPACT RATCHET	46
M12 JSSP	M12™ JOBSITE BLUETOOTH® SPEAKER	51
M12 ONEFTR12	M12 FUEL™ ONE-KEY™ 1/2" DIGITAL TORQUE WRENCH	43
M12 ONEFTR38	M12 FUEL™ ONE-KEY™ 3/8" DIGITAL TORQUE WRENCH	45
M12 PCG/310	M12™ SUB COMPACT CAULK GUN WITH 310 ML CARTRIDGE HOLDER	46
M12 PCG/400	M12™ SUB COMPACT CAULK GUN WITH 400 ML TUBE	46
M12 PCG/600	M12™ SUB COMPACT CAULK GUN WITH 600 ML TUBE	46
M12 RCDAB+	M12™ RADIO CHARGER DAB+	51
M12 SI	M12™ SUB COMPACT SOLDERING IRON	47
M12 UDEL	M12™ UNIVERSAL DUST EXTRACTOR	41
M12-18 JSSP	M12™ - M18™ BLUETOOTH® SPEAKER	38, 51

WORK GEAR		52 - 54
L4 HBLB	USB RECHARGEABLE HEATED WORKSKIN™ BASE LAYER	54
M12 HHBL4	M12™ HEATED HOODIE - BLACK	54
M12 HHGREY4	M12™ HEATED HOODIE - GREY	54
M12 HHLBL1	M12™ HEATED LADIES HOODIE - BLACK	54
M12 HJ BL5	M12™ HEATED JACKET - BLACK	52
M12 HJ CAM06	M12™ HEATED CAMOUFLAGE JACKET	52
M12 HJ GREY5	M12™ HEATED JACKET - GREY	52
M12 HPJBL2	M12™ HEATED PUFFER JACKET - BLACK	53

M12 HPJBL2	M12™ HEATED PUFFER JACKET LADIES - BLACK	53
M12 HPVBL2	M12™ HEATED PUFFER VEST	53
M12 HVGREY1	M12™ HEATED VEST - GREY	53

LASERS RANGE		55 - 58
CLL	ALKALINE GREEN CROSS LINE LASER	56
HI-VIST	HIGH VISIBILITY LASER TARGET PLATE	57
L4 CLL	USB RECHARGEABLE GREEN CROSS LINE LASER	56
L4 CLLP	USB RECHARGEABLE GREEN CROSS LINE LASER WITH PLUMB POINTS	56
LDM 100	100 M LASER DISTANCE METER	58
LDM 30	30 M LASER DISTANCE METER	58
LDM 45	45 M LASER DISTANCE METER	58
LDM 50	50 M LASER DISTANCE METER	58
LLD50	LASER LINE DETECTOR	57
LM360	360° LASER MOUNT	57
LMP	3.6 M TELESCOPING LASER POLE	57
LRD100	LINE/ ROTARY LASER DETECTOR	56
LWM	LASER WALL MOUNT	57
M12 3PL	M12™ GREEN 360° 3 PLANE LASER	55
M12 CLL4P	M12™ CROSS LINE LASER WITH 4 POINTS	55
M12 CLLP	M12™ GREEN CROSS LINE LASER WITH PLUMB POINTS	55
M18 RLOH600	M18™ 600 M HORIZONTAL ROTARY LASER WITH ONE-KEY™	55
M18 RLOHV1200	M18™ 1200 M HORIZONTAL VERTICAL AUTO DUAL GRADE ROTARY LASER WITH ONE-KEY™	55
M18 RLOHVG300	M18™ 300 M GREEN HORIZONTAL VERTICAL ROTARY LASER WITH ONE-KEY™	55
RD1200	ROTARY LASER DETECTOR 1200 M	56
RD300G	ROTARY LASER DETECTOR 300 M GREEN	56
RD600	ROTARY LASER DETECTOR 600 M	56
ROD500	500 CM GRADE ROD	58
SR240	240 CM STAFF ROD	58
TRP120	1.2 METRE COMPACT LASER TRIPOD	58
TRP160	1.6 METRE LASER TRIPOD	58
TRP180	1.8 METRE LASER TRIPOD	57
TRP300	3.0 METRE LASER TRIPOD	57
WLB	WIRELESS LASER ALIGNMENT BASE	57

ELECTRICAL		59 - 62
2200-40	VOLTAGE DETECTOR	62
2205-40	FORK METER FOR ELECTRICIANS	62
2212-20	AUTO VOLTAGE / CONTINUITY TESTER	62
2216-40	LIGHT COMMERCIAL MULTIMETER	62
2217-40	DIGITAL MULTIMETER	62
2235-40	LIGHT COMMERCIAL CLAMP METER	62
2267-40	10:1 INFRARED TEMP-GUN™	62, 66
M12 CC	M12™ SUB COMPACT CABLE CUTTER	59
M18 BLTRC	M18™ BRUSHLESS THREADED ROD CUTTER	61
M18 BSBT	M18™ SHEAR BOLT TOOL	61
M18 FPFT	M18 FUEL™ POWERED FISH TAPE	60
M18 HCC125	M18™ FORCE LOGIC™ HYDRAULIC 125 MM CABLE CUTTER	59
M18 HCC45	M18™ FORCE LOGIC™ HYDRAULIC 44 MM CABLE CUTTER	59
M18 HCC75	M18™ FORCE LOGIC™ HYDRAULIC UNDERGROUND CABLE CUTTER	59
M18 HCC75R	M18™ FORCE LOGIC™ HYDRAULIC REMOTE UNDERGROUND CABLE CUTTER	59
M18 HCCT	M18™ FORCE LOGIC™ HYDRAULIC 53 KN CABLE CRIMPER	61
M18 HCCT109/42	M18™ FORCE LOGIC™ HYDRAULIC 109 KN CABLE CRIMPER	61
M18 HDCT	M18™ FORCE LOGIC™ HYDRAULIC DIELESS CRIMPER	61
M18 HKP	M18™ FORCE LOGIC™ HYDRAULIC KNOCKOUT PUNCH	60
M18 HSFC125R	M18™ FORCE LOGIC™ HYDRAULIC 125 MM SAFETY CABLE CUTTER	59
M18 HUP700	M18™ HYDRAULIC UTILITY PUMP	60
M18 ONEHCC	M18™ FORCE LOGIC™ HYDRAULIC 35 MM CABLE CUTTER	60
M18 ONEHCC260	M18™ FORCE LOGIC™ HYDRAULIC 60 KN CABLE CRIMPER	61
M18 UBL	M18™ LED UTILITY BUCKET LIGHT	62

PLUMBING		63 - 66
2267-40	10:1 INFRARED TEMP-GUN™	62, 66
C12 PC	M12™ SUB COMPACT COPPER PIPE CUTTER	65
C12 PPC	M12™ SUB COMPACT PEX CUTTER	65
C12 PXP	M12™ SUB COMPACT UPONOR™ Q&E EXPANSION TOOL	66
HD18 PXP	M18™ UPONOR™ Q&E EXPANSION TOOL	66
M12 BSWP	M12™ HYDROPASS™ BRUSHED STICK WATER PUMP	65
M12 FPXP	M12 FUEL™ SUB COMPACT UPONOR™ Q&E EXPANSION TOOL	66
M12 HPT	M12™ SUB COMPACT FORCE LOGIC™ HYDRAULIC PRESS TOOL	64
M12 PCSS	M12™ RAPTOR™ PIPE CUTTER STAINLESS STEEL	65
M18 BLHPT	M18™ FORCE LOGIC™ BRUSHLESS PRESSTOOL	63
M18 BLHPTXL	M18™ FORCE LOGIC™ BRUSHLESS XL PRESS TOOL	63
M18 BTP	M18™ COMPACT TRANSFER PUMP	65
M18 FPT114	M18 FUEL™ PIPE THREADER 1 1/4" WITH ONE-KEY™	64
M18 FPT2	M18 FUEL™ PIPE THREADER 2" WITH ONE-KEY™	64
M18 FPXP	M18 FUEL™ UPONOR™ Q&E EXPANSION TOOL	66
M18 FVP5	M18 FUEL™ VACUUM PUMP 5 CFM	66
M18 ONEBLHPT	M18™ FORCE LOGIC™ BRUSHLESS PRESS TOOL WITH ONE-KEY™	63
M18 ONEBLPXL	M18™ ONE-KEY™ FORCE LOGIC™ UPONOR™ Q&E HYDRAULIC PIPE EXPANDING TOOL	66
M18 STSO	M18™ FORCE LOGIC™ STRUT SHEAR	65
MPS	MILWAUKEE® PIPE STAND	65
MXF PTR2	MX FUEL™ PIPE THREADING MACHINE 2" WITH ONE-KEY™	6, 64

DRAIN CLEANING AND INSPECTION		67 - 70
AIC2	ALKALINE INSPECTION CAMERA 2ND GEN	69
INSPECTION CAMERAS		70
M12 360IC12	M12™ 360° INSPECTION CAMERA 1.2 M 2ND GEN	69
M12 360IC32	M12™ 360° INSPECTION CAMERA 3 M 2ND GEN	69
M12 BDC6	M12™ SUB COMPACT DRAIN CLEANER WITH SPIRAL DIAMETER 6 MM	68
M12 BDC8	M12™ SUB COMPACT DRAIN CLEANER WITH SPIRAL DIAMETER 8 MM	68
M12 PL	M12™ PLUMBING LOCATOR	69
M18 FCSSM	M18 FUEL™ COMPACT SECTIONAL SEWER MACHINE	68
M18 FDCPF10	M18 FUEL™ DRAIN CLEANER - POWER FEED 10 MM	67
M18 FDCPF8	M18 FUEL™ DRAIN CLEANER - POWER FEED 8 MM	68
M18 FFSDC10	M18 FUEL™ FREE STANDING DRAIN CLEANER 10 MM	67
M18 FFSDC13	M18 FUEL™ FREE STANDING DRAIN CLEANER 13 MM	67
M18 FFSDC16	M18 FUEL™ FREE STANDING DRAIN CLEANER 16 MM	67
M18 FSSM	M18 FUEL™ SECTIONAL SEWER MACHINE	68
M18 HSFSM	M18™ HIGH SPEED FLEXIBLE SHAFT MACHINE	69
M18 SIC30	M18™ SEWER INSPECTION CAMERA 30 M	70
M18 SIC36	M18™ SEWER INSPECTION CAMERA 36 M	70
M18 SIC60	M18™ SEWER INSPECTION CAMERA 60 M	70
M18 SIC60SC	M18™ SEWER INSPECTION SMALL CAMERA 60 M	70
M18 SIM	M18™ SEWER INSPECTION MONITOR	70
M18 SISH	M18™ SEWER INSPECTION SMART HUB	70
MXF LSDP	MX FUEL™ LARGE SEWER DRUM MACHINE WITH POWERTREDZ™	6, 67

OPE		71 - 75
M12 BHCS3L	M12™ HANDHELD CHEMICAL SPRAYER 3.7 L	74
M12 BLPRS	M12™ BRUSHLESS PRUNING SHEARS	73
M12 FHS	M12 FUEL™ HATCHET™ PRUNING SAW 15 CM	73
M12 FHT20	M12 FUEL™ HEDGE TRIMMER 20 CM	72
M18 BLLT	M18™ BRUSHLESS GRASS TRIMMER	71
M18 BPPF-CST	M18™ SWITCH TANK™ 15L CHEMICAL SPRAYER	74
M18 BPPF-WST	M18™ SWITCH TANK™ 15L WATER SUPPLY	74
M18 BPPFH	M18™ SWITCH TANK™	74
M18 F2BL	M18 FUEL™ DUAL BATTERY BLOWER	74
M18 F2BPB	M18 FUEL™ DUAL BATTERY BACKPACK BLOWER	73
M18 F2LM46	M18 FUEL™ DUAL BATTERY SELF-PROPELLED LAWN MOWER 46 CM	71
M18 F2LM53	M18 FUEL™ DUAL BATTERY SELF-PROPELLED LAWN MOWER 53 CM	71
M18 FBCU	M18 FUEL™ BRUSH CUTTER	71

M18 FBL	M18 FUEL™ BLOWER	74
M18 FCHS	M18 FUEL™ CHAINSAW WITH 40 CM BAR	72
M18 FCHS35	M18 FUEL™ CHAINSAW WITH 35 CM BAR	72
M18 FCHSC	M18 FUEL™ CHAINSAW WITH 30 CM BAR	72
M18 FHET45	M18 FUEL™ HEDGE TRIMMER 45 CM	72
M18 FHET60	M18 FUEL™ HEDGE TRIMMER 60 CM	72
M18 FHS20	M18 FUEL™ HATCHET™ PRUNING SAW 20 CM	73
M18 FOPH	M18 FUEL™ OUTDOOR POWER HEAD WITH QUIK-LOK™	75
M18 FOPH ATTACHMENTS		75
M18 FOPHLTKIT	M18 FUEL™ OUTDOOR POWER HEAD - GRASS TRIMMER KIT	75
M18 FTHCHS30	M18 FUEL™ TOP HANDLE CHAINSAW WITH 30 CM BAR	73
M18 FTHCHS35	M18 FUEL™ TOP HANDLE CHAINSAW WITH 35 CM BAR	73
M18 FTSP30	M18 FUEL™ TELESCOPING POLE SAW 30 CM	74

TRUEVIEW™ HIGH DEFINITION LIGHTING		76 - 80
M12 AL	M12™ LED AREA LIGHT	78
M12 CML	M12™ COLOUR MATCHING LIGHT	79
M12 LL	M12™ LED LANTERN LIGHT	79
M12 PAL	M12™ PIVOT AREA LIGHT	78
M12 POAL	M12™ PACKOUT™ AREA LIGHT 1400 LUMENS	77
M12 SAL	M12™ STAND LIGHT	77
M12 SL	M12™ LED STICK LIGHT	78
M12 SLED	M12™ LED SPOT LIGHT	78
M12 TLED	M12™ LED TORCH	79
M12 UCL	M12™ UNDERCARRIAGE LIGHT	79
M12 UHL	M12™ LED UNDERHOOD LIGHT	79
M18 AL	M18™ LED AREA LIGHT	78
M18 HOAL	M18™ HIGH OUTPUT AREA LIGHT	77
M18 HOSALC	M18™ HIGH OUTPUT STAND AREA LIGHT CHARGER	77
M18 IL	M18™ LED INSPECTION LIGHT	78
M18 LL	M18™ LED LANTERN LIGHT	79
M18 ONERSAL	M18™ ONE-KEY™ LED REMOTE STAND LIGHT	77
M18 ONESLDP	M18™ ONE-KEY™ LED COMPACT SITE LIGHT CHARGER	76
M18 ONESLSP	M18™ ONE-KEY™ LED COMPACT SITE LIGHT	76
M18 PAL	M18™ PIVOTING AREA LIGHT	78
M18 POALC	M18™ PACKOUT™ AREA LIGHT CHARGER	77
M18 SAL2	M18™ LED STAND LIGHT	77
M18 SLED	M18™ LED SEARCH LIGHT	78
M18 TAL	M18™ TRADESMAN AREA LIGHT	76
M18 TLED	M18™ LED TORCH	79
MXF TL	MX FUEL™ TOWER LIGHT	6, 76
PERSONAL LIGHTS		80

BATTERIES & CHARGERS		81 - 83
BATTERIES		81
CHARGERS		82
PROMOTIONAL BATTERIES AND CHARGER KITS		83
BATTERIES AND CHARGER KITS		83

CONSTRUCTION		84 - 87
AGV 12 DEC	1200 W ANGLE GRINDER WITH DUST MANAGEMENT (28 MM DOC)	87
AGV 12 DEG	1200 W ANGLE GRINDER WITH DUST MANAGEMENT	87
AGV 15 DEC	1550 W ANGLE GRINDER WITH DUST MANAGEMENT (28 MM DOC)	87
AGV 15 DEG	1550 W ANGLE GRINDER WITH DUST MANAGEMENT	87
BREAKERS		84 - 85
BRT	BREAKER TROLLEY	86
COMBI HAMMERS		84 - 85
DD 2-160 XE	2-SPEED DRY DIAMOND DRILL	86
DD 3-152	3-SPEED COMBI DIAMOND DRILL	86
IPWE 400 R	1/2" DRIVE IMPACT WRENCH	86
IPWE 520 R	3/4" DRIVE IMPACT WRENCH	86
ROTARY DRILLS AND DRIVERS		86 - 87
WCE 30	1500 W 125 MM (30 MM DOC) WALL CHASER	87

CONSTRUCTION 84 - 87

WCS 45	1900 W 150 MM (45 MM DOC) WALL CHASER	87
--------	---------------------------------------	----

METAL WORKING 88 - 90

AGS 15-125 C	1500 W GRINDER/SANDER	90
ANGLE GRINDERS		88 - 90
AP 12 E	1200 W POLISHER WITH ELECTRONIC VARIABLE SPEED	90
AP 14-2 200 E	1450 W POLISHER	90
AS 12 E	1200 W SANDER WITH ELECTRONIC VARIABLE SPEED	90
BS 125	DEEP CUT BAND SAW	90
CHS 355	2300 W CHOPSAW	90
DE 10 RX	630 W SINGLE HIGH SPEED ROTARY DRILL	90
DG 30 E	VARIABLE SPEED SINGLE HANDED DIE GRINDER	90
DG 7 E	LOW SPEED DIE GRINDER	90
DGL 30 E	VARIABLE SPEED 2-HANDED DIE GRINDER	90
DGL 34	SINGLE HIGH SPEED 2-HANDED DIE GRINDER	90
MCS 66	DRY CUT METAL CIRCULAR SAW	90
MDE 41	MAGNETIC DRILLING PRESS WITH ELECTRO MAGNET	90
MDP 41	MAGNETIC DRILLING PRESS WITH PERMANENT MAGNET	90

WOODWORKING 91 - 92

CIRCULAR SAWS		91
JIGSAWS		91
RCD	REMOTE SOCKET CONTROLLER	92
RCS	REMOTE CONTROL SOCKET AND CONTROLLER KIT	92
SANDERS		92
SAWZALL™		91
DUST EXTRACTORS		92



Nothing but **HEAVY DUTY.**[™]

TiD-extra
SIO
d.o.o.

Distributed by:

Techtronic Industries GmbH

Postfach 320
D-71361 Winnenden
Germany
Tel +497195120
Fax +49719512666

The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc., and any use of such marks by TTI is under licence. Other trademarks and trade names are those of their respective owners. All data incl. service and warranty conditions as well as product range are subject to change without notice. Pictures not binding. No liability for printing errors or mistakes.
(4939 7764 00) Copyright 2024 - Milwaukee Electric Tools

<https://milwaukeeshop.tid-extra.hr>